
— SECURITY, LAYER BY LAYER

Five things stand between a click and your data.

Three permission checks, strict merge gates and locked brand blocks. Swipe through each one.

-
- 1 Proxy
 - 2 Server action
 - 3 Screen
 - 4 Merge gates
 - 5 Locked blocks
-

STEP 1 OF 5

The proxy checks the session first.

proxy.ts reads the Better Auth session before an admin page loads. Signed-out visitors never reach it.

1 Proxy

2 Server action

3 Screen

4 Merge gates

5 Locked blocks

STEP 2 OF 5

Every admin action checks again.

Each admin server action starts with `requireAdmin`, so a hand-crafted request is refused on the server.

1 Proxy

2 **Server action**

3 Screen

4 Merge gates

5 Locked blocks

STEP 3 OF 5

The screen only shows what you may use.

Buttons render from the same permission rules the server uses, so the UI never offers a forbidden action.

-
- 1 Proxy
 - 2 Server action
 - 3 Screen**
 - 4 Merge gates
 - 5 Locked blocks
-

STEP 4 OF 5

No change merges until every check passes.

Types, lint, unit, integration, browser and accessibility tests run on every pull request. Red never merges.

-
- 1 Proxy
 - 2 Server action
 - 3 Screen
 - 4 Merge gates**
 - 5 Locked blocks
-

STEP 5 OF 5

Brand blocks stay locked.

The email header and footer cannot be edited by campaign authors, and every saved change keeps its history.

1 Proxy

2 Server action

3 Screen

4 Merge gates

5 **Locked blocks**

— LET'S TALK

Hiring for a build like this?

The case study walks through the architecture, the tests and the trade-offs behind every decision.



Scan to read

CASE STUDY

[momo-audio.adudev.co.uk](https://momo-audio.adudev.co.uk/docs/case-study-email-platform)
[/docs/case-study-email-platform](https://momo-audio.adudev.co.uk/docs/case-study-email-platform)

Open to roles and contract work. Scan the code or email me.

admin@adudev.co.uk