CENTRAL WASHINGTON UNIVERSITY

CIRCULAR COORDINATE VISUALIZATION SOFTWARE

WINTER 2019

User Manual

Authors:
Michael Brice
Jia Song
Brian Hooper
Hermann Yepdjio

 $\begin{array}{c} \textit{Supervisor:} \\ \textit{Dr. Boris} \\ \textit{Kovalerchuck} \end{array}$

March 8, 2019



Contents

1	Format and Type of File Required	2
2	Load a Data Set	2
3	The components of the main window	3
4	Change the colors of the classes	4
5	The Dominant Rectangles	4
6	Other Options	5

1 Format and Type of File Required

The Circular-Coordinate supports .csv files only. The .csv file must be formatted as follow

- the first column contains the indexes for all the entries
- the last column contains the class labels for all the entries
- the first row contains the labels for each column

Below is an example of what the .csv file should look like.

1	А	В	С	D	Е	F	G	Н
1	Case	x1	x2	x3	x4	class		
2	1	5.1	3.5	1.4	0.2	Iris-setosa	ì	
3	2	4.9	3	1.4	0.2	Iris-setosa	ì	
4	3	4.7	3.2	1.3	0.2	Iris-setosa	ì	
5	4	4.6	3.1	1.5	0.2	Iris-setosa	ì	
6	5	5	3.6	1.4	0.2	Iris-setosa	ì	
7	6	5.4	3.9	1.7	0.4	Iris-setosa	ì	
8	7	4.6	3.4	1.4	0.3	Iris-setosa	ì	
9	8	5	3.4	1.5	0.2	Iris-setosa	ì	
10	9	4.4	2.9	1.4	0.2	Iris-setosa	ì	
11	10	4.9	3.1	1.5	0.1	Iris-setosa	1	
12	11	5.4	3.7	1.5	0.2	Iris-setosa	ì	
13	12	4.8	3.4	1.6	0.2	Iris-setosa	ì	
14	13	4.8	3	1.4	0.1	Iris-setosa	1	

Figure 1: An example of what the .csv file should look like

2 Load a Data Set

To load a file

- Select "File" on the upper left corner of the main window and then "Open" or press "Ctrl + O" on the keyboard.
- A window will open. Navigate and select the file containing the data which you want to visualize and press "open".




Figure 2.

If the steps above were performed properly, a visualization (in the circular coordinate) of the data that you provided will appear on the




Figure 3. A visualization of the famous Iris data set in the circular coordinate

3 The components of the main window

As seen in Figure 3, the main windows contains:

• A confusion matrix along with its corresponding statistics on the upper left corner, for the dominant rectangle that are drawn automatically.

- A confusion matrix along with its corresponding statistics on the lower left corner, for the dominant rectangle that are drawn manually.
- The list of classes on the right upper corner

4 Change the colors of the classes


There are 2 ways to change the colors:

- Randomly by pressing the "r" key on the keyboard.
- Manually by selecting "Tools" on the menu bar, then "Set class color" and then select a color. Doing this will change the color of the highlighted class to the color you chose.

5 The Dominant Rectangles

There are two ways to draw the dominant rectangles:

- manually by clicking once with the left button of the mouse to set one point of diagonal of the rectangle. Left-clicking the second time will set the second point of the diagonal and a rectangle will be drawn with the color of the highlighted class. (Right clicking will erase the manually drawn rectangle of the highlighted class)
- automatically by pressing the key "d" on the keyboard.



6 Other Options

In addition to the functionalities described above, it is also possible to:

- reverse coordinates for better distinction between classes by pressing "X + number" (number being any number from 0 to 9)
- navigate through the classes using arrow keys. if "Enter" is pressed, the selected class will be disabled if it was enabled and enabled if it was disabled.
- \bullet erase all the manually drawn dominant rectangle by selecting "Tools", then "Clear rectangles" or pressing "Ctrl + W" on the keyboard