

Attack atlas: equal coverage across the payment lifecycle

Eight archetypes x four variants; three are illustrative case studies, not a selection hierarchy

Adaptive card-testing swarm

card-not-present / card
micro-authorisation probes — merchant-hop testing —
low-and-slow retries — wallet-token validation

AI-personalised APP scam into mule network

Illustrative case study
social engineering / account-to-account
investment grooming — romance-to-payment —
impersonation urgency — multilingual supplier scam

Deepfake-assisted account takeover

remote authentication / card and account
voice recovery — video liveness challenge — synthetic
document recovery — call-centre social engineering

Synthetic-identity credit bust-out

credit lifecycle / card
thin-file persona — credit-line cultivation —
coordinated family identities — AI-generated business
identity

Agentic-commerce intent hijack

Illustrative case study
AI agent checkout / card and token
catalogue prompt injection — delegation-scope
confusion — merchant substitution — checkout intent
drift

GenAI fake-merchant collusion ring

merchant ecosystem / card
generated storefront ring — transaction laundering —
subscription trap — collusive refund cycling

AI-crafted invoice and QR redirection

business email compromise / account-to-account
supplier bank-change — dynamic QR replacement —
payment-link impersonation — cross-border invoice
diversion

Synthetic-evidence refund abuse

Illustrative case study
post-transaction / card dispute
generated damage evidence — fake non-delivery
narrative — synthetic merchant correspondence —
coordinated friendly fraud