• Since the ODE is y' = -5y, in order to make the numerical solution stable, we need

$$|1 + \lambda h| \le 1 \Rightarrow |1 - 5h| \le 1 \Rightarrow h \le 2/5$$

for Euler forward method,

$$\left| \frac{1}{1 - h\lambda} \right| \le 1 \Rightarrow \left| \frac{1}{1 + 5h} \right| \le 1 \Rightarrow h > 0$$

for Euler backward method, and

$$\left| \frac{1 + h\lambda/2}{1 + h\lambda/2} \right| < 1 \Rightarrow h > 0$$

for Trapezoid Method.

As a result, h = 0.5 > 0.4 = 2/5 will make the solutions unstable.

- From the equations above, we know that the step is not stable for this ODE using this step size at t = 0.5 given by Euler's method.
- Since y' = f(t, y) = -5y and $y_0 = 1$, so we have

$$y_{0.5} = (1 + 0.5 \cdot (-5))y_0 = -1.5$$

• From the equations above, we know that the step is stable for this ODE using this step size at t = 0.5 given by Euler's backward method.

•

• Since y' = f(t, y) = -5y and $y_0 = 1$, so we have

$$y_{0.5} = \left(\frac{1}{1 - 0.5 \cdot (-5)}\right) y_0 = 0.28$$