



Navigator

## SCHEMAS

Filter objects

- ▶ sakila
- ▼ sqlbasics
  - Tables
    - customer\_details\_table
      - Columns
        - c\_id
        - c\_name
        - c\_location
        - c\_phoneno
      - Indexes
      - Foreign Keys
      - Triggers
    - product\_table
    - sales\_table
      - Columns
        - order\_date
        - order\_no
        - c\_id
        - c\_name

Administration Schemas

Information

## Table: sales\_table

## Columns:

order_date	text
order_no	text
c_id	int
c_name	text
s_code	int
p_name	text
qty	int
price	int

Object Info Session

Query 1 x Administration - Data Import/Res...

Limit to 50 rows

```
32 • SELECT * FROM product_table WHERE category='Stationary';
33
34 • SELECT DISTINCT category FROM product_table;
35
36 • SELECT * FROM sales_table WHERE qty>2 AND price<500;
37
38 • SELECT c_name FROM customer_details_table WHERE c_name LIKE 'a%';
39
```

Result Grid



Filter Rows:

Export:

Wrap Cell Content: ☐

c_name
Nisha
Nila
Rithika
Jessica

Result Grid

customer\_details\_table9 x

Read Only

Output

Action Output

#	Time	Action	Message
✓ 55	02:03:30	DROP TABLE `sqlbasics`.`customer_details_table`	OK
✓ 56	02:03:30	CREATE TABLE `sqlbasics`.`customer_details_table` (`c_id` int, `c_name` text, `c_lo...	OK
✓ 57	02:03:31	TRUNCATE TABLE `sqlbasics`.`customer_details_table`	OK
✓ 58	02:03:31	PREPARE stmt FROM 'INSERT INTO `sqlbasics`.`customer_details_table` (`c_id`,`c...	OK
✓ 59	02:03:31	DEALLOCATE PREPARE stmt	OK
✓ 60	02:04:26	SELECT c_name FROM customer_details_table WHERE c_name LIKE 'a%' LIMIT ...	1 row(s) returned
✓ 61	02:05:20	SELECT c_name FROM customer_details_table WHERE c_name LIKE 'a%' LIMIT ...	4 row(s) returned



Navigator

## SCHEMAS

Filter objects

- ▶ sakila
- ▼ sqlbasics
  - Tables
    - customer\_details\_table
      - Columns
        - c\_id
        - c\_name
        - c\_location
        - c\_phoneno
      - Indexes
      - Foreign Keys
      - Triggers
    - product\_table
      - Columns
        - p\_code
        - p\_name
        - price
        - stock
        - category

Administration Schemas

Information

## Table: sales\_table

## Columns:

order_date	text
order_no	text
c_id	int
c_name	text
s_code	int
p_name	text
qty	int
price	int

Object Info Session

Query 1 x Administration - Data Import/Res...

Limit to 50 rows

```
34 • SELECT DISTINCT category FROM product_table;
35
36 • SELECT * FROM sales_table WHERE qty>2 AND price<500;
37
38 • SELECT c_name FROM customer_details_table WHERE c_name LIKE '%a';
39
40 • SELECT * FROM product_table ORDER BY price DESC;
41
```

Result Grid Filter Rows: Export: Wrap Cell Content:

	p_code	p_name	price	stock	category
▶	9	park avenue	901	2	perfume
	8	axe	210	4	perfume
	10	wattagirl	201	3	perfume
	25	conditioner	200	5	hair product
	1	tulip	198	5	perfume

product\_table 10 x



Read Only

Output

Action Output

#	Time	Action	Message
✓ 56	02:03:30	CREATE TABLE `sqlbasics`.`customer_details_table` (`c_id` int, `c_name` text, `c_lo...	OK
✓ 57	02:03:31	TRUNCATE TABLE `sqlbasics`.`customer_details_table`	OK
✓ 58	02:03:31	PREPARE stmt FROM 'INSERT INTO `sqlbasics`.`customer_details_table` (`c_id`,`c...	OK
✓ 59	02:03:31	DEALLOCATE PREPARE stmt	OK
✓ 60	02:04:26	SELECT c_name FROM customer_details_table WHERE c_name LIKE 'a%' LIMIT ...	1 row(s) returned
✓ 61	02:05:20	SELECT c_name FROM customer_details_table WHERE c_name LIKE '%a' LIMIT ...	4 row(s) returned
✓ 62	02:07:46	SELECT * FROM product_table ORDER BY price DESC LIMIT 0, 50	26 row(s) returned





Navigator

## SCHEMAS

Filter objects

- ▶ sakila
- ▼ sqlbasics
  - ▼ Tables
    - ▼ customer\_details\_table
      - Columns
        - c\_id
        - c\_name
        - c\_location
        - c\_phoneno
      - Indexes
      - Foreign Keys
      - Triggers
    - ▼ product\_table
      - Columns
        - p\_code
        - p\_name
        - price
        - stock
        - category

Administration Schemas

Information

## Table: sales\_table

## Columns:

order_date	text
order_no	text
c_id	int
c_name	text
s_code	int
p_name	text
qty	int
price	int

Object Info Session

Query 1 x Administration - Data Import/Res...

Limit to 50 rows

```
39
40 • SELECT * FROM product_table ORDER BY price DESC;
41
42 • SELECT p_code, category
43 FROM product_table
44 WHERE category IN(SELECT category FROM product_table GROUP BY category HAVING COUNT(*)>=2);
45
```

Result Grid Filter Rows: Export: Wrap Cell Content:

	p_code	category
▶	1	perfume
	3	Stationary
	4	snacks
	7	hair product
	8	perfume

product\_table 11 x

Result Grid

! Read Only

Output

Action Output

#	Time	Action	Message
✓ 57	02:03:31	TRUNCATE TABLE `sqlbasics`.`customer_details_table`	OK
✓ 58	02:03:31	PREPARE stmt FROM 'INSERT INTO `sqlbasics`.`customer_details_table` (`c_id`,`c...	OK
✓ 59	02:03:31	DEALLOCATE PREPARE stmt	OK
✓ 60	02:04:26	SELECT c_name FROM customer_details_table WHERE c_name LIKE 'a%' LIMIT ...	1 row(s) returned
✓ 61	02:05:20	SELECT c_name FROM customer_details_table WHERE c_name LIKE '%a' LIMIT ...	4 row(s) returned
✓ 62	02:07:46	SELECT * FROM product_table ORDER BY price DESC LIMIT 0, 50	26 row(s) returned
✓ 63	02:14:56	SELECT p_code, category FROM product_table WHERE category IN(SELEC...	22 row(s) returned



Navigator

## SCHEMAS

Filter objects

- ▶ sakila
- ▼ sqlbasics
  - Tables
  - Views
  - Stored Procedures
  - Functions
- ▶ sys
- ▶ world

Administration Schemas

Information

Schema: sqlbasics

Object Info Session

Query 1 x Administration - Data Import/Res...



Limit to 50 rows

```
1 CREATE DATABASE SQLbasics;
2 USE SQLbasics;
3
4 CREATE TABLE product_table(
5     productcode INT,
6     productname TEXT,
7     price INT,
8     stock INT,
9     category TEXT);
10
11 CREATE TABLE customer_table(
12     customerid INT,
13     customername TEXT,
14     customerlocation TEXT,
15     customerphone INT);
```

Output

Action Output

#	Time	Action	Message
✓ 6	00:59:48	SHOW SESSION VARIABLES LIKE 'lower_case_table_names'	OK
✓ 7	01:00:46	CREATE TABLE product_table( productcode INT, productname TEXT, price INT, ...	0 row(s) affected
✓ 8	01:01:36	SHOW SESSION VARIABLES LIKE 'lower_case_table_names'	OK
✓ 9	01:01:36	SHOW DATABASES	OK
✓ 10	01:01:49	SHOW SESSION VARIABLES LIKE 'lower_case_table_names'	OK
✓ 11	01:03:51	CREATE TABLE customer_table( customerid INT, customername TEXT, customerl...	0 row(s) affected



## SCHEMAS

Filter objects

- ▶ sakila
- ▼ sqlbasics
  - Tables
  - Views
  - Stored Procedures
  - Functions
- ▶ sys
- ▶ world

Schema: sqlbasics



```
1 CREATE TABLE sales_table(  
2     s_date TEXT,  
3     ordernumber TEXT,  
4     c_id INT,  
5     c_name TEXT,  
6     productcode INT,  
7     productname TEXT,  
8     quantity INT,  
9     price INT);  
10  
11 INSERT INTO sales_table  
12 VALUES(24-07-2016,'HM06',9212,'Jessica',11,'pencil',3,30),  
13         (19-10-2016,'HM09',3921,'Mukesh',17,'biscuits',10,600),  
14         (30-10-2016,'HM10',9875,'Stephen',2,'cornoto',10,500);
```

## Output

Action Output

#	Time	Action	Message
✓ 16	01:15:35	CREATE TABLE sales_table( s_date TEXT, ordernumber TEXT, c_id INT, c_name T...	0 row(s) affected
✗ 17	01:18:11	INSERT INTO sales_table VALUES(24-07-2016,HM06,9212,Jessica,11,pencil,3,30)	Error Code: 1054. Unknown column 'HM06' in 'field list'
✓ 18	01:19:51	INSERT INTO sales_table VALUES(24-07-2016,'HM06',9212,'Jessica',11,'pencil',3,30)	1 row(s) affected
✓ 19	01:20:13	INSERT INTO sales_table VALUES(24-07-2016,'HM06',9212,'Jessica',11,'pencil',3,30)	1 row(s) affected
✗ 20	01:23:02	INSERT INTO sales_table VALUES(24-07-2016,'HM06',9212,'Jessica',11,'pencil',3,30) V...	Error Code: 1064. You have an error in your SQL syntax; check the manual
✓ 21	01:24:48	INSERT INTO sales_table VALUES(24-07-2016,'HM06',9212,'Jessica',11,'pencil',3,30), ...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0





Navigator

## SCHEMAS

Filter objects

- ▶ sakila
- ▼ sqlbasics
  - Tables
  - Views
  - Stored Procedures
  - Functions
- ▶ sys
- ▶ world

Administration Schemas

Information

Schema: sqlbasics

Query 1 x Administration - Data Import/Res...


Limit to 50 rows

```
1 • CREATE TABLE sales_table(  
2     s_date TEXT,  
3     ordernumber TEXT,  
4     c_id INT,  
5     c_name TEXT,  
6     productcode INT,  
7     productname TEXT,  
8     quantity INT,  
9     price INT);  
10  
11 • INSERT INTO product_table  
12     VALUES(1,'tulip',198,5,'perfume'),  
13             (2,'cornoto',50,21,'icecream'),  
14             (3,'Pen',10,52,'Stationary');
```

Output

Action Output

#	Time	Action	Message
✗ 17	01:18:11	INSERT INTO sales_table VALUES(24-07-2016,HM06,9212,Jessica,11,pencil,3,30)	Error Code: 1054. Unknown column 'HM06' in field list'
✓ 18	01:19:51	INSERT INTO sales_table VALUES(24-07-2016,'HM06',9212,'Jessica',11,'pencil',3,30)	1 row(s) affected
✓ 19	01:20:13	INSERT INTO sales_table VALUES(24-07-2016,'HM06',9212,'Jessica',11,'pencil',3,30)	1 row(s) affected
✗ 20	01:23:02	INSERT INTO sales_table VALUES(24-07-2016,'HM06',9212,'Jessica',11,'pencil',3,30) V...	Error Code: 1064. You have an error in your SQL syntax; check the manual
✓ 21	01:24:48	INSERT INTO sales_table VALUES(24-07-2016,'HM06',9212,'Jessica',11,'pencil',3,30), ...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
✓ 22	01:29:14	INSERT INTO product_table VALUES(1,tulip',198,5,'perfume'), (2,'comoto',50,21,ice...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0



Navigator

## SCHEMAS

Filter objects

- ▶ sakila
- ▼ sqlbasics
  - Tables
  - Views
  - Stored Procedures
  - Functions
- ▶ sys
- ▶ world

Administration Schemas

Information

Schema: sqlbasics

Object Info Session

Query 1 x Administration - Data Import/Res...

Limit to 50 rows

```
1 CREATE TABLE sales_table(  
2     s_date TEXT,  
3     ordernumber TEXT,  
4     c_id INT,  
5     c_name TEXT,  
6     productcode INT,  
7     productname TEXT,  
8     quantity INT,  
9     price INT);  
10  
11 INSERT INTO customer_table  
12 VALUES(1111,'Nisha','kerala',8392320),  
13         (1212,'Oliver','kerala',4353891),  
14         (1216,'Nila','delhi',3323242);
```

Output

Action Output

#	Time	Action	Message
✓ 18	01:19:51	INSERT INTO sales_table VALUES(24-07-2016,'HM06',9212,'Jessica',11,'pencil',3,30)	1 row(s) affected
✓ 19	01:20:13	INSERT INTO sales_table VALUES(24-07-2016,'HM06',9212,'Jessica',11,'pencil',3,30)	1 row(s) affected
✗ 20	01:23:02	INSERT INTO sales_table VALUES(24-07-2016,'HM06',9212,'Jessica',11,'pencil',3,30) V...	Error Code: 1064. You have an error in your SQL syntax; check the manual
✓ 21	01:24:48	INSERT INTO sales_table VALUES(24-07-2016,'HM06',9212,'Jessica',11,'pencil',3,30), ...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
✓ 22	01:29:14	INSERT INTO product_table VALUES(1,'tulip',198,5,'perfume'), (2,'comoto',50,21,'ice...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
✓ 23	01:34:05	INSERT INTO customer_table VALUES(1111,'Nisha','kerala',8392320), (1212,'Oliver','...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0



## SCHEMAS

Filter objects

- ▶ sakila
- ▼ sqlbasics
  - Tables
  - Views
  - Stored Procedures
  - Functions
- ▶ sys
- ▶ world

Administration Schemas

Information

Schema: sqlbasics

Object Info Session

Limit to 50 rows

```
3      ordernumber TEXT,
4      c_id INT,
5      c_name TEXT,
6      productcode INT,
7      productname TEXT,
8      quantity INT,
9      price INT);
10
11 •   INSERT INTO customer_table
12     VALUES(1111,'Nisha','kerala',8392320),
13            (1212,'Oliver','kerala',4353891),
14            (1216,'Nila','delhi',3323242);
15
16 •   ALTER TABLE sales_table
17     ADD S_no INT,
18     ADD categories TEXT;
```

Output

Action Output

#	Time	Action	Message
✓ 19	01:20:13	INSERT INTO sales_table VALUES(24-07-2016,'HM06',9212,'Jessica',11,'pencil',3,30)	1 row(s) affected
✗ 20	01:23:02	INSERT INTO sales_table VALUES(24-07-2016,'HM06',9212,'Jessica',11,'pencil',3,30) V...	Error Code: 1064. You have an error in your SQL syntax; check the ma
✓ 21	01:24:48	INSERT INTO sales_table VALUES(24-07-2016,'HM06',9212,'Jessica',11,'pencil',3,30), ...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
✓ 22	01:29:14	INSERT INTO product_table VALUES(1,'tulip',198,5,'perfume'), (2,'comoto',50,21,'ice...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
✓ 23	01:34:05	INSERT INTO customer_table VALUES(1111,'Nisha','kerala',8392320), (1212,'Oliver',...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
✓ 24	01:36:54	ALTER TABLE sales_table ADD S_no INT, ADD categories TEXT	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0



MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- sakila
- sqlbasics
  - Tables
    - customer\_table
    - product\_table
  - Columns
    - productcode
    - productname
    - price
    - stock
    - category
  - Indexes
  - Foreign Keys
  - Triggers
  - sales\_table
  - Views
  - Stored Procedures
  - Functions

Administration Schemas

Information

Column: stock

Definition:  
stock int

Object Info Session

Query 1 x Administration - Data Import/Res...


Limit to 50 rows

```
6 productcode INT,  
7 productname TEXT,  
8 quantity INT,  
9 price INT);  
10  
11 • INSERT INTO customer_table  
12 VALUES(1111,'Nisha','kerala',8392320),  
13 (1212,'Oliver','kerala',4353891),  
14 (1216,'Nila','delhi',3323242);  
15  
16 • ALTER TABLE sales_table  
17 ADD S_no INT,  
18 ADD categories TEXT;  
19  
20 • ALTER TABLE product_table  
21 MODIFY stock VARCHAR(255);
```

Output

Action Output

#	Time	Action	Message
✓ 21	01:24:48	INSERT INTO sales_table VALUES(24-07-2016,'HM06',9212,'Jessica',11,'pencil',3,30),	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
✓ 22	01:29:14	INSERT INTO product_table VALUES(1,'tulip',198.5,'perfume'), (2,'comoto',50.21,'ice...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
✓ 23	01:34:05	INSERT INTO customer_table VALUES(1111,'Nisha','kerala',8392320), (1212,'Oliver','...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
✓ 24	01:36:54	ALTER TABLE sales_table ADD S_no INT, ADD categories TEXT	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0
✗ 25	01:40:33	ALTER TABLE product_table ALTER COLUMN stock varchar(20)	Error Code: 1064. You have an error in your SQL syntax; check the manual
✓ 26	01:43:32	ALTER TABLE product_table MODIFY stock VARCHAR(255)	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0



## Navigator

## SCHEMAS

Filter objects

- ▶ sakila
- ▼ sqlbasics
  - ▶ Tables
    - ▶ customer\_details\_table
    - ▶ product\_table
      - ▶ Columns
      - ▶ Indexes
      - ▶ Foreign Keys
      - ▶ Triggers
    - ▶ sales\_table
  - ▶ Views
  - ▶ Stored Procedures
  - ▶ Functions
- ▶ sys
- ▶ world

Administration Schemas

## Information

## Table: product\_table

## Columns:

productcode	int
productname	text
price	int
stock	varchar(25)
category	text

&lt; &gt;

Object Info Session

Query 1 x Administration - Data Import/Res...

Limit to 50 rows


```
9      price INT);
10
11 •    INSERT INTO customer_table
12      VALUES(1111,'Nisha','kerala',8392320),
13             (1212,'Oliver','kerala',4353891),
14             (1216,'Nila','delhi',3323242);
15
16 •    ALTER TABLE sales_table
17      ADD S_no INT,
18      ADD categories TEXT;
19
20 •    ALTER TABLE product_table
21      MODIFY stock VARCHAR(255);
22
23 •    ALTER TABLE customer_table
24      RENAME TO customer_details_table;
```

## Output

Action Output

#	Time	Action	Message
✓ 22	01:29:14	INSERT INTO product_table VALUES(1,'tulip',198.5,'perfume'), (2,'comoto',50.21,'ice...)	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
✓ 23	01:34:05	INSERT INTO customer_table VALUES(1111,'Nisha','kerala',8392320), (1212,'Oliver',...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
✓ 24	01:36:54	ALTER TABLE sales_table ADD S_no INT, ADD categories TEXT	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0
✗ 25	01:40:33	ALTER TABLE product_table ALTER COLUMN stock varchar(20)	Error Code: 1064. You have an error in your SQL syntax; check the manual
✓ 26	01:43:32	ALTER TABLE product_table MODIFY stock VARCHAR(255)	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
✓ 27	01:46:20	ALTER TABLE customer_table RENAME TO customer_details_table	0 row(s) affected





## Navigator

## SCHEMAS

Filter objects

- ▶ sakila
- ▼ sqlbasics
  - ▶ Tables
    - ▶ customer\_details\_table
    - ▼ product\_table
      - ▶ Columns
      - ▶ Indexes
      - ▶ Foreign Keys
      - ▶ Triggers
    - ▼ sales\_table
      - ▼ Columns
        - ◆ s\_date
        - ◆ ordernumber
        - ◆ c\_id
        - ◆ c\_name
        - ◆ productcode
        - ◆ productname
        - ◆ quantity

Administration Schemas

## Information

## Table: product\_table

## Columns:

productcode	int
productname	text
price	int
stock	varchar(255)
category	text

Object Info Session

Query 1 x Administration - Data Import/Res...

Limit to 50 rows

```
13      (1212,'Oliver','kerala',4353891),
14      (1216,'Nila','delhi',3323242);
15
16 •    ALTER TABLE sales_table
17      ADD S_no INT,
18      ADD categories TEXT;
19
20 •    ALTER TABLE product_table
21      MODIFY stock VARCHAR(255);
22
23 •    ALTER TABLE customer_table
24      RENAME TO customer_details_table;
25
26 •    ALTER TABLE sales_table
27      DROP S_no,
28      DROP categories;
```

## Output

Action Output

#	Time	Action	Message
✓ 23	01:34:05	INSERT INTO customer_table VALUES(1111,'Nisha','kerala',8392320), (1212,'Oliver',...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
✓ 24	01:36:54	ALTER TABLE sales_table ADD S_no INT, ADD categories TEXT	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0
✗ 25	01:40:33	ALTER TABLE product_table ALTER COLUMN stock varchar(20)	Error Code: 1064. You have an error in your SQL syntax; check the manual
✓ 26	01:43:32	ALTER TABLE product_table MODIFY stock VARCHAR(255)	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
✓ 27	01:46:20	ALTER TABLE customer_table RENAME TO customer_details_table	0 row(s) affected
✓ 28	01:47:57	ALTER TABLE sales_table DROP S_no, DROP categories	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0





Navigator

## SCHEMAS

Filter objects

- ▶ sakila
- ▼ sqlbasics
  - ▶ Tables
    - ▶ customer\_details\_table
    - ▶ product\_table
      - ▶ Columns
      - ▶ Indexes
      - ▶ Foreign Keys
      - ▶ Triggers
    - ▶ sales\_table
      - ▶ Columns
        - ◆ s\_date
        - ◆ ordernumber
        - ◆ c\_id
        - ◆ c\_name
        - ◆ productcode
        - ◆ productname
        - ◆ quantity

Administration Schemas

Information

## Table: product\_table

## Columns:

productcode	int
productname	text
price	int
stock	varchar(25)
category	text

&lt; &gt;

Object Info Session

Query 1 x Administration - Data Import/Res...

Limit to 50 rows

```
23 • ALTER TABLE customer_table
24   RENAME TO customer_details_table;
25
26 • ALTER TABLE sales_table
27   DROP S_no,
28   DROP categories;
29
30 • SELECT * FROM sales_table;
```

< >

Result Grid Filter Rows:  Export: Wrap Cell Content:

	s_date	ordernumber	c_id	c_name	productcode	productname	quantity	price
▶	-1999	HM06	9212	Jessica	11	pencil	3	30
	-1999	HM06	9212	Jessica	11	pencil	3	30
	-1999	HM06	9212	Jessica	11	pencil	3	30
	-2007	HM09	3921	Mukesh	17	biscuits	10	600
	-1996	HM10	9875	Stephen	2	cornoto	10	500

sales\_table4 x

Read Only

Output

Action Output

#	Time	Action	Message
✓ 24	01:36:54	ALTER TABLE sales_table ADD S_no INT, ADD categories TEXT	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0
✗ 25	01:40:33	ALTER TABLE product_table ALTER COLUMN stock varchar(20)	Error Code: 1064. You have an error in your SQL syntax; check the manual
✓ 26	01:43:32	ALTER TABLE product_table MODIFY stock VARCHAR(255)	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
✓ 27	01:46:20	ALTER TABLE customer_table RENAME TO customer_details_table	0 row(s) affected
✓ 28	01:47:57	ALTER TABLE sales_table DROP S_no, DROP categories	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0
✓ 29	01:49:36	SELECT * FROM sales_table LIMIT 0, 50	5 row(s) returned



Navigator

## SCHEMAS

Filter objects

- ▶ sakila
- ▼ sqlbasics
  - ▶ Tables
    - ▶ customer\_details\_table
    - ▶ product\_table
      - ▶ Columns
      - ▶ Indexes
      - ▶ Foreign Keys
      - ▶ Triggers
    - ▼ sales\_table
      - ▶ Columns
        - ◆ s\_date
        - ◆ ordernumber
        - ◆ c\_id
        - ◆ c\_name
        - ◆ productcode
        - ◆ productname
        - ◆ quantity

Administration Schemas

Information

## Table: product\_table

## Columns:

productcode	int
productname	text
price	int
stock	varchar(25)
category	text

Object Info Session

Query 1 x Administration - Data Import/Res...

Limit to 50 rows

```
25
26 • ALTER TABLE sales_table
27 DROP S_no,
28 DROP categories;
29
30 • SELECT * FROM sales_table;
31
32 • SELECT * FROM product_table WHERE category='Stationary';
```

Result Grid Filter Rows: Export: Wrap Cell Content:

	productcode	productname	price	stock	category
▶	3	Pen	10	52	Stationary

product\_table5 x

Read Only

Output

Action Output

#	Time	Action	Message
✗ 25	01:40:33	ALTER TABLE product_table ALTER COLUMN stock varchar(20)	Error Code: 1064. You have an error in your SQL syntax; check the manual
✓ 26	01:43:32	ALTER TABLE product_table MODIFY stock VARCHAR(255)	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
✓ 27	01:46:20	ALTER TABLE customer_table RENAME TO customer_details_table	0 row(s) affected
✓ 28	01:47:57	ALTER TABLE sales_table DROP S_no, DROP categories	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0
✓ 29	01:49:36	SELECT * FROM sales_table LIMIT 0, 50	5 row(s) returned
✓ 30	01:54:51	SELECT * FROM product_table WHERE category='Stationary' LIMIT 0, 50	1 row(s) returned



Navigator

## SCHEMAS

Filter objects

- ▶ sakila
- ▶ sqlbasics
  - ▶ Tables
    - ▶ customer\_details\_tal
    - ▶ sales\_table
      - ▶ Columns
        - ◆ s\_date
        - ◆ ordernumber
        - ◆ c\_id
        - ◆ c\_name
        - ◆ productcode
        - ◆ productname
        - ◆ quantity
        - ◆ price
  - ▶ Indexes
  - ▶ Foreign Keys
  - ▶ Triggers
- ▶ Views

Administration Schemas

Information

No object selected

Query 1 x Administration - Data Import/Res...

Limit to 50 rows

```
22
23 • ALTER TABLE customer_table
24   RENAME TO customer_details_table;
25
26 • ALTER TABLE sales_table
27   DROP S_no,
28   DROP categories;
29
30 • SELECT * FROM sales_table;
31
32 • SELECT * FROM product_table WHERE category='Stationary';
33
34 • SELECT DISTINCT category FROM product_table;
```

Result Grid Filter Rows: Export: Wrap Cell Content:

category
▶ perfume
icecream
Stationary
snacks
dip
spread
hair product
fruits
vegetable
kitchen utensil
product_table 6 x

Result Grid

Form Editor

Field Types

Read Only





Navigator

## SCHEMAS

Filter objects

- ▶ sakila
- ▼ sqlbasics
  - Tables
    - ▶ customer\_details\_ta
    - ▶ product\_table
    - ▼ sales\_table
      - Columns
        - ♦ order\_date
        - ♦ order\_no
        - ♦ c\_id
        - ♦ c\_name
        - ♦ s\_code
        - ♦ p\_name
        - ♦ qty
        - ♦ price
      - Indexes
      - Foreign Keys
      - Triggers
    - Views

Administration Schemas

Information

No object selected

Object Info Session

Query 1 x Administration - Data Import/Res...



Limit to 50 rows

```
31
32 • SELECT * FROM product_table WHERE category='Stationary';
33
34 • SELECT DISTINCT category FROM product_table;
35
36 • SELECT * FROM sales_table WHERE qty>2 AND price<500;
37
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

	order_date	order_no	c_id	c_name	s_code	p_name	qty	price
▶	24-07-2016	HM06	9212	Jessica	11	pencil	3	30
	12-04-2018	HM03	1212	Oliver	20	kiwi	3	420
	15-03-2019	HM01	1910	Mohan	5	mayanoise	4	360

sales\_table7 x

Read Only

Output

Action Output

#	Time	Action	Message
✓ 40	01:58:14	SELECT DISTINCT category FROM product_table LIMIT 0, 50	10 row(s) returned
✓ 41	02:00:07	SHOW SESSION VARIABLES LIKE 'lower_case_table_names'	OK
✓ 42	02:00:07	SHOW DATABASES	OK
✓ 43	02:00:15	SHOW SESSION VARIABLES LIKE 'lower_case_table_names'	OK
✗ 44	02:00:17	CREATE TABLE 'sqlbasics'. 'sales_table' ('order_date' text, 'order_no' text, 'c_id' int, 'c_na...	Error Code: 1050 Table 'sales_table' already exists
✓ 45	02:00:17	DROP TABLE 'sqlbasics'. 'sales_table'	OK
✓ 46	02:00:17	CREATE TABLE 'sqlbasics'. 'sales_table' ('order_date' text, 'order_no' text, 'c_id' int, 'c_na...	OK
✓ 47	02:00:18	TRUNCATE TABLE 'sqlbasics'. 'sales_table'	OK