
IB Physics Name :Jackie Fung

Exam 1



$$F_g = \frac{mMG}{r^2}$$

Symbol	Quantity
G	$6.67 \times 10^{-11} \mathrm{N \cdot m^2/kg^2}$
m_{earth}	$5.98 \times 10^{24} \text{kg}$
m_{moon}	$7.36 \times 10^{22} \text{kg}$
R_{earth}	$6.38 \times 10^{6} \text{m}$
R_{moon}	$1.74 \times 10^{6} \text{m}$
r_{earth}	$1.50 \times 10^{11} \text{m}$
r_{moon}	$3.84 \times 10^{8} \text{m}$
T_{earth}	365.24 days
T_{moon}	27.3 days
	G m_{earth} m_{moon} R_{earth} R_{moon} r_{earth} r_{moon} r_{earth}

Table 1: A list of physical quantities.

Redo the entire test for personal understanding

The first question of the exam is worth 30 points. The above table is required.

- 1) Consider the earth moving around the sun.
- a. Determine the orbital angular velocity of the earth.

$$\omega = \frac{2\pi}{T}$$

$$\omega = \frac{(2 \times 3.14)}{365.24 \times 24 \times 60 \times 60}$$

$$\omega = 1.99 \times 10^{-7} rad/sec$$

b. Determine the speed of the earth relative to the sun.

$$V = \omega r$$

$$V = \frac{2\pi r}{T}$$

$$V = (1.99 \times 10^{-7}) * (1.5 \times 10^{11}) = 3.0 \times 10^4 m/s$$

c. Determine centripetal acceleration of the earth relative to the sun.

$$a = \frac{V^2}{r}$$

$$a = \frac{\left(3 \times 10^4\right)^2}{1.5 \times 10^{11}} = 6 \times 10^{-3} m/s^2$$

d. Determine the net force on the earth considering this acceleration.

$$Fnet = ma$$

$$Fnet = (5.98 \times 10^{24}) * (6 \times 10^{-3})$$

$$Fnet = 3.6 \times 10^{22} N$$

e. Determine the mass of the sun from the above.

$$\begin{split} M &= \frac{Fg * r^2}{mg} \\ M &= \frac{(3.6 \times 10^{22}) * (1.5 \times 10^{11})^2}{(5.98 \times 10^{24}) * (6.67 \times 10^{-11})} \\ M &= 2.0 \times 10^{30} kg \end{split}$$

The second question is worth 30 points. The table is required.

- 2) Consider gravitation at the surface of the moon.
- a. Determine the acceleration due to gravity on the surface of the moon.

$$Fg = \frac{mMG}{r^2} = ma$$

$$\frac{MG}{r^2} = a$$

$$a = \frac{(7.36 \times 10^{22}) * (6.67 \times 10^{-11})}{(1.74 \times 10^6)^2}$$

$$a = 1.62m/s^2$$

b. Determine the launch velocity for circular orbit.

$$a = \frac{V^2}{r}$$

$$1.62 = \frac{V^2}{1.74 \times 10^6}$$

$$V^2 = (1.62) * (1.74 \times 10^6)$$

$$V = 1680m/s$$

c. Determine the launch velocity for escape from the moon's gravity.

$$E = 0$$

$$KE + PE = 0$$

$$\frac{1}{2}mv^2 - \frac{mMG}{r} = 0$$

$$v = \sqrt{\frac{2MG}{r}}$$

$$v = \sqrt{\frac{(2)*(7.36 \times 10^{22})*(6.67 \times 10^{-11})}{(1.74 \times 10^6)}}$$

$$v = 2370m/s$$

- d. Determine the result of launching an object at 2000 m/s into the moon's horizon.
 - It would not escape the moon, instead, it would orbit the moon in elliptical shape (like an egg)

Question three is worth 40 points.

- 3) Consider a capacitor. Two very large parallel conducting plates are connected to the leads of a 9 Volt battery.
- a. Determine the separation between the plates to generate a 30.0 $\frac{N}{C}$ electric field.

$$E = \frac{-\Delta V}{X}$$

$$X = \frac{\Delta V}{E}$$

$$X = \frac{9}{30}$$

$$X = 0.3m$$

b. Determine the force of this electric field on a 0.012 Coulomb charge.

$$F = q * E$$

$$F = 0.012 \times 30$$

$$F = 0.36N$$

c. Determine the change in potential energy for the 0.012 C charge moving from the 9V plate to the 0V plate.

$$PEq = qV$$

$$PEq = 0.012 \times 9$$

$$PEq = 0.108 Joules$$

d. Draw the parallel plates and the electric field between them.

Understood