

» PHA-5125

High-performance Line Array

Line Array Speakers For Any Application

The PHA-5125 high performance, full range drivers which offer a well-defined dispersion pattern with no hot spots. The PHA-5125 is a compact array speaker designed to be on its own or be paired with plasma and LCD TV units used in industrial, commercial and residential home theater applications.

The speaker is easily mounted horizontally or vertically on a wall or ceiling with the built-in backing. When positioned horizontally as a sound-bar, the signal drops off dramatically off-axis while maintaining a very uniform sound field in the vertical dimension. If mounted as a vertical column, it offers uniform sound field 360 degrees around the speaker, making it an ideal unit for mounting in public venues or hidden away at home.

Additional options include an external HideAway™ amplifier and a PADS™ or TPA receiver. So whether you are looking for a high performance speaker in a hotel, home theater, restaurant, theme park or department store for an audience of a few or a few thousand, the exceptional sound quality from PHA-5125 will be suitable for all needs within the A/V market.

Applications:

- House of worship, airports, train stations, health-care facilities, gymnasiums, sports arenas, live theaters, PA Systems, etc.
- Residential home theater applications
- Digital signage directional speakers
- Applications in hotels, fitness clubs, restaurants, theme parks, museums, shopping malls, grocery stores, etc.



Feature & Benefits:

- 25 full-range drivers
- Efficient energy consumption
- External HideAway™ amplifier option
- PADS or TPA receiver option available
- CE compliant
- Weather-proof for outdoors installation
- Neutral color options for easy decor blending
- Compact 2" x 2" footprint (50mm x 50 mm)

Specifications:

Power Handling: 10 - 288 watts

Frequency Response: 90Hz - 20kHz

Sensitivity: 94dB @ 1W/1m

Impedance: 4 ohms

Dimensions (HxWxD): 51" x 2" x 2"

Weight: 7.5 lbs.


Finish: Black, (White, Silver, etc. custom)

Grille: perforated aluminum

TO PLACE an ORDER or for QUESTIONS,


Emails Us: sales@wireless-experts.com, Call Us: (408) 748-1100 or Fax Us: (408) 663-9783

Horizontal sound dispersion when PHA-5125 speaker mounted as horizontal soundbar




TO PLACE an ORDER or for QUESTIONS,
Emails Us: sales@wireless-experts.com, Call Us: (408) 748-1100 or Fax Us: (408) 663-9783

Horizontal sound dispersion when PHA-5125 speaker mounted as a vertical column




TO PLACE an ORDER or for QUESTIONS,
Emails Us: sales@wireless-experts.com, Call Us: (408) 748-1100 or Fax Us: (408) 663-9783

Horizontal sound dispersion when PHA-5125 speaker mounted as horizontal soundbar



Frequency response of PHA-5125 speaker @ 6 meters on-axis



TO PLACE an ORDER or for QUESTIONS,

Emails Us: sales@wireless-experts.com, Call Us: (408) 748-1100 or Fax Us: (408) 663-9783