

Checking BIDS root: /oceanus/collab//herz-lab/processed_data/bids/EfrCourierOpenLoop
 ✓ BIDS root found!
 ✓ Full path: /oceanus/collab/herz-lab/processed_data/bids/EfrCourierOpenLoop

Loading file: /oceanus/collab/herz-lab/processed_data/bids/EfrCourierOpenLoop/sub-M1025/ses-0/ieeg/sub-M1025_ses-0_task-EfrCourierOpenLoop_acq-bipolar_ieeg.edf
 Checking BIDS root: /oceanus/collab//herz-lab/processed_data/bids/EfrCourierOpenLoop
 ✓ BIDS root found!
 ✓ Full path: /oceanus/collab/herz-lab/processed_data/bids/EfrCourierOpenLoop

Checking BIDS root: /oceanus/collab//herz-lab/processed_data/bids/EfrCourierOpenLoop
 ✓ BIDS root found!
 ✓ Full path: /oceanus/collab/herz-lab/processed_data/bids/EfrCourierOpenLoop

Checking BIDS root: /oceanus/collab//herz-lab/processed_data/bids/EfrCourierOpenLoop
 ✓ BIDS root found!
 ✓ Full path: /oceanus/collab/herz-lab/processed_data/bids/EfrCourierOpenLoop

Loading file: /oceanus/collab/herz-lab/processed_data/bids/EfrCourierOpenLoop/sub-M1025/ses-0/ieeg/sub-M1025_ses-0_task-EfrCourierOpenLoop_acq-bipolar_ieeg.edf

=== M1025_0 ===

Event Type	Actual	Expected	Status
session_start	1	1	PASS ✓
trial_start	5	5	PASS ✓
encoding_word_start	56	56	PASS ✓
stimming	84	84	PASS ✓
pointing_start	69	69	PASS ✓
pointing_stop	69	69	PASS ✓
fr_start	5	5	PASS ✓
fr_stop	5	5	PASS ✓

8/8 checks passed

1.2 STIMULATION DELIVERY VALIDATION

Stimulation distribution by phase :

Encoding - 3 Hz: 12, 8 Hz: 12, None: 27

Retrieval - 3 Hz: 30, 8 Hz: 30

	Stimulation Frequency (Hz)	Trial	Number of Encoding Stim	Number of Retrieval Stim	Number of Items Sent	Recalled Items	Stim Channel
0	[]	-999.0	0	0	0	[]	[]
1	[]	-1.0	0	0	8	[]	[]
2	[3.0]	0.0	6	15	12	7	LA2-LA3
3	[8.0]	1.0	6	15	12	4	LA2-LA3
4	[3.0]	2.0	6	15	12	5	LA2-LA3
5	[8.0]	3.0	6	15	12	4	LA2-LA3


	store	time	condition	visit_time	trial	session	subject
hardware	store	20.188154	-999.0	0	0.0	0	M1025
hardware	store	27.036546	-999.0	1	1.0	0	M1025
hardware	store	25.271446	-999.0	2	2.0	0	M1025
hardware	store	39.485259	-999.0	3	3.0	0	M1025
toy	store	14.299818	-999.0	0	0.0	0	M1025
toy	store	39.633267	-999.0	1	1.0	0	M1025
toy	store	13.418768	-999.0	2	2.0	0	M1025
toy	store	28.304619	-999.0	3	3.0	0	M1025
clothing	store	12.817733	3.0	0	0.0	0	M1025
clothing	store	35.163011	8.0	1	1.0	0	M1025
clothing	store	39.110237	3.0	2	2.0	0	M1025
clothing	store	30.750759	8.0	3	3.0	0	M1025
cafe	store	13.243758	-999.0	0	0.0	0	M1025
cafe	store	22.150267	-999.0	1	2.0	0	M1025
cafe	store	10.118579	-999.0	2	3.0	0	M1025
bike	shop	15.176868	-999.0	0	0.0	0	M1025
bike	shop	18.571062	-999.0	1	1.0	0	M1025
bike	shop	15.430883	-999.0	2	2.0	0	M1025
music	store	36.731101	3.0	0	0.0	0	M1025
music	store	13.007744	8.0	1	1.0	0	M1025
music	store	28.087607	3.0	2	2.0	0	M1025
music	store	13.268759	8.0	3	3.0	0	M1025
craft	shop	38.560206	3.0	0	0.0	0	M1025
craft	shop	33.048890	8.0	1	1.0	0	M1025
craft	shop	27.471571	3.0	2	2.0	0	M1025
craft	shop	21.877251	8.0	3	3.0	0	M1025
gym	store	14.560833	3.0	0	0.0	0	M1025
gym	store	13.810790	3.0	1	2.0	0	M1025
gym	store	14.505830	8.0	2	3.0	0	M1025
jewelry	store	15.604893	3.0	0	0.0	0	M1025
jewelry	store	44.315535	3.0	1	2.0	0	M1025
jewelry	store	22.910311	8.0	2	3.0	0	M1025
florist	store	14.447826	-999.0	0	0.0	0	M1025
florist	store	20.183155	-999.0	1	1.0	0	M1025
dentist	store	20.442169	3.0	0	0.0	0	M1025
dentist	store	27.177554	8.0	1	1.0	0	M1025
pizzeria	store	17.910024	-999.0	0	0.0	0	M1025
pizzeria	store	26.705527	-999.0	1	3.0	0	M1025
pharmacy	store	18.653067	-999.0	0	1.0	0	M1025
pet	store	32.176841	-999.0	0	1.0	0	M1025
pet	store	38.416197	-999.0	1	2.0	0	M1025
pet	store	36.191070	-999.0	2	3.0	0	M1025
bakery	store	29.592693	8.0	0	1.0	0	M1025
grocery	store	35.360023	8.0	0	1.0	0	M1025
grocery	store	11.076634	3.0	1	2.0	0	M1025
grocery	store	13.727785	8.0	2	3.0	0	M1025
barber	shop	14.902852	-999.0	0	2.0	0	M1025
barber	shop	37.682156	-999.0	1	3.0	0	M1025

Total rows: 48


Unique stores: 17

Conditions: [-999. 3. 8.]


Saved to Nativation_time



Saved → trajectory.png



Saved to figure_1780667801.png



trial	list_len	correct	intrusions	accuracy	stim_correct	stim_total	nostim_correct	no
stim_total								
0	12	7	0	0.583333	2	6	5	
6								
1	12	4	6	0.333333	2	6	2	
6								
2	12	5	0	0.416667	3	6	2	
6								
3	12	4	9	0.333333	2	6	2	
6								

Sample rate: 1000.0 Hz

EEG data shapes:

- 8 Hz encoding: (12, 175, 11001)
- 3 Hz encoding: (12, 175, 11001)
- No stimuli encoding: (27, 175, 11001)


Time axis range: -1000.0 to 10000.0 ms

2.1 EEG Response for Stimulation Visualization during Encoding

Stimulated Pairs: the specific contacts delivering stimulation.

Stimulated Shank: all other contacts on the same electrode shank, excluding the stimulated contacts.

Non-stimulated Shanks: contacts on all remaining shanks.




For $f_{pulse} = 3 \text{ Hz}$:


- Cycle duration: $1/3 = 333.3 \text{ ms}$
- Theta-burst duration: $0.25 \times 333.3 = 83.3 \text{ ms}$
- Total cycles in 3s: $3000 / 333.3 = 9 \text{ cycles}$

For $f_{pulse} = 8 \text{ Hz}$:

- Cycle duration: $1/8 = 125.0 \text{ ms}$
- Theta-burst duration: $0.25 \times 125.0 = 31.3 \text{ ms}$
- Total cycles in 3s: $3000 / 125.0 = 24 \text{ cycles}$



The first pulse onset should fall within $\pm 20 \text{ ms}$ of the stimulation onset marker.



2.2 Average Voltage Summary

=====

8 Hz

Stimulated Pairs:

N trials : 12
 Mean voltage (μ V) : 0.0849
 Mean |voltage| (μ V): 1.7713
 Peak |voltage| (μ V): 15.9469
 Std across trials : 0.0350

Stimulated Shank:

N trials : 12
 Mean voltage (μ V) : -0.0038
 Mean |voltage| (μ V): 0.0233
 Peak |voltage| (μ V): 0.5338
 Std across trials : 0.0101

Non-stimulated Shanks:

N trials : 12
 Mean voltage (μ V) : 0.0001
 Mean |voltage| (μ V): 0.0016
 Peak |voltage| (μ V): 0.0039
 Std across trials : 0.0001

3 Hz

Stimulated Pairs:

N trials : 12
 Mean voltage (μ V) : 0.0837
 Mean |voltage| (μ V): 1.9754
 Peak |voltage| (μ V): 15.8126
 Std across trials : 0.0562

Stimulated Shank:

N trials : 12
 Mean voltage (μ V) : -0.0030
 Mean |voltage| (μ V): 0.0273
 Peak |voltage| (μ V): 0.6026
 Std across trials : 0.0078

Non-stimulated Shanks:

N trials : 12
 Mean voltage (μ V) : 0.0001
 Mean |voltage| (μ V): 0.0015
 Peak |voltage| (μ V): 0.0027
 Std across trials : 0.0001


=====

2.2 EEG Response for Stimulation Visualization during Retrieval

Stimulated Pairs: the specific contacts delivering stimulation.

Stimulated Shank: all other contacts on the same electrode shank, excluding the stimulated contacts.

Non-stimulated Shanks: contacts on all remaining shanks.




For $f_{\text{pulse}} = 3 \text{ Hz}$:


- Cycle duration: $1/3 = 333.3 \text{ ms}$
- Theta-burst duration: $0.25 \times 333.3 = 83.3 \text{ ms}$
- Total cycles in 3s: $3000 / 333.3 = 9 \text{ cycles}$

For $f_{\text{pulse}} = 8 \text{ Hz}$:

- Cycle duration: $1/8 = 125.0 \text{ ms}$
- Theta-burst duration: $0.25 \times 125.0 = 31.3 \text{ ms}$
- Total cycles in 3s: $3000 / 125.0 = 24 \text{ cycles}$



The first pulse onset should fall within $\pm 20 \text{ ms}$ of the stimulation onset marker.



Total channels analyzed: 175

Channels with high variability ($|z\text{-score}| > 2$): 4

Potential problematic channels:


Channel 97: ROA12-ROA13 (z-score: 7.75)

Channel 98: ROA13-ROA14 (z-score: 7.82)

Channel 151: RPA1-RPA2 (z-score: 3.44)

Channel 152: RPA2-RPA3 (z-score: 3.51)

Channel quality assessment: trial-by-trial variability



=====

METHOD 2 – Within-Trial Temporal SD


Total channels analyzed : 175

Flagged ($|z| > 2$) : 5

Flagged channels:

Ch 98: ROA13-ROA14	$z = 7.84$
Ch 97: ROA12-ROA13	$z = 7.76$
Ch 152: RPA2-RPA3	$z = 3.23$
Ch 151: RPA1-RPA2	$z = 3.13$
Ch 25: LMA3-LMA4	$z = 2.16$


Channel quality assessment: within-trial temporal SD





```
=====
SUMMARY
Flagged by trial variability only : 0
Flagged by temporal SD only      : 1
Flagged by BOTH methods         : 4
Total unique flagged channels    : 5
Channels flagged by both:
  Ch 97: ROA12-ROA13           trial-z = 7.75, temporal-z = 7.76
  Ch 98: ROA13-ROA14           trial-z = 7.82, temporal-z = 7.84
  Ch 151: RPA1-RPA2            trial-z = 3.44, temporal-z = 3.13
  Ch 152: RPA2-RPA3            trial-z = 3.51, temporal-z = 3.23


Channels flagged by trial variance only (green):  []
Channels flagged by timepoint variance only (brown): [np.int64(25)]
Channels flagged by BOTH (purple): [np.int64(97), np.int64(98), np.int64(151), np.int64(152)]
```


All Channels — Mean Across Trials (Purple = Both, Green = Trial Var, Brown = Timepoint Var)
























LPR3-LPR4	Power: -63.8355 dB	Z-score: +4.06 ← Z > 2 (HIGH)
LPR4-LPR5	Power: -63.9260 dB	Z-score: +4.03 ← Z > 2 (HIGH)
RA1-RA2	Power: -68.2234 dB	Z-score: +2.85 ← Z > 2 (HIGH)
RML1-RML2	Power: -70.4960 dB	Z-score: +2.22 ← Z > 2 (HIGH)
LPA1-LPA2	Power: -70.5789 dB	Z-score: +2.20 ← Z > 2 (HIGH)
LV14-LV15	Power: -70.7246 dB	Z-score: +2.16 ← Z > 2 (HIGH)
RML3-RML4	Power: -71.1527 dB	Z-score: +2.04 ← Z > 2 (HIGH)
LPA3-LPA4	Power: -71.7142 dB	Z-score: +1.88
LMA3-LMA4	Power: -71.7940 dB	Z-score: +1.86
LPA2-LPA3	Power: -72.1588 dB	Z-score: +1.76
RML2-RML3	Power: -72.2051 dB	Z-score: +1.75
LSA2-LSA3	Power: -72.3380 dB	Z-score: +1.71
RML4-RML5	Power: -72.4430 dB	Z-score: +1.68
LBA2-LBA3	Power: -72.6680 dB	Z-score: +1.62
ROA13-ROA14	Power: -72.7131 dB	Z-score: +1.61
LMA4-LMA5	Power: -72.9134 dB	Z-score: +1.55
LSA3-LSA4	Power: -73.0019 dB	Z-score: +1.53
ROA12-ROA13	Power: -73.0062 dB	Z-score: +1.53
LMA2-LMA3	Power: -73.3031 dB	Z-score: +1.45
LBA3-LBA4	Power: -73.6187 dB	Z-score: +1.36
LV13-LV14	Power: -73.7551 dB	Z-score: +1.32
LOA10-LOA11	Power: -73.9355 dB	Z-score: +1.27
LSL1-LSL2	Power: -74.2611 dB	Z-score: +1.18
LOA9-LOA10	Power: -74.4268 dB	Z-score: +1.14
RSA1-RSA2	Power: -74.4497 dB	Z-score: +1.13
LSA4-LSA5	Power: -74.5365 dB	Z-score: +1.11
RPA2-RPA3	Power: -74.7239 dB	Z-score: +1.06
LA2-LA3	Power: -74.7634 dB	Z-score: +1.04
LMA1-LMA2	Power: -74.7804 dB	Z-score: +1.04
LA1-LA2	Power: -75.0754 dB	Z-score: +0.96
ROP1-ROP2	Power: -75.2335 dB	Z-score: +0.91
LSL2-LSL3	Power: -75.6055 dB	Z-score: +0.81
LOA8-LOA9	Power: -75.7027 dB	Z-score: +0.79
ROP10-ROP11	Power: -75.8055 dB	Z-score: +0.76
LA3-LA4	Power: -75.8621 dB	Z-score: +0.74
LPR2-LPR3	Power: -76.0911 dB	Z-score: +0.68
LSA1-LSA2	Power: -76.1372 dB	Z-score: +0.67
RPA1-RPA2	Power: -76.1704 dB	Z-score: +0.66
RU1-RU2	Power: -76.2074 dB	Z-score: +0.65
RSA2-RSA3	Power: -76.2268 dB	Z-score: +0.64
RA2-RA3	Power: -76.3609 dB	Z-score: +0.60
ROA1-ROA2	Power: -76.4044 dB	Z-score: +0.59
ROA2-ROA3	Power: -76.5586 dB	Z-score: +0.55
ROP6-ROP7	Power: -76.6519 dB	Z-score: +0.52
LPA4-LPA5	Power: -76.6644 dB	Z-score: +0.52
LSL3-LSL4	Power: -76.7733 dB	Z-score: +0.49
ROP9-ROP10	Power: -76.8809 dB	Z-score: +0.46
LOA7-LOA8	Power: -76.9645 dB	Z-score: +0.44
RV10-RV11	Power: -76.9779 dB	Z-score: +0.43
RMA4-RMA5	Power: -77.0957 dB	Z-score: +0.40
LV12-LV13	Power: -77.1323 dB	Z-score: +0.39
RPR3-RPR4	Power: -77.1347 dB	Z-score: +0.39
RBA3-RBA4	Power: -77.1594 dB	Z-score: +0.38
RA3-RA4	Power: -77.2399 dB	Z-score: +0.36
RV1-RV2	Power: -77.3177 dB	Z-score: +0.34

LBA1-LBA2	Power: -77.3326 dB	Z-score: +0.34
ROP5-ROP6	Power: -77.4810 dB	Z-score: +0.30
RMA3-RMA4	Power: -77.7057 dB	Z-score: +0.23
RPA4-RPA5	Power: -77.7592 dB	Z-score: +0.22
RV4-RV5	Power: -77.8282 dB	Z-score: +0.20
RPR2-RPR3	Power: -77.8626 dB	Z-score: +0.19
LOA1-LOA2	Power: -77.9194 dB	Z-score: +0.17
RPR1-RPR2	Power: -78.0523 dB	Z-score: +0.14
RV9-RV10	Power: -78.0959 dB	Z-score: +0.13
RMA2-RMA3	Power: -78.0984 dB	Z-score: +0.13
RV8-RV9	Power: -78.1144 dB	Z-score: +0.12
RA4-RA5	Power: -78.1966 dB	Z-score: +0.10
ROP4-ROP5	Power: -78.2504 dB	Z-score: +0.08
RV11-RV12	Power: -78.2873 dB	Z-score: +0.07
LA4-LA5	Power: -78.3306 dB	Z-score: +0.06
LV11-LV12	Power: -78.3323 dB	Z-score: +0.06
LV9-LV10	Power: -78.4139 dB	Z-score: +0.04
RPA3-RPA4	Power: -78.4441 dB	Z-score: +0.03
LBA4-LBA5	Power: -78.5693 dB	Z-score: -0.00
LOA11-LOA12	Power: -78.7858 dB	Z-score: -0.06
RPR4-RPR5	Power: -78.8139 dB	Z-score: -0.07
RV3-RV4	Power: -78.8925 dB	Z-score: -0.09
LV10-LV11	Power: -78.9375 dB	Z-score: -0.11
RA5-RA6	Power: -78.9701 dB	Z-score: -0.11
RU2-RU3	Power: -78.9776 dB	Z-score: -0.12
LSL4-LSL5	Power: -79.0032 dB	Z-score: -0.12
ROP14-ROP15	Power: -79.1213 dB	Z-score: -0.16
RMA1-RMA2	Power: -79.2174 dB	Z-score: -0.18
LPR1-LPR2	Power: -79.2309 dB	Z-score: -0.19
LA5-LA6	Power: -79.2880 dB	Z-score: -0.20
ROA14-ROA15	Power: -79.3285 dB	Z-score: -0.21
RU8-RU9	Power: -79.3762 dB	Z-score: -0.23
RSA3-RSA4	Power: -79.3786 dB	Z-score: -0.23
RSA4-RSA5	Power: -79.4746 dB	Z-score: -0.25
ROP7-ROP8	Power: -79.5011 dB	Z-score: -0.26
RU10-RU11	Power: -79.5172 dB	Z-score: -0.27
LML4-LML5	Power: -79.5555 dB	Z-score: -0.28
ROP13-ROP14	Power: -79.6745 dB	Z-score: -0.31
LU10-LU11	Power: -79.7834 dB	Z-score: -0.34
LML3-LML4	Power: -79.8112 dB	Z-score: -0.35
RV2-RV3	Power: -79.8969 dB	Z-score: -0.37
LU6-LU7	Power: -79.9622 dB	Z-score: -0.39
LV8-LV9	Power: -79.9719 dB	Z-score: -0.39
RU11-RU12	Power: -80.0208 dB	Z-score: -0.40
RBA2-RBA3	Power: -80.0453 dB	Z-score: -0.41
LU11-LU12	Power: -80.0899 dB	Z-score: -0.42
LU1-LU2	Power: -80.1358 dB	Z-score: -0.44
ROP12-ROP13	Power: -80.1386 dB	Z-score: -0.44
ROP11-ROP12	Power: -80.1867 dB	Z-score: -0.45
ROP3-ROP4	Power: -80.1996 dB	Z-score: -0.45
LU7-LU8	Power: -80.2069 dB	Z-score: -0.46
RV7-RV8	Power: -80.2339 dB	Z-score: -0.46
RBA4-RBA5	Power: -80.2846 dB	Z-score: -0.48
RSL1-RSL2	Power: -80.3030 dB	Z-score: -0.48
LU8-LU9	Power: -80.3688 dB	Z-score: -0.50
LML2-LML3	Power: -80.5298 dB	Z-score: -0.54

RSL4-RSL5	Power: -80.6039 dB	Z-score: -0.57
RA6-RA7	Power: -80.6794 dB	Z-score: -0.59
LOA6-LOA7	Power: -80.6799 dB	Z-score: -0.59
ROP8-ROP9	Power: -80.6853 dB	Z-score: -0.59
RSL3-RSL4	Power: -80.7145 dB	Z-score: -0.60
LV7-LV8	Power: -80.9626 dB	Z-score: -0.66
ROA11-ROA12	Power: -80.9763 dB	Z-score: -0.67
RSL2-RSL3	Power: -80.9803 dB	Z-score: -0.67
LOP1-LOP2	Power: -81.0791 dB	Z-score: -0.70
ROA10-ROA11	Power: -81.0798 dB	Z-score: -0.70
RBA1-RBA2	Power: -81.1490 dB	Z-score: -0.72
ROA9-ROA10	Power: -81.1539 dB	Z-score: -0.72
LA6-LA7	Power: -81.1606 dB	Z-score: -0.72
ROA3-ROA4	Power: -81.1714 dB	Z-score: -0.72
LV5-LV6	Power: -81.2101 dB	Z-score: -0.73
RA7-RA8	Power: -81.2944 dB	Z-score: -0.76
LU4-LU5	Power: -81.3512 dB	Z-score: -0.77
LOP9-LOP10	Power: -81.4274 dB	Z-score: -0.79
LOP4-LOP5	Power: -81.4295 dB	Z-score: -0.79
RU7-RU8	Power: -81.4606 dB	Z-score: -0.80
LU5-LU6	Power: -81.4749 dB	Z-score: -0.81
RA8-RA9	Power: -81.4964 dB	Z-score: -0.81
RU9-RU10	Power: -81.5001 dB	Z-score: -0.81
LOP2-LOP3	Power: -81.5288 dB	Z-score: -0.82
RU5-RU6	Power: -81.5305 dB	Z-score: -0.82
LML1-LML2	Power: -81.5936 dB	Z-score: -0.84
RU4-RU5	Power: -81.5943 dB	Z-score: -0.84
ROA5-ROA6	Power: -81.6133 dB	Z-score: -0.84
RV6-RV7	Power: -81.6289 dB	Z-score: -0.85
LOP11-LOP12	Power: -81.6451 dB	Z-score: -0.85
ROP2-ROP3	Power: -81.6639 dB	Z-score: -0.86
LV6-LV7	Power: -81.6666 dB	Z-score: -0.86
LV4-LV5	Power: -81.7387 dB	Z-score: -0.88
RV5-RV6	Power: -81.7736 dB	Z-score: -0.89
LU3-LU4	Power: -81.7916 dB	Z-score: -0.89
LOA5-LOA6	Power: -81.8651 dB	Z-score: -0.91
RU6-RU7	Power: -81.8842 dB	Z-score: -0.92
LOP6-LOP7	Power: -81.9096 dB	Z-score: -0.92
LOA4-LOA5	Power: -81.9490 dB	Z-score: -0.94
LV1-LV2	Power: -81.9553 dB	Z-score: -0.94
LA7-LA8	Power: -81.9658 dB	Z-score: -0.94
RU3-RU4	Power: -82.0773 dB	Z-score: -0.97
LV3-LV4	Power: -82.0871 dB	Z-score: -0.97
LA10-LA11	Power: -82.1374 dB	Z-score: -0.99
ROA8-ROA9	Power: -82.1800 dB	Z-score: -1.00
LOP7-LOP8	Power: -82.1962 dB	Z-score: -1.00
LU2-LU3	Power: -82.2141 dB	Z-score: -1.01
RA9-RA10	Power: -82.2558 dB	Z-score: -1.02
LOP5-LOP6	Power: -82.2602 dB	Z-score: -1.02
LV2-LV3	Power: -82.3426 dB	Z-score: -1.04
LOA3-LOA4	Power: -82.3447 dB	Z-score: -1.04
RA11-RA12	Power: -82.3518 dB	Z-score: -1.05
ROA7-ROA8	Power: -82.3799 dB	Z-score: -1.05
LOP8-LOP9	Power: -82.4558 dB	Z-score: -1.08
LOA2-LOA3	Power: -82.4893 dB	Z-score: -1.08
LOP10-LOP11	Power: -82.7774 dB	Z-score: -1.16

ROA6-ROA7	Power: -82.8018 dB Z-score: -1.17
LA11-LA12	Power: -82.9242 dB Z-score: -1.20
LA9-LA10	Power: -83.0027 dB Z-score: -1.23
LA8-LA9	Power: -83.0893 dB Z-score: -1.25
ROA4-ROA5	Power: -83.1013 dB Z-score: -1.25
LOP3-LOP4	Power: -83.1639 dB Z-score: -1.27
RA10-RA11	Power: -83.4240 dB Z-score: -1.34
LU9-LU10	Power: -83.5861 dB Z-score: -1.39

Log Power for each channel

