

iEEG Session Quality Control Report

Subject: M1017

Session: 1

Experiment: EFRCourierOpenLoop

Generated: 2026-08-04

Module 1: Data Completeness and Protocol Adherence

1.1 Event Count Verification

Event count verification for subject M1017, session 1

Event Type	Actual	Expected	Status
session_start	1	1	PASS ✓
trial_start	5	5	PASS ✓
encoding_word_start	60	60	PASS ✓
stimming	105	105	PASS ✓
pointing_start	65	65	PASS ✓
pointing_stop	65	65	PASS ✓
fr_start	5	5	PASS ✓
fr_stop	5	5	PASS ✓

8/8 checks passed

1.2 Stimulation Delivery Validation and Trial Phasing

Stimulation distribution by task phase :
Encoding: 3 Hz = 18, 8 Hz = 12, No stimulation = 30
Retrieval: 3 Hz = 45, 8 Hz = 30

	Stimulation Frequency (Hz)	Trial	Number of Encoding Stim	Number of Retrieval Stim	Number of Items Sent	Recalled Items	Stim Channel
2	[3.0]	0.0	6	15	12	1	RB1-RB2
3	[8.0]	1.0	6	15	12	3	RB1-RB2
4	[3.0]	2.0	6	15	12	1	RB1-RB2
5	[8.0]	3.0	6	15	12	1	RB1-RB2
6	[3.0]	4.0	6	15	12	3	RB1-RB2

Module 2: Behavioral Performance Summary

2.1 Navigation Time Analysis

Note. Trials start at trial 0 ; no practice trial is included in this session.

	Store	Navigation Time (s)	Stimulation Frequency	Trial Number	Session	Subject
0	pizzeria	13.837791	3 Hz	0	1	M1017
1	pizzeria	21.381223	8 Hz	1	1	M1017
2	pizzeria	28.509630	3 Hz	2	1	M1017
3	pizzeria	19.418111	8 Hz	3	1	M1017
4	pizzeria	20.234157	3 Hz	4	1	M1017
5	craft shop	17.705013	No Stim	0	1	M1017
6	craft shop	15.087863	No Stim	1	1	M1017
7	craft shop	28.059605	No Stim	2	1	M1017
8	craft shop	29.800704	No Stim	4	1	M1017
9	hardware store	14.617836	No Stim	0	1	M1017
10	hardware store	25.166439	No Stim	1	1	M1017
11	hardware store	15.322877	No Stim	2	1	M1017
12	hardware store	27.633581	No Stim	3	1	M1017
13	hardware store	28.909653	No Stim	4	1	M1017
14	bike shop	46.627667	3 Hz	0	1	M1017
15	bike shop	37.566149	8 Hz	1	1	M1017
16	bike shop	22.785303	8 Hz	3	1	M1017
17	bike shop	21.193212	3 Hz	4	1	M1017
18	toy store	15.034860	No Stim	0	1	M1017
19	toy store	31.584807	No Stim	1	1	M1017
20	toy store	33.600922	No Stim	3	1	M1017
21	barber shop	14.933854	No Stim	0	1	M1017
22	barber shop	51.541948	No Stim	1	1	M1017

	Store	Navigation Time (s)	Stimulation Frequency	Trial Number	Session	Subject
23	barber shop	22.764302	No Stim	2	1	M1017
24	barber shop	34.153954	No Stim	3	1	M1017
25	barber shop	23.867365	No Stim	4	1	M1017
26	bakery	21.517230	3 Hz	0	1	M1017
27	bakery	20.921197	3 Hz	2	1	M1017
28	bakery	13.195755	8 Hz	3	1	M1017
29	bakery	26.549519	3 Hz	4	1	M1017
30	florist	35.928055	No Stim	0	1	M1017
31	florist	32.359851	No Stim	2	1	M1017
32	florist	10.316590	No Stim	3	1	M1017
33	pharmacy	41.493373	3 Hz	0	1	M1017
34	pharmacy	15.047861	8 Hz	1	1	M1017
35	pharmacy	12.436712	3 Hz	2	1	M1017
36	pharmacy	17.117979	3 Hz	4	1	M1017
37	dentist	17.799018	3 Hz	0	1	M1017
38	dentist	24.698413	8 Hz	1	1	M1017
39	dentist	15.233871	3 Hz	2	1	M1017
40	dentist	53.934085	8 Hz	3	1	M1017
41	dentist	16.267931	3 Hz	4	1	M1017
42	jewelry store	29.803705	3 Hz	0	1	M1017
43	jewelry store	10.795618	3 Hz	2	1	M1017
44	jewelry store	49.598837	8 Hz	3	1	M1017
45	pet store	14.466827	No Stim	0	1	M1017

	Store	Navigation Time (s)	Stimulation Frequency	Trial Number	Session	Subject
46	pet store	20.034146	No Stim	1	1	M1017
47	pet store	17.736014	No Stim	2	1	M1017
48	pet store	24.917425	No Stim	4	1	M1017
49	gym	18.446055	8 Hz	1	1	M1017
50	gym	11.626665	8 Hz	3	1	M1017
51	gym	14.808847	3 Hz	4	1	M1017
52	grocery store	20.861193	No Stim	1	1	M1017
53	grocery store	25.680469	No Stim	2	1	M1017
54	grocery store	9.920567	No Stim	4	1	M1017
55	clothing store	14.556832	8 Hz	1	1	M1017
56	clothing store	26.968542	3 Hz	2	1	M1017
57	cafe	11.460655	No Stim	3	1	M1017
58	music store	38.668211	No Stim	3	1	M1017
59	music store	38.382195	No Stim	4	1	M1017


Total rows: 60

Unique stores: 17


Stimulation frequencies: ['3 Hz', '8 Hz', 'No Stim']

Navigation Time Across Trials — M1017

Trial Progression



Distribution




	subject	session	n_trials	n_rows	n_unique_stores
0	M1017	1	5	60	17


2.2 Spatial Trajectory Visualization

Navigation Trajectory — M1017


Delivery Day 1



Delivery Day 3




Delivery Day 4




2.3 Recall Performance Summary

Recall Performance Across Trials — M1017


Correct Recalls by Condition




Overall Recall Accuracy



Intrusions by Trial & Retrieval Condition



Intrusion Count by Retrieval Condition



trial	list_len	correct	intrusions	accuracy	stim_correct	stim_total	nostim_correct	nostim_total
0	12	1	5	0.083333	0	6	1	6
1	12	3	10	0.250000	1	6	2	6
2	12	1	8	0.083333	1	6	0	6
3	12	1	6	0.083333	0	6	1	6
4	12	3	6	0.250000	0	6	3	6

Module 3: Verification of Stimulation Timing, Spatial Specificity, and Frequency

3.1 Encoding Stimulation Response

Sample rate: 1000.0 Hz

EEG data shapes:

8 Hz encoding: (12, 124, 11001)

3 Hz encoding: (18, 124, 11001)







No stimuli encoding: (30, 124, 11001)

Time axis range: -1000.0 to 10000.0 ms

Stimulated Pairs: the specific contacts delivering stimulation.

Stimulated Shank: all other contacts on the same electrode shank, excluding the stimulated contacts.

Non-stimulated Shanks: contacts on all remaining shanks.




For fpulse = 3 Hz:

- Cycle duration: $1/3 = 333.3 \text{ ms}$
- Theta-burst duration: $0.25 \times 333.3 = 83.3 \text{ ms}$
- Total cycles in 3s: $3000 / 333.3 = 9 \text{ cycles}$


For fpulse = 8 Hz:

- Cycle duration: $1/8 = 125.0 \text{ ms}$
- Theta-burst duration: $0.25 \times 125.0 = 31.3 \text{ ms}$
- Total cycles in 3s: $3000 / 125.0 = 24 \text{ cycles}$

3 Hz: Stimulated Pairs — Individual Trials




8 Hz: Stimulated Pairs — Individual Trials




The first pulse onset should fall within ± 20 ms of the stimulation onset marker.

3 Hz: Stimulated Pairs — Individual Trials



8 Hz: Stimulated Pairs — Individual Trials



Average Voltage Summary

8 Hz

Stimulated Pairs:

N trials : 12
Mean voltage (μV) : -0.0075
Mean |voltage| (μV): 2.1293
Peak |voltage| (μV): 16.0789
Std across trials : 0.0449

Stimulated Shank:

N trials : 12
Mean voltage (μV) : 0.0072
Mean |voltage| (μV): 0.1192
Peak |voltage| (μV): 0.5506
Std across trials : 0.0285

Non-stimulated Shanks:

N trials : 12
Mean voltage (μV) : -0.0010
Mean |voltage| (μV): 0.0404
Peak |voltage| (μV): 0.0813
Std across trials : 0.0033

3 Hz

Stimulated Pairs:

N trials : 18
Mean voltage (μV) : 0.0117
Mean |voltage| (μV): 2.3397
Peak |voltage| (μV): 15.9968
Std across trials : 0.0784

Stimulated Shank:

N trials : 18
Mean voltage (μV) : 0.0037
Mean |voltage| (μV): 0.1127
Peak |voltage| (μV): 0.6294
Std across trials : 0.0282

Non-stimulated Shanks:

N trials : 18
Mean voltage (μV) : -0.0002

Mean |voltage| (μV): 0.0382
Peak |voltage| (μV): 0.0897
Std across trials : 0.0066


=====

3.2 Retrieval Stimulation Response

Stimulated Pairs: the specific contacts delivering stimulation.

Stimulated Shank: all other contacts on the same electrode shank, excluding the stimulated contacts.

Non-stimulated Shanks: contacts on all remaining shanks.




For fpulse = 3 Hz:

- Cycle duration: $1/3 = 333.3$ ms
- Theta-burst duration: $0.25 \times 333.3 = 83.3$ ms
- Total cycles in 3s: $3000 / 333.3 = 9$ cycles


For fpulse = 8 Hz:

- Cycle duration: $1/8 = 125.0$ ms
- Theta-burst duration: $0.25 \times 125.0 = 31.3$ ms
- Total cycles in 3s: $3000 / 125.0 = 24$ cycles



3 Hz: Stimulated Pairs — Individual Trials



8 Hz: Stimulated Pairs — Individual Trials




The first pulse onset should fall within ± 20 ms of the stimulation onset marker.




3.3 Per-Trial Stimulation Artifact

3 Hz Stimulated Pairs - Individual Trials (950-1050ms)


3 Hz - Trial 1



3 Hz - Trial 2




3 Hz - Trial 3




3 Hz - Trial 4







3 Hz - Trial 5




3 Hz - Trial 6




3 Hz - Trial 7




3 Hz - Trial 8







3 Hz - Trial 9



3 Hz - Trial 10




3 Hz - Trial 11




3 Hz - Trial 12







3 Hz - Trial 13




3 Hz - Trial 14




3 Hz - Trial 15




3 Hz - Trial 16







3 Hz - Trial 17



3 Hz - Trial 18




8 Hz Stimulated Pairs - Individual Trials (950-1050ms)







8 Hz - Trial 5




8 Hz - Trial 6



8 Hz - Trial 7




8 Hz - Trial 8







8 Hz - Trial 9




8 Hz - Trial 10




8 Hz - Trial 11



8 Hz - Trial 12





Module 4: Channel Integrity and Artifact Assessment





4.1 Trial-to-Trial Variability

Total channels analyzed: 124
Channels with high variability ($|z\text{-score}| > 2$): 6

Potential problematic channels:

- Channel 52: LOP7–LOP8 (z-score: 4.73)
- Channel 55: LOP10–LOP11 (z-score: 4.83)
- Channel 81: LIA3–LIA4 (z-score: 4.50)
- Channel 82: LIA4–LIA5 (z-score: 4.50)
- Channel 93: LR8–LR9 (z-score: 2.58)
- Channel 107: LIM4–LIM5 (z-score: 2.49)

Channel quality assessment: trial-by-trial variability



4.2 Temporal Variability





Total channels analyzed : 124

Flagged ($|z| > 2$) : 6

Flagged channels:

Ch 55: LOP10–LOP11	$z = 4.96$
Ch 52: LOP7–LOP8	$z = 4.85$
Ch 81: LIA3–LIA4	$z = 4.62$
Ch 82: LIA4–LIA5	$z = 4.61$
Ch 93: LR8–LR9	$z = 2.57$
Ch 107: LIM4–LIM5	$z = 2.46$

Channel quality assessment: within-trial temporal SD



=====

SUMMARY

Flagged by trial variability only : 0

Flagged by temporal variability only : 0

Flagged by BOTH methods : 6

Total unique flagged channels : 6

Channels flagged by both:

Ch 52: LOP7-LOP8 trial-z = 4.73, temporal-z = 4.85

Ch 55: LOP10-LOP11 trial-z = 4.83, temporal-z = 4.96

Ch 81: LIA3-LIA4 trial-z = 4.50, temporal-z = 4.62

Ch 82: LIA4-LIA5 trial-z = 4.50, temporal-z = 4.61

Ch 93: LR8-LR9 trial-z = 2.58, temporal-z = 2.57

Ch 107: LIM4-LIM5 trial-z = 2.49, temporal-z = 2.46

4.3 All-Channel Waveform Review

Channels flagged by trial variance only (green):

[]

Channels flagged by temporal variance only (brown):


[]


Channels flagged by BOTH (purple):

[np.int64(52), np.int64(55), np.int64(81), np.int64(82), n


p.int64(93), np.int64(107)]

All Channels — Mean Across Trials (Purple = Both, Green = Trial Var, Brown = Temporal Var)







3STG3-3STG4




3STG4-3STG5




2LR1-2LR2




2LR2-2LR3




2LR3-2LR4




2LR4-2LR5




2LR5-2LR6




2LR6-2LR7




2LR7-2LR8






2LR8-2LR9




2LR9-2LR10




LAA1-LAA2







LAA2-LAA3




LAA3-LAA4




LAA4-LAA5




LAA5-LAA6




LAA6-LAA7




LAA7-LAA8




LAA8-LAA9




LAA9-LAA10




LAA10-LAA11





LAA11-LAA12




LOP1-LOP2




LOP2-LOP3







LOP3-LOP4




LOP4-LOP5




LOP5-LOP6




LOP6-LOP7




LOP7-LOP8 [Both]




LOP8-LOP9




LOP9-LOP10




LOP10-LOP11 [Both]




LOP11-LOP12




RA1-RA2




RA2-RA3




RA3-RA4















RA1-RA2



























RA2-RA3



























RA3-RA4























4.4 Line Noise Detection



L0P10-L0P11	Power: -29.7528 dB Z-score: +3.23 ← Z > 2 (HIGH)
L0P7-L0P8	Power: -29.9318 dB Z-score: +3.22 ← Z > 2 (HIGH)
LIA3-LIA4	Power: -30.3215 dB Z-score: +3.19 ← Z > 2 (HIGH)
LIA4-LIA5	Power: -30.3245 dB Z-score: +3.19 ← Z > 2 (HIGH)
LR8-LR9	Power: -34.9040 dB Z-score: +2.85 ← Z > 2 (HIGH)
LIM4-LIM5	Power: -35.2045 dB Z-score: +2.83 ← Z > 2 (HIGH)
LAP4-LAP5	Power: -36.5990 dB Z-score: +2.73 ← Z > 2 (HIGH)
LAP5-LAP6	Power: -36.6284 dB Z-score: +2.72 ← Z > 2 (HIGH)
LIM8-LIM9	Power: -42.6504 dB Z-score: +2.28 ← Z > 2 (HIGH)
RB3-RB4	Power: -43.4764 dB Z-score: +2.22 ← Z > 2 (HIGH)
RB2-RB3	Power: -43.5209 dB Z-score: +2.22 ← Z > 2 (HIGH)
LR3-LR4	Power: -51.5415 dB Z-score: +1.62
LR4-LR5	Power: -51.6028 dB Z-score: +1.62
LIM6-LIM7	Power: -53.1766 dB Z-score: +1.50
LR9-LR10	Power: -55.8464 dB Z-score: +1.31
LR1-LR2	Power: -56.1107 dB Z-score: +1.29
LIM9-LIM10	Power: -57.5455 dB Z-score: +1.18
LIM7-LIM8	Power: -58.8802 dB Z-score: +1.08
LIM5-LIM6	Power: -59.0489 dB Z-score: +1.07
L0P8-L0P9	Power: -63.5640 dB Z-score: +0.74
L0P9-L0P10	Power: -66.2131 dB Z-score: +0.54
LOA8-LOA9	Power: -72.0729 dB Z-score: +0.11
LIA2-LIA3	Power: -72.3815 dB Z-score: +0.09
LIA1-LIA2	Power: -72.6007 dB Z-score: +0.07
RB1-RB2	Power: -72.6507 dB Z-score: +0.07
L0P6-L0P7	Power: -72.6978 dB Z-score: +0.06
RA1-RA2	Power: -72.7036 dB Z-score: +0.06
LAA2-LAA3	Power: -73.5453 dB Z-score: +0.00
L0P1-L0P2	Power: -74.7697 dB Z-score: -0.09
LOA9-LOA10	Power: -75.0346 dB Z-score: -0.11
LAP1-LAP2	Power: -75.2522 dB Z-score: -0.13
LAP6-LAP7	Power: -75.7405 dB Z-score: -0.16
LAA8-LAA9	Power: -75.9723 dB Z-score: -0.18
LAA1-LAA2	Power: -76.0008 dB Z-score: -0.18
LAA7-LAA8	Power: -76.1939 dB Z-score: -0.19
LOA1-LOA2	Power: -76.2237 dB Z-score: -0.20
2STG3-2STG4	Power: -76.5314 dB Z-score: -0.22
LOA7-LOA8	Power: -76.8262 dB Z-score: -0.24
LAA3-LAA4	Power: -77.0693 dB Z-score: -0.26
L0P4-L0P5	Power: -77.0845 dB Z-score: -0.26
L0P3-L0P4	Power: -77.2789 dB Z-score: -0.27

LAA9-LAA10	Power: -77.5081 dB Z-score: -0.29
LOA3-LOA4	Power: -77.5959 dB Z-score: -0.30
RA3-RA4	Power: -77.6068 dB Z-score: -0.30
LIA5-LIA6	Power: -77.7697 dB Z-score: -0.31
L0P5-L0P6	Power: -77.7839 dB Z-score: -0.31
RA2-RA3	Power: -77.8763 dB Z-score: -0.32
RB10-RB11	Power: -77.9087 dB Z-score: -0.32
L0P2-L0P3	Power: -77.9875 dB Z-score: -0.33
RB8-RB9	Power: -78.0469 dB Z-score: -0.33
LOA5-LOA6	Power: -78.2932 dB Z-score: -0.35
3STG4-3STG5	Power: -78.4154 dB Z-score: -0.36
LAP9-LAP10	Power: -78.5833 dB Z-score: -0.37
LAP3-LAP4	Power: -78.5842 dB Z-score: -0.37
LA1-LA2	Power: -78.6047 dB Z-score: -0.37
RA4-RA5	Power: -78.6053 dB Z-score: -0.37
2STG4-2STG5	Power: -78.6787 dB Z-score: -0.38
LAP8-LAP9	Power: -78.7069 dB Z-score: -0.38
2STG2-2STG3	Power: -78.7261 dB Z-score: -0.38
LR2-LR3	Power: -78.8272 dB Z-score: -0.39
LOA6-LOA7	Power: -78.8332 dB Z-score: -0.39
LA7-LA8	Power: -78.8685 dB Z-score: -0.39
LA3-LA4	Power: -78.9126 dB Z-score: -0.40
2LR2-2LR3	Power: -78.9411 dB Z-score: -0.40
RB9-RB10	Power: -78.9734 dB Z-score: -0.40
LAP2-LAP3	Power: -78.9953 dB Z-score: -0.40
RB7-RB8	Power: -79.0373 dB Z-score: -0.40
LOA4-LOA5	Power: -79.3167 dB Z-score: -0.43
LOA2-LOA3	Power: -79.3342 dB Z-score: -0.43
2STG1-2STG2	Power: -79.3756 dB Z-score: -0.43
RA11-RA12	Power: -79.5402 dB Z-score: -0.44
LA6-LA7	Power: -79.5471 dB Z-score: -0.44
LA4-LA5	Power: -79.5578 dB Z-score: -0.44
LA5-LA6	Power: -79.6987 dB Z-score: -0.45
LIA6-LIA7	Power: -79.7909 dB Z-score: -0.46
RA5-RA6	Power: -79.8066 dB Z-score: -0.46
2LR1-2LR2	Power: -79.8688 dB Z-score: -0.47
2LR3-2LR4	Power: -79.9188 dB Z-score: -0.47
LIP7-LIP8	Power: -79.9687 dB Z-score: -0.47
LR5-LR6	Power: -79.9697 dB Z-score: -0.47
LIP9-LIP10	Power: -80.1876 dB Z-score: -0.49
LA8-LA9	Power: -80.2809 dB Z-score: -0.50
3STG3-3STG4	Power: -80.3019 dB Z-score: -0.50

LIP1-LIP2	Power: -80.3137 dB Z-score: -0.50
LIP8-LIP9	Power: -80.4069 dB Z-score: -0.51
LAA4-LAA5	Power: -80.4858 dB Z-score: -0.51
3STG2-3STG3	Power: -80.5912 dB Z-score: -0.52
RB5-RB6	Power: -80.6535 dB Z-score: -0.52
LAP7-LAP8	Power: -80.6651 dB Z-score: -0.52
RB11-RB12	Power: -80.7065 dB Z-score: -0.53
RB4-RB5	Power: -80.9592 dB Z-score: -0.55
LIP6-LIP7	Power: -80.9774 dB Z-score: -0.55
LIM1-LIM2	Power: -80.9926 dB Z-score: -0.55
LIP3-LIP4	Power: -81.0301 dB Z-score: -0.55
RA9-RA10	Power: -81.1200 dB Z-score: -0.56
LIP5-LIP6	Power: -81.1360 dB Z-score: -0.56
2LR5-2LR6	Power: -81.1539 dB Z-score: -0.56
L0P11-L0P12	Power: -81.1551 dB Z-score: -0.56
LIP4-LIP5	Power: -81.1870 dB Z-score: -0.56
LAA11-LAA12	Power: -81.2086 dB Z-score: -0.56
LA9-LA10	Power: -81.2878 dB Z-score: -0.57
RA10-RA11	Power: -81.2912 dB Z-score: -0.57
2LR9-2LR10	Power: -81.3022 dB Z-score: -0.57
RA8-RA9	Power: -81.3607 dB Z-score: -0.58
LAA5-LAA6	Power: -81.3869 dB Z-score: -0.58
3STG1-3STG2	Power: -81.3978 dB Z-score: -0.58
RB6-RB7	Power: -81.4783 dB Z-score: -0.58
LIM3-LIM4	Power: -81.5532 dB Z-score: -0.59
RA6-RA7	Power: -81.5623 dB Z-score: -0.59
LIP2-LIP3	Power: -81.5873 dB Z-score: -0.59
LAP11-LAP12	Power: -81.6034 dB Z-score: -0.59
2LR7-2LR8	Power: -81.6299 dB Z-score: -0.60
2LR4-2LR5	Power: -81.7061 dB Z-score: -0.60
LA2-LA3	Power: -81.8091 dB Z-score: -0.61
LIM2-LIM3	Power: -81.8211 dB Z-score: -0.61
2LR6-2LR7	Power: -81.8358 dB Z-score: -0.61
LR6-LR7	Power: -82.0247 dB Z-score: -0.63
LAA6-LAA7	Power: -82.0360 dB Z-score: -0.63
LAP10-LAP11	Power: -82.3435 dB Z-score: -0.65
RA7-RA8	Power: -82.3672 dB Z-score: -0.65
LAA10-LAA11	Power: -82.5618 dB Z-score: -0.66
LIA7-LIA8	Power: -82.7817 dB Z-score: -0.68
2LR8-2LR9	Power: -83.1843 dB Z-score: -0.71
LR7-LR8	Power: -83.3172 dB Z-score: -0.72

Line-noise power by channel

