



MTHS24 – Exercise sheet 5

Morning: Eric Swanson / Mikhail Mikhasenko

Afternoon: Nadine Hammoud, Dhruvanshu Parmar



Friday, 19 July 2024

Lecture material

Discussed topics:

- Three body decay kinematics
- Cascade parametrization of decays
- Helicity and covariant formalism

References:

- A.D. Martin, T.D. Spearman, Elementary Particle Theory, [inSpire](#)
- Eero Byckling, K. Kajantie, Particle Kinematics, [inSpire](#)

Exercises

5.1 Plastisin and Wires

In a laboratory setup, particle vectors for a three-body decay are represented using metal wire sticking out from a plasticine ball. The particles involved in the decay have masses of 1 GeV, 2 GeV, and 3 GeV respectively.

- Compute the center of mass energy.
- Compute the boost to the rest frame.
- Locate the kinematic point on the Dalitz plot.
- Use the plasticine and wire to show how the decay kinematics looks like in the system rest frame.

5.2 Spin of a New Λ_b^{**0} State

A new Λ_b^{**0} state has been discovered decaying into $\Lambda_b^0 \pi^+ \pi^-$ with a prominent Σ_b^* resonance line on the Dalitz plot. The decay intensity distribution along the Σ_b^* band is provided in the supplementary material, which includes the helicity angle distribution. Your task is to determine the spin J of the Λ_b^{**0} state.

- Write down the decay matrix element for $\Lambda_b^{**0} \rightarrow \Lambda_b^0 \pi^+ \pi^-$ using helicity formalism.
- Identify the partial waves in the decay $\Sigma_b^* \rightarrow \Lambda_b^0 \pi$.
- Determine the partial waves in the decay $\Lambda_b^{**0} \rightarrow \Sigma_b^* \pi$ for $J^P = \frac{1}{2}^\pm, \frac{3}{2}^\pm, \frac{5}{2}^\pm$.
- Compute the unpolarized differential distribution given by:

$$\frac{dI}{d \cos \theta} = \sum_{\lambda_0, \lambda_1}^{\{-1/2, 1/2\}} \left| \langle L, 0; 3/2, \lambda_0 | J, \lambda_0 \rangle d_{\lambda_0, \lambda_1}^{3/2}(\theta) \langle 1, 0; 1/2, \lambda_1 | 3/2, \lambda_1 \rangle \right|^2$$