1. Which of the following statements are true for lifecycle callback interceptors?
(Multi choices)

- Cannot be static or final. (this is the answer)
- May throw runtime exceptions. (this is the answer)
- If defined within the target class they are annotated with appropriate annotations. (this is the answer)
- If defined in an interceptor class then the interceptors have an InterceptorContext parameter.

2. There are ___ tiers in client-server architecture.

- Two (this is the answer)
- Three
- Multiple
- None of these

3. The return type of a callback method of a Stateless Session bean is ___.

- int
- void (this is the answer)
- user-defined
- Boolean

4. ___ is the deployment descriptor for enterprise applications on Java EE platform.

- ejb-jar.xml (this is the answer)
- web.xml
- application.xml
- None of these

5. Local clients can access an enterprise JavaBean through:

- Local interface
- No-interface view and local interface (this is the answer)
- Local interface, Remote interface, and No interface view
- Only no interface view

6. Which of the following method is used to specify the initial number of instances of session beans to be pooled in EJB container defined?

- The number is specified using EJB annotation. (this is the answer)
- The number is specified in web.xml configuration file.
- The number is specified in application.xml
- The number is specified in the external deployment descriptor.

7. Lifecycle of a session bean is controlled by

- application server
- client
- container (this is the answer)
- EJB components

8. Match the following exceptions with their description with respect to stateful session beans

- CreateException
    1. Failure while trying to access a remote object.
    2. When a bean cannot respond to a request.
    3. When a bean instance cannot be removed.
    4. When instantiation of a bean fails.
- RemoveException
    1. Failure while trying to access a remote object.
    2. When a bean cannot respond to a request.
    3. When a bean instance cannot be removed.
    4. When instantiation of a bean fails.
- RemoteException
    1. Failure while trying to access a remote object.
    2. When a bean cannot respond to a request.
    3. When a bean instance cannot be removed.
    4. When instantiation of a bean fails.
- EJBException
    1. Failure while trying to access a remote object.
    2. When a bean cannot respond to a request.
    3. When a bean instance cannot be removed.
    4. When instantiation of a bean fails.

9. Which of the given factors decision define the type of access to be provided to the application client?

A. Type of service provided by the bean.
B. Whether the application components are tightly coupled or not.
C. Location of components on the enterprise network.
D. Performance requirements of the application.

- A, B and C
- B, C and D
- A, C and D
- All of these (this is the answer)

10. PreDestroy callback method for Stateful Session bean are executed during which of the following:

A. when the session bean is removed from Ready state
B. when the session bean turns out in Ready state
C. when the session bean passivated into the Ready state
D. when the session bean turns out in the passive state

- B, C
- A, B
- C, D
- A, D (this is the answer)

11. Match the callback annotation with their time of invocation in case of Stateful Session bean:

- PostConstruct
    1. When transit from ready to passivated state
    2. When transit from passivated to active state
    3. When transit from Does not exist to Ready state
    4. When transit from ready to Does not exist state
- PreDestroy
    1. When transit from ready to passivated state
    2. When transit from passivated to active state
    3. When transit from Does not exist to Ready state
    4. When transit from ready to Does not exist state
- PrePassivate
    1. When transit from ready to passivated state
    2. When transit from passivated to active state
    3. When transit from Does not exist to Ready state
    4. When transit from ready to Does not exist state
- PostActivate
    1. When transit from ready to passivated state
    2. When transit from passivated to active state
    3. When transit from Does not exist to Ready state
    4. When transit from ready to Does not exist state

12. Which of the following applications can be best implemented by Stateful Session bean?

- EMI calculator
- CurrencyConvertor
- shopping cart (this is the answer)
- none of these

13. Arrange the following steps performed by the container with respect to a Stateful Session bean in right order.

1. Injects the resources such as database connections
2. Executes the business method invoked by the client
3. Uses the default constructor to create a bean instance
4. Passivates the bean instance

- 4-3-2-1
- 3-1-2-4 (this is the answer)
- 4-2-3-1
- 2-3-1-4