1. Which of the following specifies the number of columns that can be included in a single index?

- 10
- 16
- 64
- 255

2. Which of the following statement about stored procedures are true?

- Providing a parameter list to CREATE PROCEDURE is optional
- stored procedures are case-sensitive
- stored procedures cannot be imported from one database system to another
- stored procedures are saved in the table mysql . proc.

3. Which of the following statement are true with the respect to transaction?

- start transaction statement cannot affect any existing transaction as the attributes Sets cannot to be used by the current transaction
- after a transaction is terminated it implicitly begins a new one
- A transaction must maintain consistency of the database even if there is a failure.
- Successful completion of a transaction is like executing a COMMIT statement and an unsuccessful one is like executing a ROLLBACK statement.

4. For which of the following statement indexes can be used?

- To look up rows in a table with a multiple-column index of the index to obtain rows.
- To compare columns of the same type
- To compare columns of the different type
- To obtain the MIN() or MAX() value for a particular indexed column key column.

5. Under which of the following instance the query cached cannot be used?

- If any User-Defined Functions (UDFs) or stored functions are a part of the query.
- If user variables, local stored program variables, or partitioned tables are part of the query.
- If tables in mysql, INFORMATION_SCHEMA, or performance_schema database are referred to.

6. Which of the following statement are true with the respect to explain statement?

- When EXPLAIN is used with FOR CONNECTION connection_id instead of an allowed statement, it provides the execution plan for the statement mentioned. For versions prior to MYSQL 5.7.3, EXTENDED key word
- Allowed statements for EXPLAIN are SELECT, DELETE, INSERT, REPLACE, and UPDATE.
- Use FORMAT option to choose the output format.
- Using the TRADITIONAL keyword displays output in tabular format.

7. When the server creates an internal temporary table (either in memory or on-disk), it increments the ..... status variable.

- Created_disk_tmp_tables
- Created_tmp_tables
- Created_disk_tables
- Created_temp_disk_tables

8. Which of the following clause in a select statement can be used to specify the condition in a join?

- on
- using
- where
- having

9. Which of the following queries will display the employee names whose earn more salary than employees john?

- select * from employees where salary >= 2000
- select * from employees where salary > (select salary from employees where employeesName = 'john')

10. Which of the following options correctly represented the result of the given query

SELECT TRUNCATE (1.999, 0);

- 1.999
- 1
- 1.9
- 1.99

11. Which of the following functions will remove the leading space in employee name form the employee table?

- SELECT LEFTTRIM(EmployeeName) FROM Employee
- SELECT TRIM(LEADING FROM EmployeeName) FROM Employee
- SELECT TRIM(EmployeeName) FROM Employee
- SELECT LEFT TRIM(?? FROM EmployeeName) FROM Employee

12. In stored procedures, which of the following symbol is used to write comments:

- character @
- double hyphen --
- semicolons:
- colon :

13. Which of the following are the correct commands to insert in the table?

INSERT INTO Emp_Details(Empld,EmpName,Date_of_Join,Designation)VALUES(101, '2005-05-15', 'MANAGER')