1. Which statement is used to add a new record in a table?

a) **Insert**

b) Add

c) Record

d) Update

2. The _____ option of the INSERT command causes insertion of records to be postponed unless all clients finished reading from the tables.

a) Default

b) **Low_priority**

c) Ignore

d) Delayed

3. Which of the following ways below is the correct way to get the current date?

a) SELECT CURRENTTIME();

b) SELECT CUR_TIME();

c) **SELECT CURDATE();**

d) SELECT SYSDATE();

4. PHPMyAdmin is an administrative interface for MySQL databases.

a) **True**

b) False

5. The output of floor(9.85) would be_____

a) 10

b) 8

c) **9**

d) Null

6. USAGE is used when a user is created without any privileges.

a) **True**

b) False

7. Which is the default order of sort in ORDER BY clause?

a) **Ascending**

b) Descending

8. The environment variable _____ locates the MySQL history file.

a) Home

b) MYSQL_PSL

c) **MYSQL_HISTFILE**

d) MYSQL_HOST

9. An entity is said to be in the _____ normal form if all the attributes are single-valued (atomic).

a) **First**

b) Second

c) Third

d) None of these

10. _____ A database facilitates a faster find and sort operating in the database.

a) **Indexing**

b) Normalization

c) Compressing

d) None of them

11. Referential integrity means that when we have a record in a table that refers to the corresponding record in another table, then that particular record must exist.

a) **True**

b) False

12. MEDIUMISTIC data types occupy _____ bytes.

a) 1

b) 2

c) **3**

d) 4

13. A user is able to specify the name of a table up to _____ characters.

a) 32

b) **64**

c) 128

d) 256

14. MySQL allows up to _____ index per table.

a) 16

b) **32**

c) 8

d) None of them

15. The maximum length of a field name is _____ characters.

a) 32

b) **64**

c) 128

d) 256

16. _____ is used to remove redundancies.

a) Referential integrity

b) Indexing

c) **Normalization**

d) None of them

17. The CHARACTER SET clause modifies the default collation of a database.

a) **True**

b) False

18. The_____ clause of the DROP command shows if any dependencies of the table exist.

a) IF EXIST

b) **RESTRICT**

c) CASCADE

19. Grouping facilitates to group rows with similar values for a specific column into a single row in order to operate on them together.

a) **True**

b) False

20. While creating a foreign key, _____ option prevents the deletion of the parent row if the dependent child row exists.

a) **RESTRICT**

b) NO ACTION

c) ON DELETE

21. If we use the _____ option with the UPDATE command, then the rows that will conflict are not updated.

a) IGNORE

b) LIMIT

c) LOW-PRIORITY

d) **WHERE**

22. The _____ option enhances the speed of deletion by suspending the merging of indexes during the delete command.

a) LOW-PRIORITY

b) **QUICK**

c) ORDER BY

23. In _____ join, the comparison is made between two columns that carry the same values.

a) **EQUI**

b) OUTER

c) INNER SELF

24. A self-join is a query that is used to join or compare a table to itself.

a) **True**

b) False

25. UNION is used to combine many result sets used with the SELECT command into a single result set.

a) **True**

b) False

26. The _____ clause is used to limit the number of results displayed by the query.

a) **LIMIT**

b) IGNORE

c) RESTRICT

d) NONE OF THEM

27. The _____ function calculates a cyclic redundancy check value.

a) EXP

b) COS

c) **CRC**

d) NONE OF THEM

28. The _____ function returns the version of MySQL.

a) BENCHMARK

b) **VERSION**

c) CURDATE

d) NONE OF THEM

29. The _____ function returns the current date in the format YYYYY-MM-DD or YYYYYMMDD format.

a) **CURDATE**

b) ADDATE

c) DATEDIFF

d) NONE OF THEM

30. The _____ function returns the sign of the argument. It returns -1, 0, or 1 depending on whether the argument is positive, zero, or negative.

a) **SIGN**

b) POWER

c) MOD

d) LOG

31. The _____ Function executes the expression entered as the argument repeatedly the times specified in the argument.

a) **Benchmark**

b) Charset

c) Connection

d) None of them

32. The grant option enables privileges to be granted to the user.

a) **True**

b) False

33. Usage is used when a user is created without any privileges.

a) **True**

b) False

34. Usage privileges are used only to establish a connection.

a) **True**

b) False

35. Which of the following defines the type of data that will be stored in a column of tables?

a) Privileges

b) Variations

c) **Data types**

d) Constraint