1. The intent of software engineering is to produce a framework for building higher quality software.

- TRUE
- FALSE

2. Which of the following phase focus on building models which unambiguously determine the problem for which a software solution is being constructed?

- Requirement Specifications
- Analysis
- Designs

3. during which of the following stage, the analysis model is adapted such that it serves as the basis for implementation in the target environment?

- Requirement Specifications
- Analysis
- Design

4. Which of the following testing involves system tests that force the software to fail in a variety of ways and verifies that recovery is properly performed?

- Unit Testing
- Validation Testing
- Recovery Testing
- Security Testing

5. Which of the following testing attempts to verify that protection mechanisms built into a system will, in fact, protect it from improper usage and unauthorized access? It ensures adherence to restrictions on command usage, access to data, and access requirements according to associated privileges.

- Unit Testing
- Recovery Testing
- System Testing
- Security Testing

6. The _____of the software process specifies all the activities that need to be done by the project management to ensure that the cost and quality objectives are met

- Development Process
- Project Management Process
- Software Configuration Management Process
- Process Management Processes

7. Which of the following look at the changes that need to be done to improve the process?

- Development Processes
- Project Management Processes
- Software Configuration Management Processes
- Process Management Processes

8. In structure chart, _____ represents modules.

- Small diamond
- Rectangle
- Ellipse
- Small arrows with filled circle

9. In a structure chart_____ is used to indicate a module calling another.

- Arrows
- Rectangle
- Small diamond
- Ellipse

10. In _____ activities occurring in the same time-period are grouped together.

- Temporal coupling
- Temporal cohesion
- Logical cohesion
- Logical coupling

11. In _____ all modules share some common data.

- Sequential cohesion
- Logical cohesion
- Communication cohesion
- temporal cohesion

12. in _____modules are divided into a series of activities such that output of one module becomes the input to the next.

- Cohesion
- Logical cohesion
- Communication cohesion
- Sequential cohesion

13. _____is a process whereby we can identify the important aspects of any event or fact and ignore its details.

- Software architecture
- Stepwise refinement
- Modularity
- Abstraction

14. The attribute of software that allows a program to be intellectually manageable by breaking it up into smaller portions is called _____

- Abstraction
- Control Hierarchy
- Modularity
- Cohesion

15. _____procedures are followed by the organization side by side with the automated system.

- User training
- Physical
- Data preparation
- Data conversion

16. _____model combines elements of linear sequential model and iterative philosophy.

- Incremental
- Prototyping
- Waterfall
- Component assembly

17. In Data dictionary, _____ defines the unique real life data element name.

- Field name
- Description
- Data element number
- Caption

18. In Data dictionary. _____ indicates number of items between Zero and infinity.

- <B>
- (B)
- {B}
- <B>

19. _____is used to describe the Software requirement using a natural language and a structured format.

- Structured Flowchart
- Data Flow Diagram
- Structured English
- Structure Charts

20. _____requirement defines that the SCM repository grow to large size without any error.

- Reliability
- Scalability
- Availability
- Transparency

21. _____metric gives details about percentage of time the application was working.

- Maintenance turnaround
- Productivity
- Mean down time
- System turnaround

22. The activity performed to correct residual errors in a software is known as _____

- Corrective maintenance
- Adaptive maintenance
- Software rework

23. Level _____DFD is also known as a context model.

- 3
- 2
- 1
- 0

24. In a data flow diagram, _____are used to represent data store.

- bubbles
- open boxes
- arrows
- I/O boxes

25. The term relationships is applied to the _____used in description of the system.

- Nouns
- Adjectives
- verbs
- adverbs

26. In the Waterfall model, which of the following activities are not the part of the Software Requirements Analysis' phase? (Multiple options)

- Testing
- Data migration
- Understanding the information domain
- documenting the requirements

27. _____defines the relationship among the major structural elements of the program.

- Interface design
- Architectural design
- Component level design
- Procedure design

28. _____describes how software communicates with systems that interoperate within it and with people who use it.

- Interface design
- Procedure design
- Architectural design
- Data design

29. _____ is defined as the process of applying various techniques and principles to define a system in sufficient detail to permit its physical realization.

- coding
- requirements specification
- SDLC
- design

30. In a Data Dictionary, _____symbol is used to denote an optional item.

- ()
- ?
- []
- {}