1) Which of the following utilities is used to render a private key for Apache server?

a) Mod_ssl

b) Http

c) Crypto-utils

d) **Openssl**

2) Which of the following commands is entered at the command prompt to start the Apache web server?

a) Apachectl –k start

b) Etc/int:d/http start

c) Load Apachectl

d) **/usr/local/apache2/bin/Apachectl start**

3) Which of the following directives of the mod_alias module transmits an external redirect to obtain a different URL?

a) RedirectPermanenr

b) RedirectMatch

c) RedirectTemp

d) **Redirect**

4) Which of the following is/are certificate authorities?

a) VeriSign

b) Thawate

c) **Both A and B**

d) None of them

5) A web server is a software application that uses the _____ protocol.

a) Hyper text

b) Hypertext transform

c) **Hypertext transfer**

d) None of them

6) We must restart the Apache web server for the configuration change to take effect.

a) **True**

b) False

7) The _____ utility is used to create new password files.

a) **Htpasswd**

b) Htpassword

c) Passwd

8) We can create or generate indexes using _____.

a) Mod_auth

b) **mod_autoindex**

c) Both A and B

d) None of them

9) Which of them are considered as types of logs in Apache?

a) Errorlog

b) AccessLog

c) PID file

d) Script Log

e) Piped Log

f) **All of them**

10) _____ is about balancing alternatives, making evaluation, deciding on values and living with the consequences.

a) Cryptography

b) Security

c) Firewall

d) **None of them**

11) _____ is used to create new password files.

a) Filter

b) Firewall

c) **Htpasswd**

d) None of them

12) The _____ host feature in Apache tells Apache to respond to different IP addresses, hostnames, and ports.

a) **Virtual**

b) System

c) Network

13) _____ provides protection against outside attackers by protecting the network from unnecessary internet traffic.

a) Filter

b) **Firewall**

c) Proxy server

d) None of them

14) There are two types of firewalls.

a) **Network-level firewalls**

b) System-level firewalls

c) **Application-proxy firewall/application gateways**

15) The most commonly used SSL directives are:

a) SSlEngine

b) SSLCertificateKeyFile

c) SSLCertificateFile

d) **All of the above**

16) The Apache_____ feature enables us to specify the location of the log files and the log format to serve.

a) Open source

b) **Log**

c) Proxy server

d) None of them

17) A _____ is an electronic document that is used for the identification of a person, server, or a company.

a) Digital signature

b) **Certificate**

c) Certificate Authority

d) None of them

18) The SSL module in Apache is called a _____.

a) **Mod_ssl**

b) Mod_autoindex

c) SSI

d) None of them

19) _____ is a protocol that specifies the method of information transfer between a server and a CGI program.

a) HTTP

b) **CGI**

c) Both A and B

d) None of them

20) The default directory for storing CGI programs on Apache is _____.

a) **Cgi-bin**

b) Bin

c) Config

d) None of them

21) The SSI document has a _____ extension.

a) .html

b) **.shtml**

c) .xml

d) None of them

22) Apache supports SSL by default.

a) True

b) **False**

23) Mod_cache module of Apache 2.0 is used to implement _____.

a) **Caching**

b) Proxy caching

c) Both A and B

d) None of them

24) The _____ module of Apache enables us to implement the cookies feature.

a) Mod_cache

b) Mod_ssl

c) **Mod_usertrack**

d) None of them

25) Which of the following directives are used to configure cookies?

a) Cookies Tracking

b) Cookies Expires

c) Cookies Name

d) **All of them**

26) Virtual host is configured using the _____.

a) **Httpd.conf**

b) Htpasswd

c) Ssl

d) None of them

27) Binary distribution contains setup programs that install every component for the server to start.

a) **True**

b) False

28) Which of the following options are true regarding name-based virtual hosting?

a) **Name-based virtual hosting allows different hosts to share the same IP address.**

b) In name-based virtual hosting, the user needs to configure Apache web server to map each hostname to the correct IP address.

c) **In name-based virtual hosting, the client has to send the HTTP host header.**

d) Name-based virtual hosting is compatible with SSL secure servers.

29) Which of the following modules implements a hybrid server, is stable, and processes multiple requests with threads?

a) Mod_status

b) mod_rewrite

c) **worker**

d) mod_ssl

30) Which of the following directives defines the maximum number of server processes that must be created by Apache web server?

a) **ServerLimit**

b) MaxSpareServers

c) StartServers

d) MaxClients

31) Which of the following modules handles the file-based cache?

a) mod_mem_cache

b) Mod_cache

c) **mod_disk_cache**

d) Mod_proxy

32) Which of the following directives defines alternative names for the hosts used in name-based virtual hosts?

a) ServerPath

b) **ServerAlias**

c) ServerName

d) NameVirtualHost

33) Which of the following directives can be used to customize the server response to errors?

a) Errorlog

b) **ErrorDocument**

c) FormatLog

d) TransferLog

34) Which of the following ways is used by the Apache web server to authenticate an HTTP request?

a) **Access Control**

b) **Authentication**

c) **Authorization**

d) Validation

35) Which of the following is the correct use of the ServerRoot directive?

a) Specifies the hostname and port for the server

b) Instructs the server to listen to the specific IP addresses and ports

c) **Specifies the directory path where the server is installed**

d) Specifies the directory path from where the server processes the files

36) Which of the following statements regarding making changes in the httpd.conf files is true?

a) **Apache server must be restarted to implement changes made to the configuration file.**

b) Apache server must include directives to implement changes made to the configuration file.

c) Apache server must also implement changes in the .htaccess file before restarting to implement changes made to the configuration.

d) To implement the changes, Apache processes the directive line by line in the httpd.conf file.

37) Which of the following is the correct command for configuring mod_ssl?

a) /configure_prefix_ssl

b) /configure_enable_ssl

c) **/config_prefix_ssl**

d) /config_enable_ssl

38) Which of the following is a conditional Directive?

a) <IfDefine>