1. Which of the following is a correct syntax of the getAttribute() method?

- public Object getAttribute(String name1) (this is the answer)
- public Object getAttribute(String name1, Object object1)
- public Object getAttribute(Object object1)
- public Name getAttribute(Object object1)

2. Which of the following attribute is used in the form containing a file upload control? (Multiple choices)

- enctype="multipart/form-data" (this is the answer)
- enctype="application/x-www-form-urlencoded"
- enctype="text/plain"
- enctype="multipart/form-data-HTML"

3. Which of the following object inform the browser about the type of file/data that is getting transferred.

- request
- response (this is the answer)
  parameter
- servlet

4. Which of the following are the valid operations performed using filters?

- compressing the response data stream (this is the answer)
- transforming the response (this is the answer)
- logging servlet performance (this is the answer)
- unblocking access to the resources

5. Consider a scenario where a pet bean returns an array of two Human objects from a method named getMemberNames().

Which of the following EL expression would display the name of the first member from the array?

- ${requestScopee.pet.memberNames[0].name} (this is the answer)
- ${requestScopee.pet[0].memberNames[0].name()}
- ${requestScopee.pet.arr[0] = memberNames[0].name}
- ${RequestScopee.pet.arr[0] = memberNames[0].name}

6. If you set the _____ attribute value to true, then the container will ignore all annotations in the Servlet files.

- maxWait
- maxActive
- PoolPreparedStatement
- metadata-complete (this is the answer)

7. Which of the following error code is associated with the message ? Resource Not Found??

- 302

- 302
- 404 (this is the answer)
- 408

8. A Servlet mapping element specifies

- association between URL pattern and the name of declared Servlet (this is the answer)
- association between a URL pattern and the requested page
- association between a URL pattern and the response page
- association between the Servlet alias name and the Servlet class.

9. Which of the following options that make use of JSP internationalization will display 577%?

- double d = 5.769351; String P1 = NumberFormat.getPercentInstance().format(d); System.out.println(P1);
- double d = 5.769351; String P1 = NumberFormat.getPercentInstance(locale).format(d); System.out.println(P1); (this is the answer)
- double d = 5.769351; String P1 = NumberFormat.getPercent Instance(locale); System.out.println(P1);
- double d = 5.769351; String P1 = NumberFormat.getPercentInstance(); System.out.println(P1)

10. Which of the following mechanism are available in ServletContextListener interface?

- contextInit() contextService() contextDestroyed()
- contextInitialized() contextDestroyed() (this is the answer)
- contextInitialized() contextService() contextDestroyed()
- none of the above

11. Which method among the following methods belongs to HttpSessionBindingListener ?

- public void attributeAdded(HttpSessionBindingEvent se)
- public void valueUnbound(HttpSessionBindingEvent event) (this is the answer)
- public void attributeRemoved(HttpSessionBindingEvent se)
- public void removeValue(java.lang.String name)

12. Which method among the following methods belong to HttpSessionEvent class?

- public HttpSession getSession() (this is the answer)
- public void sessionDidActivate(HttpSessionEvent se)
- public void sessionCreated(HttpSessionEvent se)
- public void attributeAdded(HttpSessionBindingEvent se)

13. Identify the HTTP method that is used to send resources to the server

- PUT
- HEAD
- OPTION
- POST (this is the answer)

14. Consider that there is a Servlet named. "TestServlet" us being developed.

Which Servlet method of TestServlet will be called, when a user clicks the hyperlink Click Me!!!?

- doGet() (this is the answer)
- doPost()
- doPut()
- doDelete()

15. Which of the following statements are correct regarding the ServletContext interface?

- The ServletContext API is used to set the information common to all Servlet in an application. (this is the answer)
- Servlet running in the same server cannot share resources if ServletContext is not initialized in the application.
- There is one context per "Web application".
- The attributes of ServletContext class can be used to share information among a group of Servlets. (this is the answer)

16. Identify which of the statements are incorrect about exception classes defined in the javax.servlet.jsp package.

- The JspTagException is a subclass of the JSPException.
- The IOException is thrown when the method encounters any error while buffering any output. (this is the answer)
- The JspException is thrown by a tag handler to indicate some unrecoverable error while processing a JSP page.
- The uncaught JSPTagException error will result in an invocation of the error page.