1. Which of the following methods are provided by the javax.servlet.RequestDispatcher interface?

- void forward(ServletRequest request, ServletResponse response) (this is the answer)
- void include(ServletRequest request, ServletResponse response) (this is the answer)
- void sendRedirect(java.lang.String location)
- encodeRedirectURL(java.lang.String url)

2. Which of the following statement are correct regarding the ServletContext interface?

(Multiple choose)

- The ServletContext API is used to set the information common to all Servlet in an application. (this is the answer)
- Servlet running in the same server cannot share resources if ServletContext is not initialized in the application.
- There is one context per "Web application".
- The attributes of ServletContext class can be used to share information among a group of Servlets. (this is the answer)

3. Identify which of the statements are incorrect about exception classes defined in the javax.servlet.jsp package.

- The JspTagException is a sub class of the JSPException.
- The IOException is thrown when the method encounter any error while buffering any output. (this is the answer)
- The JspException is thrown by a tag handler to indicate some unrecoverable error while processing a JSP page.
- The uncaught JSPTagException error will result in an invocation of error page.

4. The getSession(true) will return the session object when:

- The session is completed
- The session is passed to another session object
- The session does not exists (this is the answer)
- The session object is passed to a JSP page

5. Which of these statements about the life cycle of a filter are true? (Mark is 2.00 - Difficulty is 4)

- The init() method is called by the servlet container several times to initialize the filter.
- The doFilter(request, response) method examines the request or response headers and also customizes them as per requirement. (this is the answer)
- The doFilter() method throws ServletException.
- The Filter interface must be implemented to create a filter class. (this is the answer)

6. Consider a situation where you need to send a binary text output in a response. Which method of HttpServletResponse can be used to get the appropriate stream object?

- getStream()
- getOutputStream() (this is the answer)
- getBinaryStream()
- getWriter()

7. Which among the following statements related to modify deployment descriptor for Expression Language is incorrect?

- Setting the value of the <el-ignored> element in the deployment descriptor can explicitly change the default mode.
- The <el-ignored> element is a sub element of <jsp-property-group>.
- The <el-ignored> element has no sub elements. Its valid values are true and false.
- In <el-ignored>false</el-ignored>, false indicates that EL expressions will be disabled for interpretation by servlet container. (this is the answer)

8. Which of the statement will be executed when the starting end of an empty tag is encountered?

- public int doStartTag() throws JspTagException {}
- public int doEndTag() throws JspTagException {}
- public int doStartTag() throws JspException {} (this is the answer)
- public int doEndTag() throws JspException {}

9. Which of these statements about body-content element is correct?

- The <body-content> element is defined within the element. (this is the answer)
- If the tag does not contain any body inside it to process, then it is represented as <body-content>Empty<body-content> in its TLD file.
- The tag with JSP body is represented as JSP in its TLD file.
- The SOL statements passed to the query tag are considered as JSP body content.

10. Which of these syntax regarding tags in JSP are correct?

A. public int doEndTag() throws JspException (this is the answer)

B. public int doStartTag() throws JspException (this is the answer)

C. public int doStartTag() throws JspTagException

D. public int doEndTag() throws JspTagException

- A, B (this is the answer)
- A, C, D
- A, B, D

- C, D

11. The life cycle of a Servlet is managed by.... .

- Servlet Container (this is the answer)
- ServletContext
- HTTP Protocol
- Web Server

12. .... dynamically access incoming requests from the user before the servlet processes the request.

- Servlet Container
- Filters (this is the answer)
- Asynchronous Servlet
- Http

13. If you set the.... attribute value to true, then the container will ignore all annotations in the Servlet files.

- maxWait
- maxActive
- PoolPreparedStatement
- metadata-complete (this is the answer)

14. Identify the correct merits of Servlets.

(Multiple choose)

- Servlets are easy to use (this is the answer)
- Servlets are portable (this is the answer)
- Servlets are less efficient than other scripting languages.
- Initialization code in Servlets is executed for every request received from the client

15. Which of the following methods of the ServletRequest interface are available to access parameters in the Servlet class?

(Multiple choose)

- getParameter() (this is the answer)
- getParameterNames() (this is the answer)
- getParameterValue()
- getParameterValues() (this is the answer)

16. Which of following folders are not present in a Web application directory?

(Multiple choose)

- src (this is the answer)
- root (this is the answer)
- lib

- config (this is the answer)