

MySQL Functions - One Line Descriptions

String Functions

- **CONCAT()** - Joins two or more strings.
- **LENGTH()** - Returns string length in bytes.
- **CHAR_LENGTH()** - Returns number of characters.
- **UPPER/UCASE()** - Converts text to uppercase.
- **LOWER/LCASE()** - Converts text to lowercase.
- **TRIM()** - Removes leading and trailing spaces.
- **LTRIM()** - Removes leading spaces.
- **RTRIM()** - Removes trailing spaces.
- **SUBSTRING/SUBSTR()** - Extracts part of a string.
- **LEFT()** - Returns leftmost characters.
- **RIGHT()** - Returns rightmost characters.
- **REPLACE()** - Replaces occurrences of text.
- **REVERSE()** - Reverses a string.
- **POSITION()** - Returns position of a substring.
- **INSERT()** - Inserts text at a specified position.
- **REPEAT()** - Repeats a string.
- **CHAR()** - Returns character from ASCII code.
- **FORMAT()** - Formats a number with commas and decimals.

Math Functions

- **ABS()** - Returns absolute value.
- **CEIL/CEILING()** - Rounds up.
- **FLOOR()** - Rounds down.
- **ROUND()** - Rounds to specified decimals.
- **MOD()** - Returns remainder.
- **POW/POWER()** - Raises number to a power.
- **SQRT()** - Returns square root.
- **RAND()** - Returns random value.
- **SIGN()** - Returns sign of number.
- **EXP()** - Returns e raised to power.
- **LOG10()** - Returns base-10 logarithm.
- **LN()** - Returns natural logarithm.
- **PI()** - Returns π .
- **SIN()** - Returns sine.
- **COS()** - Returns cosine.

- **TAN()** - Returns tangent.
- **COT()** - Returns cotangent.
- **ACOS()** - Returns arc cosine.
- **ASIN()** - Returns arc sine.
- **ATAN()** - Returns arc tangent.
- **DEGREES()** - Converts radians to degrees.
- **RADIANS()** - Converts degrees to radians.

Aggregate Functions

- **COUNT()** - Counts rows.
- **SUM()** - Returns total.
- **AVG()** - Returns average.
- **MIN()** - Returns minimum value.
- **MAX()** - Returns maximum value.