- 1. How to find out system bit size?
- => By right clicking on computer and then
  going to properties
- 2. which software will be automatically installed while installing JDK?
- => Public JRE
- 3. which env variable is required to specify command's location?
- => Set Command
- 4. which command is used to set env variable in the command prompt?
- => Path
- 5. which command is used to read env variable in the command prompt?
- => Echo
- 6. How many ways are there to set path env variable?
- => 2

- 7. which way of setting a path will be local to the current command prompt?
- => In my computer under system level
- 8. which way of setting a path will be to the current user and all of his every session?
- => In my computer under user level
- 9. which way of setting a path will be to every user?
- => Through set command
- 10. Why do we need to set the path?
- => In order to specify the commands location
- 11. how to know the version of JDK?
- => JDK version
- 12. which folder of JDK contains the commands?
- => Javac
- 13. which command is used to compile java
  program? => Javac

- 14. which command is used to run java program?
- => Java
- 15. what is the file extension to java program?
- => .Java
- 16. Which type of file will be developing by Javac command?
- => Java
- 17. Which type of file will be using by java command to run?
- => Class
- 18. From which location we have to trigger Javac command?
- =>From the place where java file is saved
- 19. From which location we have to trigger java command?
- => From the place where java command
  available

- 20. what is the order of the commands to be triggered?
- =>First javac and then java
- 21. Which option of javac command is used to
  specify different location for class files?
  => d
- 22. Which option of java command is used to specify class file's location? => d
- 23. Which option of java command is used to find out version of JDK? => -Version
- 24. Which option of java command is used to find out all options and their description? => Help
- 25. Which command is used to change the
  current directory in the command prompt?
  => cd
- 26. Which command is used to move to parent of the current directory? => cd ..