



NAVYUG VIDYABHAVAN TRUST

C. K. PITHAWALLA COLLEGE OF COMMERCE - MANAGEMENT - COMPUTER APPLICATION



Reg. : E1268 SURAT.

Opp. Surat Airport, Behind Delhi Public School, Near Malvan Temple, Dumas Road, Surat-395007
Mob. : 90234 37774 E-mail : ckpcmc@gmail.com

Java Programming Practical Journal

Name	:	
Exam No	:	
Roll No	:	
Subject	:	JAVA PROGRAMMING
Semester	:	SYBCA (SEM-IV)

INDEX			
NO	PROGRAM TITLE	P. NO	SIGN
1.	Wap which prints odd and even number with interval of 1 second.		
2.	Wap that will take n numbers from command line arguments and display only palindrome numbers.		
3.	Wap to accept string and display each character in reverse at the interval of 1 second.		
4.	Wap to accept an argument from command line and check whether it is prime or not.		
5.	Wap that will create a thread to display numbers between given two numbers passed as arguments.		
6.	Wap that will accept two string or two numbers from command line and create overloaded method that add this two numbers or concate two string.		
7.	Write a program that will create interface "stack". Implement it to perform push and pop operation.		
8.	Write a program that will print vowels from the string with interval of 1 second.		
9.	Write a program that accepts name, company and price of 10 mobiles from the user. Display details of all the mobiles in the ascending order of their price at an interval of 5 second using thread.		
10.	Write a program that accepts details of 10 items like itemno, name , price. Display item details in descending order of price at an interval of 5 seconds.		
11.	Write a program that will create a base class publisher with fields id and name. Create another class book which inherits publisher class with its member variable author name, book name and price. Write a method named search and display that will perform appropriate task.		

12.	Create class called "stud" which contains instance variable rollno, name of student, class. Store "stud" class in package name p1. Extend class "result" from "stud" which contains instance variable marks in java, marks in unix, and marks in os. Store class "result" in package name p2, which is resided in package name p1. Write a java code to run main method and display the contain of student in following format. <pre> bca college_____ roll no: name : class : java : unix : os : total : </pre>		
13.	Write a java application which accepts 10 names and their age using input. Sort names and age in descending order. Display the names of students using thread class at interval of 1 second.		
14.	W.a.p to design a string class that perform string method(equals, reverse the string, change case, trim)		
15.	W.a.p to throw a user defined exception when a user enters floating point number.		
16.	W.a.p to accept 5 command line argument and then raise the custom exception if any argument is not from the list ("bca" ,"mca", "bba", "mba", "other")		
17.	Design a class mystring having a data member of type string and add member functions to achieve following task: 1. compare string 2. string in toggle case 3. extract N character from right end of the string w.a. menu driven program to call all this methods of mystring class. Program should not terminate abruptly.		
18.	Wap that accepts numbers from command line and display odd numbers from it.		
19.	Write a Java program that accepts 3 X 3 matrix from the user and finds the sum of each row of this matrix.		
20.	WAP to accept a string and count total number of uppercase and lowercase characters in a string.		
21.	WAP to accept 5 command line arguments and then raise custom exception if any argument is not from the list ("BCA","MCA","BBA","MBA","OTHER").		
22.	Write a program to implement Singly linked list.		
23.	Write a program to implement Singly circular linked list.		

24.	Write an application that executes three threads from one thread class. One thread displays "JAVA" every one second, second thread displays "RDBMS" every two seconds and third thread displays "VB.NET" every three seconds. Create the thread by using Runnable interface.		
25.	Create a user defined exception to check whether your employee exist in an array or not, throw exception if name is not in the employees list. Use the catch and finally block to display an appropriate message.		