

MPLADS AI AUDIT INTELLIGENCE SYSTEM

Case Priority Dossier | Generated on: 08 September 2026, 16:42 UTC | Reviewer: Authorized District Auditor

PROJECT IDENTIFIER:	MPL-00001	ANOMALY PRIORITY SCORE:	85.0 / 100 (HIGH)
State / District:	None / Rajkot	Sector Category:	Community Infrastructure
Sanctioned Amount:	■5,000,000.00	Assigned Contractor:	N/A

1. Primary Analytical Finding

Audit Signal Summary: Elevated audit priority due to photo reuse.

2. Explainable AI Feature Attribution (SHAP Analysis)

Feature Evaluated	Observed Value	Attributed Score	Signal Direction
-------------------	----------------	------------------	------------------

3. Specific Evidence Facts

- [EXACT_EVIDENCE_REUSE]: Exact image duplicate detected.

4. Asset Evidence Intelligence Dossier

Evidence Parameter	Observed Audit Finding
Physical Evidence Available	Yes
Potential Photo Reuse	Potential photo reuse detected (96.5% similarity)
Spatial Consistency	Location Evidence Unavailable (No EXIF GPS)
Timeline Consistency	Consistent with timeline

5. Recommended Administrative Action

Action Required: Prioritize this project for on-site physical inspection and verification by the designated District Verification Officer. Cross-check measurement book entries and supplier receipts.

STATUTORY AUDIT DISCLAIMER:
This report contains AI-assisted decision support output derived from statistical and multi-modal anomaly detection models. It flags statistical outliers to optimize audit sample allocation and does NOT constitute a finding of fraud, criminality, or tender manipulation. All final determinations rest exclusively with the designated constitutional and statutory authorities.