

오라클 설치

Oracle 11g R2 설치

- 시스템 요구사항

- 운영체제 : Windows 7, Linux(우분투, 레드햇 등), Unix(AIX 등)
- RAM : 최소 1024MB(2GB 이상 권장)
- 하드디스크 : 최소 5GB

내 컴퓨터 시스템 사양 확인

- 마우스 오른쪽 / 시스템



조직

WORKGROUP

회사 또는 학교에 연결

에디션

Windows 10 Pro

버전

1703

OS 빌드

15063.413

제품 ID

00331-20020-00000-AA477

프로세서

Intel(R) Core(TM) i7 CPU 870 @ 2.93GHz
2.93 GHz

설치된 RAM

4.00GB

시스템 종류


64비트 운영 체제, x64 기반 프로세서

펜 및 터치

이 디스플레이에 사용할 수 있는 펜 또는 터치식
입력이 없습니다.

다운로드

- <http://www.oracle.com/>에 접속
- [Downloads]-[Database] - [Oracle Database]



- 'Accept License Agreement'에 클릭한 후 Oracle Database 11g Release 2 버전의 File1과 File2를 순서대로 클릭한다. 이때 실습 컴퓨터에 따라 32비트와 64비트용 파일을선택한다

[Overview](#)
[Downloads](#)
[Documentation](#)
[Learn More](#)
[Community](#)

Oracle Database Software Downloads

You must accept the [OTN License Agreement](#) to download this software.

☐ Accept License Agreement |
 ☐ Decline License Agreement

Oracle Database 11g Release 2



Standard Edition, Standard Edition One, and Enterprise Edition



7/13: Patch Set 11.2.0.4 for Linux and Solaris is now available on [support.oracle.com](#). Note: it is a full installation (you do not need to download 11.2.0.1 first). See the [README](#) for more info (login to My Oracle Support required).

| | |
|----------------------------|---|
| (11.2.0.4.0) | |
| OpenVMS | File 1 (2GB) |
| (11.2.0.2.0) | |
| zLinux64 | File 1 , File 2 (2GB) See All |
| (11.2.0.1.0) | |
| Microsoft Windows (32-bit) | File 1 , File 2 (2GB) See All |
| Microsoft Windows (x64) | File 1 , File 2 (2GB) See All |
| Linux x86 | File 1 , File 2 (2GB) See All |
| Linux x86-64 | File 1 , File 2 (2GB) See All |
| Solaris (SPARC) (64-bit) | File 1 , File 2 (2GB) See All |
| Solaris (x86-64) | File 1 , File 2 (2GB) See All |
| HP-UX Itanium | File 1 , File 2 (2GB) See All |
| HP-UX PA-RISC (64-bit) | File 1 , File 2 (2GB) See All |
| AIX (PPC64) | File 1 , File 2 (2GB) See All |

오라클에서 제공하는 소프트웨어를 다운로드하려면 회원가입이 돼 있어야 한다. 로그인 페이지가 나타나면 회원가입을 한 후 다운로드를 진행한다

로그인






로그인

오라클 계정이 없습니까?

계정 만들기

© Oracle | 법적 고지 | 이용 약관 | 개인정보 보호정책

오라클 압축풀고 database 폴더 에 있는 setup 실행



- 예..
- 전자메일을 입력한 후 <다음>을 클릭한다(무시하고 다음 단계를 진행해도 된다).

download/developer download/Developer Tools--> SQL Developer

Developer Tools

- ADF Faces
- Application Express Standalone
- BI Publisher
- [BI Spreadsheet Add-in](#)
- BPEL Process Manager
- Data Miner
- Developer Suite 10g (includes Designer)
- Developer Tools for Visual Studio
- Enterprise Pack for Eclipse
- Forms & Reports Services
- JDeveloper & ADF
- NetBeans IDE
- SOA Suite
- Developer Studio
- SQL Developer
- SQL Developer Data Modeler
- StorageTek
- Team Productivity Center
- TopLink
- Warehouse Builder
- WebRTC Session Controller Client SDK
- XML Developer Kit 10g

Windows 64-bit with JDK 8 included

[Installation Notes](#)


400 MB [Download](#) 

Windows 32-bit/64-bit

[Installation Notes](#), [JDK 8](#) or above required

332 MB [Download](#) 

오라클 접속 환경을 설정하기 위해 SQL Developer가 최초로 실행된 화면의 접속 창에서 '+'를 클릭한다.



[새로 만들기] 창이 나타나면 다음 표와 같이 DB 접속정보를 입력한다. 모든 정보를 입력했다면 <테스트>를 클릭한다. 이상이 없으면 <저장> 후 <취소>를 클릭하여 창을 닫는다. (**롤 : SYSDBA 로 변경**)

| | |
|---------|-----------|
| 접속 이름 | MD_system |
| 사용자 이름 | system |
| 비밀번호 | Manager1 |
| 비밀번호 저장 | 체크 |
| 호스트 이름 | localhost |
| 포트 | 1521 |
| SID | orcl |

새로 만들기/데이터베이스 접속 선택

접속 이름: MD_system

사용자 이름(U): system

비밀번호(P):

☒ 비밀번호 저장(V) ☐ 접속 색상

Oracle Access

접속 유형(Y): 기본 | 롤(L): 기본값

호스트 이름(A): localhost

포트(B): 1521

☒ SID(I): orcl

☐ 서비스 이름(S):

☐ OS 인증 ☐ Kerberos 인증

상태: 성공

도움말(H) | 저장(S) | 지우기(C) | **테스트(T)** | 접속(Q) | 취소

1 입력

2 클릭