

[Menu](#)

Record Viewing

▼ Relevant source files

`viewers/record/renderRecordData.php``viewers/smarty/showReps.php`

Purpose and Scope


This document describes the Record Viewing system in Heurist, which is responsible for displaying individual records to users. It explains the architecture, rendering process, user interface components, and customization options of the record viewing system. For information about editing records, see [Record Editing](#).

The Record Viewing system renders records in various contexts, including:

- Standard record display
- Map popups (simplified view for map markers)
- Embedded views
- Published website views

Architecture Overview


The Record Viewing system is built around a primary rendering script that processes record data into formatted HTML with interactive elements. The system supports different viewing modes and user permissions.



Sources: `viewers/record/renderRecordData.php` 1-1285

Display Components

The Record Viewer organizes content into several main sections:



Sources: `viewers/record/renderRecordData.php` 1288-1329

`viewers/record/renderRecordData.php` 1334-1387

`viewers/record/renderRecordData.php` 1624-2016

Header Section

The header section displays:

- Record title
- Record type icon and name

- Record ID
- Edit button (if user has appropriate permissions)
- Workflow stage (if workflow is configured)

Sources: `viewers/record/renderRecordData.php` 1334-1387

Public Data Section

This is the main content area displaying all the record's fields that are marked as visible to the current user. Fields are organized by:

- Field type (text, date, resource, file, etc.)
- Display order (as configured in the record structure)
- Field groups (optional organizational structure)

Sources: `viewers/record/renderRecordData.php` 1624-2016

Related Records Section

Displays records that:

- This record links to (through resource fields)
- Link to this record (through relationship markers)

Sources: `viewers/record/renderRecordData.php` 3077-3141

`viewers/record/renderRecordData.php` 3142-3220

Private Data Section

Shows administrative information about the record:

- Citation links (HTML/XML)
- Creation and modification dates
- Ownership information
- Visibility settings (public, viewable, hidden)
- Personal and workgroup tags
- Rating (if bookmarked)

Sources: `viewers/record/renderRecordData.php` 1392-1583

Field Type Rendering


The system renders different field types using specialized formatting:

Field Type	Rendering Approach	Interactive Features
Text	Plain text with HTML escaping	None
Block Text	HTML-formatted text with links	Links open in popups
Enumeration	Term label from vocabulary	Term search links
Date	Human-readable format	Temporal information tooltip
Resource	Link to referenced record	Opens record in popup
File	Thumbnail and download link	Media viewer, download options
Geo	Coordinates with map icon	Map popup on hover
URL	Clickable link	Opens in new tab

Sources: `viewers/record/renderRecordData.php` 1724-1992

Media Handling

The Record Viewing system provides rich media display capabilities:



Sources: `viewers/record/renderRecordData.php` 670-699

`viewers/record/renderRecordData.php` 760-782 `viewers/record/renderRecordData.php` 834-866

`viewers/record/renderRecordData.php` 1834-1912

Image Display

Images are shown as thumbnails with options to:

- Zoom in/out directly in the page
- View in full-screen mode
- Open in a popup window
- View in Mirador (for advanced image viewing/annotation)

Sources: `viewers/record/renderRecordData.php` 226-246

`viewers/record/renderRecordData.php` 703-782

Audio/Video

Audio and video files are displayed with:

- Embedded player interface
- Download options
- External link options (for content hosted elsewhere)

Sources: `viewers/record/renderRecordData.php` 2183-2192

File Management

For all media types, the system provides:


- File metadata display (size, name, type)
- Download links
- Rights and description information
- Toggle controls for showing/hiding linked media

Sources: `viewers/record/renderRecordData.php` 787-808

`viewers/record/renderRecordData.php` 2094-2161

Geographical Data Display

Records with geographical data show coordinates with interactive map functionality:



Sources: `viewers/record/renderRecordData.php` 1922-1966

`viewers/record/renderRecordData.php` 931-945

Access Control

The Record Viewing system implements field-level access control based on:



Sources: `viewers/record/renderRecordData.php` 1292-1323

`viewers/record/renderRecordData.php` 1649-1671

Display Modes


The record viewer supports several display modes controlled by URL parameters:

Parameter	Values	Effect
<code>mapPopup</code>	1	Simplified view for map popups
<code>noheader</code>	1	Omits the HTML header (for embedding)
<code>noclutter</code>	any	Minimal view without navigation elements
<code>privateDetails</code>	0,1,2	Controls private info display (0=none, 1=collapsed, 2=expanded)
<code>hideImages</code>	0,1,2	Controls image display (0=show all, 1=hide linked, 2=hide all)
<code>fontsize</code>	number	Sets custom font size
<code>lang</code>	code	Sets display language for multilingual content

Sources: `viewers/record/renderRecordData.php` 56-87

Field Organization

The record viewer organizes fields into logical groups:



Sources: `viewers/record/renderRecordData.php` 503-571

The system arranges fields into groups based on the record structure configuration. Groups can be:

- Main groups with uppercase headers
- Inner groups with italicized headers
- Separators (horizontal lines)
- Hidden fields (with strikethrough styling)

Multilingual Support

The Record Viewing system supports displaying content in different languages:

1. The system detects language metadata in field content
2. It filters fields based on the requested language (URL parameter 'lang')
3. It displays fields in the requested language if available

Sources: `viewers/record/renderRecordData.php` 62

`viewers/record/renderRecordData.php` 1762-1790

`viewers/record/renderRecordData.php` 1972-1990

Integration Points

The Record Viewer integrates with other Heurist systems:

1. Media Viewer System

- Uses `mediaViewer.js` for enhanced media display
- Supports full-screen viewing of images and documents

2. Map Viewer System

- Integrates with `mapViewer.js` for geographical data display
- Shows interactive maps on hover for geo fields

3. Mirador Viewer

- For advanced image annotation and viewing
- Supports IIIF image standards

4. User Authentication System

- Controls access to private and restricted content