

[Menu](#)

User Management

▼ Relevant source files

`admin/utilities/bulkEmailController.php``admin/utilities/bulkEmailMain.php``admin/utilities/bulkEmailSystem.php``admin/utilities/writeIndexablePagePerDB.php``hclient/widgets/profile/profile_edit.html``hclient/widgets/profile/profile_edit.js``hserv/utilities/DbUtils.php``hserv/utilities/DbVerify.php``hserv/utilities/USystem.php``startup/index.php`


This document covers Heurist's user management capabilities, including bulk email systems for administrators, user registration and profile management, database user verification, and administrative tools for managing users across multiple databases.

For information about database administration and maintenance operations, see [Database Administration](#).

Bulk Email System

Heurist provides a comprehensive bulk email system that allows system administrators to send announcements and communications to users across multiple databases on a server. This system is primarily used for server-wide announcements and user outreach.

System Architecture



Sources: `admin/utilities/bulkEmailMain.php` 1-1255

`admin/utilities/bulkEmailController.php` 1-497

`admin/utilities/bulkEmailSystem.php` 1-1465


BulkEmailSystem Class

The `BulkEmailSystem` class is the core component responsible for processing bulk email operations:

Method	Purpose
<code>processFormData()</code>	Validates and processes form input data
<code>createUserList()</code>	Builds list of users from selected databases
<code>createRecordsList()</code>	Retrieves record count and modification data
<code>constructEmails()</code>	Prepares and sends emails to users
<code>exportDetailsToCSV()</code>	Exports user details to CSV format

The system supports multiple user selection criteria:

- **owner:** Database owners only (user ID #2)
- **manager:** Database manager administrators
- **admin:** All workgroup administrators
- **user:** All enabled users



Sources: `admin/utilities/bulkEmailSystem.php` 490-505

`admin/utilities/bulkEmailSystem.php` 658-728

Email Template Variables

The system supports dynamic variable substitution in email templates:

Variable	Replacement
##firstname##	User's first name
##lastname##	User's last name
##email##	User's email address


Variable	Replacement
##database##	Database name
##dburl##	Database URL
##records##	Record count
##lastmodified##	Last modification date

Sources: admin/utilities/bulkEmailSystem.php 98 admin/utilities/bulkEmailSystem.php 740-790

User Registration and Profile Management

Heurist provides comprehensive user registration and profile management capabilities through both standalone registration processes and integrated database creation workflows.

Registration Workflow



Sources: `startup/index.php` 200-370 `hclient/widgets/profile/profile_edit.js` 289-425

Profile Edit Widget

The `profile_edit` widget handles user registration and profile management:

```
// Key widget options
options: {
  ugr_ID: 0,           // User ID (0 for new registration)
  edit_data: {},       // User data object
  isregistration: false, // Registration vs. edit mode
  is_guest: false,     // Guest user registration
  callback: null,      // Success callback
  afterRegistration: null // Post-registration callback
}
```

The widget supports both registration and profile editing modes, with different validation rules and UI elements displayed based on the context.

Sources: `hclient/widgets/profile/profile_edit.js` 22-40

`hclient/widgets/profile/profile_edit.js` 174-273

User Data Model



Sources: `hclient/widgets/profile/profile_edit.html` 28-105


`hserv/utilities/DbVerify.php` 240-248

Database User Verification

Heurist includes comprehensive database verification tools to ensure user reference integrity across the system.

User Reference Validation

The `DbVerify` class provides methods to validate user references in database records:



Sources: `hserv/utilities/DbVerify.php` 216-278 `hserv/utilities/DbVerify.php` 291-308

User Reference Repair

The system can automatically repair invalid user references:

```
// Update invalid user group references
private function updateGroupIds($column, $msg) {
    $query = "UPDATE Records
        LEFT JOIN sysUGrps ON $column = ugr_ID
        SET $column = 2
        WHERE ugr_ID IS NULL";

    $result = mysql__exec_param_query($this->mysql, $query, null, true);
}
```

This method assigns records with invalid user references to the Database Manager (user ID #2).

Sources: `hserv/utilities/DbVerify.php` 291-308

User Authentication System

System Information and User Detection

The `USystem` class provides utilities for user agent detection and system information:

Method	Purpose
<code>getUserAgent()</code>	Detects user's OS and browser
<code>getUserIP()</code>	Retrieves client IP address
<code>getHostParams()</code>	Determines server configuration

