hexens

SMART CONTRACT AUDIT REPORT FOR DEXOO

21.02.2022

Contents

- Summary / 3
- Scope / 3
- Weaknesses / 4
  - Locked funds / 4
  - Missing check leading to centralization risk / 5
  - Multiple misprints / 6

Summary

Dexoo's smart contracts have low risk severity. During the audit our specialists found one critical, one medium risk and one informational bugs. The weaknesses described in this report were fixed in the file DexooIDO.sol.

SHA-256:
9250415b7ee81b8457783ec5d62c8d63615c1f38574b3caec6a0f08270276597

Severity	Number of Findings
Critical	1
High	0
Medium	1
Low	0
Informational	1

Total: 3

Scope

The analyzed contract is DexooIDO.sol.
SHA-256:
a43c51a3b1a02473b4f38119722bcfd38fb59c54a7d4d661c37a06b99d0150c6

Weaknesses

This section contains the list of discovered weaknesses.

1. Locked funds

Severity: Critical

Resolution: remove onlyOwner modifier

Status: fixed

Description:

The function **withdrawTeamShare()** on line 290 in the file **DexoolDO.sol** is marked as onlyOwner, although **function _withdrawShare()** is checking whether the message sender is equal to **share.shareAddress** (line 357), owner and team share addresses are initialized separately and can be distinct, thus resulting in funds getting locked.

```
function withdrawTeamShare() external onlyOwner whenNotPaused {
    require(_withdrawShare(_teamShare));
  }
...
require(tokenOwner == share.shareAddress, "IDO: Withdrawal is available only to the advisor");
```

2. Missing check leading to centralization risk

Severity: Medium

Resolution: require the public sale to be finished to process with withdrawals

Status: fixed

Description:

The function **finalize()** on line 342 in the file **DexooIDO.sol** allows to withdraw tokens from the contract but doesn't check whether the public sale has ended.

```
function finalize() external onlyOwner {
    address owner = _msgSender();
    uint256 balanceBUSD = _busd.balanceOf(address(this));
    uint256 balanceDexoo = _dexoo.balanceOf(address(this));
    if(balanceBUSD > 0) _busd.safeTransfer(owner, balanceBUSD);
    if(balanceDexoo > 0)  _dexoo.safeTransfer(owner, balanceDexoo);
    _pause();
    selfdestruct(payable(owner));
}
```

3. Multiple misprints

Severity: Informational

Resolution: fix the misprints

Status: fixed

Description:

Multiple misprints were found throughout the **DexooIDO.sol** file.

```
uint8 constant SEED_UNLCOK_PER_MONTHS_PERCENTAGE = 10;
...
uint8 constant ADVISORS_FREEZE_DURATION_IN_MONTS = 18;
...
address liqiudityAddress)
...
require(liqiudityAddress != address(0), "IDO: Liqiudity address must not be zero");
...
_liqiudityAddress = liqiudityAddress;
...
address public _liqiudityAddress;
uint256 private liqiudityBalance;
...
function withdrawLiqiudityUnlockedTokens() external returns(bool) {
...
require(tokenOwner == _liqiudityAddress, "IDO: Withdrawal is available only to the
liqiudity");
...
_dexoo.safeTransfer(tokenOwner, liqiudityBalance);
...
emit TokensUnlocked(tokenOwner, liqiudityBalance);
```

hexens