Разработка приложений для OS X

Лекция 5 Шаблоны проектирования. Введение в Сосоа.

Hexlet University, 2012

Fast Enumeration


• Для классов реализующих протокол NSFastEnumeration protocol

Dictionaries

```
NSDictionary *myLibrary = [NSDictionary dictionaryWithObjectsAndKeys:
                                   @"Wind in the Willows", @"100-432112",
                                   @"Tale of Two Cities ", @"200-532874",
                                   @"Sense and Sensibility", @"202-546549",
                                   @"Shutter Island", @"104-109834",
                                   nill;
NSMutableDictionary *myLibrary = [NSMutableDictionary dictionary];
 [myLibrary setObject: @"Wind in the Willows" forKey: @"100-432112"];
 [myLibrary setObject: @"Tale of Two Cities " forKey: @"200-532874"];
 [myLibrary setObject: @"Sense and Sensibility" forKey: @"202-546549"];
 [myLibrary setObject: @"Shutter Island" forKey: @"104-109834"];
```

- [myDict objectForKey: ...]
- [myDict removeObjectForKey: ...]
- [myDict removeAllObjects]

Final Exams



Sets

Final Exams

Things in the Course Things I studied Things on the Exam

Sets

```
NSSet *yourSet;
mySet = [NSSet setWithObjects:@"someString", 45, someObject, nil];
yourSet = [NSSet setWithObjects:@"blabla", 3, 45, nil];

NSLog(@"%@", [mySet count]);
BOOL x = [mySet isSubsetOfSet:yourSet]; // false
BOOL y = [mySet isEqualToSet:yourSet]; // false
BOOL z = [mySet intersectsSet: yourSet]; // true
id m = [mySet member:@"someString"]; // returns @"someString"
```



NSSet *mySet;

dataSource

- Давайте добавим другие голоса
- Список голосов в NSTableView
- У него есть helper-метод dataSource
- Он ожидает что dataSource реализует два метода:

- (NSInteger)numberOfRowsInTableView: (NSTableView *)aTableView;
- (id)tableView:(NSTableView *)aTableView
 objectValueForTableColumn:(NSTableColumn *)aTableColumn row:(NSInteger)rowIndex;

