
draft proposed American National Standard for Information Systems—Programming Language—Common Lisp

X3J13/94-101



This page intentionally left almost blank.

Programming Language—Common Lisp

Figures

Chapter 1 (Introduction)
L-1. Notations for NIL
1–2. Deprecated Functions
1–3. Functions with Deprecated :TEST-NOT Arguments
1–4. Symbols in the COMMON-LISP package (part one of twelve)
1–5. Symbols in the COMMON-LISP package (part two of twelve)
1–6. Symbols in the COMMON-LISP package (part three of twelve)
1–7. Symbols in the COMMON-LISP package (part four of twelve)
1–8. Symbols in the COMMON-LISP package (part five of twelve)
1–9. Symbols in the COMMON-LISP package (part six of twelve)
1–10. Symbols in the COMMON-LISP package (part seven of twelve)
1–11. Symbols in the COMMON-LISP package (part eight of twelve)
1–12. Symbols in the COMMON-LISP package (part nine of twelve)
1–13. Symbols in the COMMON-LISP package (part ten of twelve)
1–14. Symbols in the COMMON-LISP package (part eleven of twelve)
1–15. Symbols in the COMMON-LISP package (part twelve of twelve)
Chapter 2 (Syntax)
2-1. Readtable defined names
2–2. Variables that influence the Lisp reader. 2–2
2-3. Standard Character Subrepertoire (Part 1 of 3: Latin Characters)
2–4. Standard Character Subrepertoire (Part 2 of 3: Numeric Characters)
2-4. Standard Character Subrepertoire (Part 2 of 3: Numeric Characters) 2-3. Standard Character Subrepertoire (Part 3 of 3: Special Characters) 2-4.
2-4. Standard Character Subrepertoire (Part 2 of 3: Numeric Characters) 2-5. Standard Character Subrepertoire (Part 3 of 3: Special Characters) 2-6. Possible Character Syntax Types 2-7. Character Syntax Types in Standard Syntax 2-5
2-4. Standard Character Subrepertoire (Part 2 of 3: Numeric Characters) 2-3 2-5. Standard Character Subrepertoire (Part 3 of 3: Special Characters) 2-4 2-6. Possible Character Syntax Types 2-5
2-4. Standard Character Subrepertoire (Part 2 of 3: Numeric Characters) 2-3 2-5. Standard Character Subrepertoire (Part 3 of 3: Special Characters) 2-4 2-6. Possible Character Syntax Types 2-5 2-7. Character Syntax Types in Standard Syntax 2-5 2-8. Constituent Traits of Standard Characters and Semi-Standard Characters 2-7
2-4. Standard Character Subrepertoire (Part 2 of 3: Numeric Characters) 2-5. Standard Character Subrepertoire (Part 3 of 3: Special Characters) 2-6. Possible Character Syntax Types 2-7. Character Syntax Types in Standard Syntax 2-5. Constituent Traits of Standard Characters and Semi-Standard Characters 2-7. Syntax for Numeric Tokens 2-10. Examples of reserved tokens 2-11. Examples of symbols 2-15.
2-4. Standard Character Subrepertoire (Part 2 of 3: Numeric Characters) 2-5. Standard Character Subrepertoire (Part 3 of 3: Special Characters) 2-6. Possible Character Syntax Types 2-7. Character Syntax Types in Standard Syntax 2-8. Constituent Traits of Standard Characters and Semi-Standard Characters 2-7. Syntax for Numeric Tokens 2-10. Examples of reserved tokens 2-15
2-4. Standard Character Subrepertoire (Part 2 of 3: Numeric Characters) 2-5. Standard Character Subrepertoire (Part 3 of 3: Special Characters) 2-6. Possible Character Syntax Types 2-7. Character Syntax Types in Standard Syntax 2-5. Constituent Traits of Standard Characters and Semi-Standard Characters 2-7. Syntax for Numeric Tokens 2-10. Examples of reserved tokens 2-11. Examples of symbols 2-15.
2-4. Standard Character Subrepertoire (Part 2 of 3: Numeric Characters) 2-5. Standard Character Subrepertoire (Part 3 of 3: Special Characters) 2-6. Possible Character Syntax Types 2-7. Character Syntax Types in Standard Syntax 2-5. Constituent Traits of Standard Characters and Semi-Standard Characters 2-7. Syntax for Numeric Tokens 2-9. Syntax for Numeric Tokens 2-10. Examples of reserved tokens 2-11. Examples of symbols 2-12. Examples of symbols or potential numbers 2-13. Examples of Ratios 2-14. Examples of Floating-point numbers 2-18.
2-4. Standard Character Subrepertoire (Part 2 of 3: Numeric Characters) 2-5. Standard Character Subrepertoire (Part 3 of 3: Special Characters) 2-6. Possible Character Syntax Types 2-7. Character Syntax Types in Standard Syntax 2-8. Constituent Traits of Standard Characters and Semi-Standard Characters 2-7. Syntax for Numeric Tokens 2-9. Syntax for Numeric Tokens 2-10. Examples of reserved tokens 2-11. Examples of symbols 2-12. Examples of symbols or potential numbers 2-13. Examples of Ratios 2-14. Examples of Floating-point numbers 2-15. Examples of the printed representation of symbols (Part 1 of 2) 2-19.
2-4. Standard Character Subrepertoire (Part 2 of 3: Numeric Characters) 2-5. Standard Character Subrepertoire (Part 3 of 3: Special Characters) 2-6. Possible Character Syntax Types 2-7. Character Syntax Types in Standard Syntax 2-8. Constituent Traits of Standard Characters and Semi-Standard Characters 2-7. Syntax for Numeric Tokens 2-9. Syntax for Numeric Tokens 2-10. Examples of reserved tokens 2-11. Examples of symbols 2-12. Examples of symbols or potential numbers 2-13. Examples of Ratios 2-14. Examples of Floating-point numbers 2-15. Examples of the printed representation of symbols (Part 1 of 2) 2-16. Examples of the printed representation of symbols (Part 2 of 2) 2-20
2-4. Standard Character Subrepertoire (Part 2 of 3: Numeric Characters) 2-5. Standard Character Subrepertoire (Part 3 of 3: Special Characters) 2-6. Possible Character Syntax Types 2-7. Character Syntax Types in Standard Syntax 2-8. Constituent Traits of Standard Characters and Semi-Standard Characters 2-7. Syntax for Numeric Tokens 2-9. Syntax for Numeric Tokens 2-10. Examples of reserved tokens 2-11. Examples of symbols 2-12. Examples of symbols or potential numbers 2-13. Examples of Ratios 2-14. Examples of Floating-point numbers 2-15. Examples of the printed representation of symbols (Part 1 of 2) 2-19.

2–19. Standard # Dispatching Macro Character Syntax	2 - 34
Chapter 3 (Evaluation and Compilation) 3-1. Some Defined Names Applicable to Variables 3-2. Common Lisp Special Operators 3-3. Defined names applicable to macros 3-4. Some function-related defined names 3-5. Some operators applicable to receiving multiple values 3-6. Defined names applicable to compiler macros 3-7. EVAL-WHEN processing 3-8. Defining Macros That Affect the Compile-Time Environment 3-9. Common Lisp Declaration Identifiers 3-10. What Kind of Lambda Lists to Use 3-11. Defined names applicable to lambda lists 3-12. Standardized Operators that use Ordinary Lambda Lists 3-13. Lambda List Keywords used by Ordinary Lambda Lists 3-14. Lambda List Keywords used by Generic Function Lambda Lists 3-15. Standardized Operators that use Specialized Lambda Lists 3-16. Lambda List Keywords used by Specialized Lambda Lists 3-17. Operators that use Macro Lambda Lists 3-18. Lambda List Keywords used by Macro Lambda Lists 3-19. Lambda List Keywords used by Defsetf Lambda Lists 3-20. Lambda List Keywords used by Define-modify-macro Lambda Lists 3-21. Lambda List Keywords used by Define-modify-macro Lambda Lists 3-21. Lambda List Keywords used by Define-method-combination arguments Lambda Lists 3-22. Global Declaration Specifiers 3-23. Standardized Forms In Which Declarations Can Occur 3-24. Local Declaration Specifiers 3-25. Optimize qualities	3-6 3-7 3-8 3-13 3-16 3-21 3-22 3-29 3-33 3-34 3-40 3-40 3-40 3-42 3-47 3-48 3-48 3-84 3-84
Chapter 4 (Types and Classes) 4–1. Cross-References to Data Type Information 4–2. Standardized Atomic Type Specifiers 4–3. Standardized Compound Type Specifier Names 4–4. Standardized Compound-Only Type Specifier Names 4–5. Defined names relating to types and declarations. 4–6. Standardized Type Specifier Names 4–7. Object System Classes 4–8. Classes that correspond to pre-defined type specifiers 4–9. Result possibilities for subtypep	$\begin{array}{c} 4-4 \\ 4-5 \\ 4-5 \\ 4-6 \\ 4-7 \\ 4-8 \\ 4-18 \end{array}$

Chapter 5 (Data and Control Flow)

$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Chapter 6 (Iteration)
Chapter 7 (Objects) 7–1. Standardized Method-Defining Operators 7–18 7–2. Built-in Method Combination Types 7–26
Chapter 8 (Structures)
Chapter 9 (Conditions) 9–1. Standardized Condition Types 9–2 9–2. Operators that define and create conditions. 9–2 9–3. Operators that read condition slots. 9–3 9–4. Operators relating to handling conditions. 9–7 9–5. Defined names relating to signaling conditions. 9–7 9–6. Defined names relating to restarts. 9–9 9–7. Operators relating to assertions. 9–10
Chapter 10 (Symbols) 10–1. Property list defined names
Chapter 11 (Packages) 11–1. Some Defined Names related to Packages
Chapter 12 (Numbers) 12–1. Operators relating to Arithmetic. 12–1

12–2. Defined names relating to Exponentials, Logarithms, and Trigonometry. 12–3. Operators for numeric comparison and predication. 12–4. Defined names relating to numeric type manipulation and coercion. 12–5. Defined names relating to logical operations on numbers. 12–6. Defined names relating to byte manipulation. 12–7. Defined names relating to implementation-dependent details about numbers. 12–8. Functions Affected by Rule of Float Substitutability. 12–9. Trigonometric Identities for Complex Domain. 12–10. Quadrant Numbering for Branch Cuts. 12–11. Random-state defined names. 12–12. Recommended Minimum Floating-Point Precision and Exponent Size. 12–13. Uses of /=, =, <, >, <=, and >= 12–14. Mathematical definition of arc sine, arc cosine, and arc tangent. 12–15. Quadrant information for arc tangent. 12–16. Mathematical definitions for hyperbolic functions. 12–17. Bit-Wise Logical Operations on Integers.	$\begin{array}{c} . 12 - 1 \\ . 12 - 2 \\ . 12 - 3 \\ . 12 - 4 \\ . 12 - 4 \\ . 12 - 6 \\ . 12 - 9 \\ . 12 - 9 \\ 12 - 10 \\ 12 - 14 \\ 12 - 22 \\ 12 - 29 \\ 12 - 31 \\ 12 - 33 \\ 12 - 68 \end{array}$
Chapter 13 (Characters) 13–1. Character defined names – 1 13–2. Character defined names – 2	
Chapter 14 (Conses) 14–1. Some defined names relating to conses. 14–2. Some defined names relating to trees. 14–3. Some defined names relating to lists. 14–4. Some defined names related to assocation lists. 14–5. Some defined names related to sets. 14–6. CAR and CDR variants	. 14-1 . 14-2 . 14-2 . 14-3
Chapter 15 (Arrays) 15–1. General Purpose Array-Related Defined Names 15–2. Operators that Manipulate Strings 15–3. Operators that Manipulate Bit Arrays 15–4. Bit-wise Logical Operations on Bit Arrays	. 15–3 . 15–4
Chapter 16 (Strings)	
Chapter 17 (Sequences) 17–1. Standardized Sequence Functions 17–2. Operators that have Two-Argument Tests to be Satisfied 17–3. Operators that have One-Argument Tests to be Satisfied	. 17–2

Chapter 18 (Hash Tables) 18–1. Hash-table defined names	-1
Chapter 19 (Filenames) 19–1. Pathname Operations	-4
Chapter 20 (Files) 20–1. File and Directory Operations	-1
Chapter 21 (Streams) 21–1. Some General-Purpose Stream Operations 21–2. Operators relating to Input Streams. 21–3. Operators relating to Output Streams. 21–4. Operators relating to Bidirectional Streams. 21–5. Defined Names related to Specialized Streams 21–6. Standardized Stream Variables 21–7. Operators that accept either Open or Closed Streams 21–8. Operators that accept Open Streams only 21–8.	
Chapter 22 (Printer) 22–1. Standardized Printer Control Variables 22–2. Additional Influences on the Lisp printer. 22–3. Example of Logical Blocks, Conditional Newlines, and Sections 22–4. Defined names related to pretty printing. 22–5. Format directives related to Pretty Printing 22–6. Examples of format control strings 22–7. Argument correspondences for the WRITE function. 22–6.	$ \begin{array}{r} -2 \\ 15 \\ 15 \\ 23 \end{array} $
Chapter 23 (Reader) 23–1. Values of standard control variables	18
Chapter 24 (System Construction) 24–1. Features examples	-2
Chapter 25 (Environment) 25–1. Variables maintained by the Read-Eval-Print Loop	

25–3. Defined names relating to environment inquiry.	25-2
25–4. Defined names involving Time.	
25–5. Defined names involving time in Decoded Time.	
25–6. Defined names involving time in Universal Time.	
25–7. Defined names involving time in Internal Time.	
25–8. Defined names involving time in Seconds.	
Chapter 26 (Glossary)	
26–1. Exponent Markers	26-22
26–2. Standardized I/O Customization Variables	
26–3. Standardized Iteration Forms	
26–4. Standardized Restart Functions	
	.0 10

Chapter A (Appendix)

Contents

Chapter 1 (Introduction)	
1.1 Scope, Purpose, and History	. 1–1
1.1.1 Scope and Purpose	. 1–1
1.1.2 History	. 1–1
1.2 Organization of the Document	
1.3 Referenced Publications	. 1–5
1.4 Definitions	
1.4.1 Notational Conventions	. 1-7
1.4.1.1 Font Key	. 1-7
1.4.1.2 Modified BNF Syntax	. 1-7
1.4.1.2.1 Splicing in Modified BNF Syntax	. 1-8
1.4.1.2.2 Indirection in Modified BNF Syntax	
1.4.1.2.3 Additional Uses for Indirect Definitions in Modified BNF Syntax	1-10
1.4.1.3 Special Symbols	1-10
1.4.1.4 Objects with Multiple Notations	1-12
1.4.1.4.1 Case in Symbols	
1.4.1.4.2 Numbers	
1.4.1.4.3 Use of the Dot Character	1-13
1.4.1.4.4 NIL	1-13
1.4.1.5 Designators	
1.4.1.6 Nonsense Words	
1.4.2 Error Terminology	
1.4.3 Sections Not Formally Part Of This Standard	1-18
1.4.4 Interpreting Dictionary Entries	
1.4.4.1 The "Affected By" Section of a Dictionary Entry	1-19
1.4.4.2 The "Arguments" Section of a Dictionary Entry	1-19
1.4.4.3 The "Arguments and Values" Section of a Dictionary Entry	
1.4.4.4 The "Binding Types Affected" Section of a Dictionary Entry	1-19
1.4.4.5 The "Class Precedence List" Section of a Dictionary Entry	
1.4.4.6 Dictionary Entries for Type Specifiers	
1.4.4.6.1 The "Compound Type Specifier Kind" Section of a Dictionary Entry	
1.4.4.6.2 The "Compound Type Specifier Syntax" Section of a Dictionary Entry	
1.4.4.6.3 The "Compound Type Specifier Arguments" Section of a Dictionary Entry	
1.4.4.6.4 The "Compound Type Specifier Description" Section of a Dictionary Entry	
1.4.4.7 The "Constant Value" Section of a Dictionary Entry	
1.4.4.8 The "Description" Section of a Dictionary Entry	
1.4.4.9 The "Examples" Section of a Dictionary Entry	1-21

1.4.4.10 The "Exceptional Situations" Section of a Dictionary Entry	
1.4.4.11 The "Initial Value" Section of a Dictionary Entry	
1.4.4.12 The "Argument Precedence Order" Section of a Dictionary Entry	
1.4.4.13 The "Method Signature" Section of a Dictionary Entry	
1.4.4.14 The "Name" Section of a Dictionary Entry	
1.4.4.15 The "Notes" Section of a Dictionary Entry	
1.4.4.16 The "Pronunciation" Section of a Dictionary Entry 1.4.4.17 The "See Also" Section of a Dictionary Entry	
1.4.4.17 The See Also Section of a Dictionary Entry 1.4.4.18 The "Side Effects" Section of a Dictionary Entry	1-24
1.4.4.19 The "Supertypes" Section of a Dictionary Entry 1.4.4.19 The "Supertypes" Section of a Dictionary Entry	1-24
1.4.4.20 The "Syntax" Section of a Dictionary Entry	1-24 $1-94$
1.4.4.20.1 Special "Syntax" Notations for Overloaded Operators	1_25
1.4.4.20.2 Naming Conventions for Rest Parameters	1-25
1.4.4.20.3 Requiring Non-Null Rest Parameters in the "Syntax" Section	1-25
1.4.4.20.4 Return values in the "Syntax" Section	1-26
1.4.4.20.4.1 No Arguments or Values in the "Syntax" Section	1-26
1.4.4.20.4.2 Unconditional Transfer of Control in the "Syntax" Section	1-26
1.4.4.21 The "Valid Context" Section of a Dictionary Entry	1 - 26
1.4.4.22 The "Value Type" Section of a Dictionary Entry	1-26
1.5 Conformance	1-28
1.5.1 Conforming Implementations	
1.5.1.1 Required Language Features	1-28
1.5.1.2 Documentation of Implementation-Dependent Features	1-28
1.5.1.3 Documentation of Extensions	
1.5.1.4 Treatment of Exceptional Situations	1-28
1.5.1.4.1 Resolution of Apparent Conflicts in Exceptional Situations	1-28
1.5.1.4.1.1 Examples of Resolution of Apparent Conflicts in Exceptional Situations	
1.5.1.5 Conformance Statement	
1.5.2 Conforming Programs	
1.5.2.1 Use of Implementation-Defined Language Features 1.5.2.1.1 Use of Read-Time Conditionals	
1.6 Language Extensions	
1.7 Language Subsets	
1.8 Deprecated Language Features	
1.8.1 Deprecated Functions	1_33
1.8.2 Deprecated Argument Conventions	1-33
1.8.3 Deprecated Variables	
1.8.4 Deprecated Reader Syntax	
1.9 Symbols in the COMMON-LISP Package	
v	
Chanton 2 (Criston)	
Chapter 2 (Syntax) 2.1 Character Syntax	9 1
2.1.1 Readtables	
2.1.1 Readtable 2.1.1.1 The Current Readtable	
2.1.1.1 The Current Readtable 2.1.1.2 The Standard Readtable	
2.1.1.2 IN DUMINATU INACUADIC	. <u>4</u> —1

2.1.1.3 The Initial Readtable	2–1
2.1.2 Variables that affect the Lisp Reader	2–2
2.1.3 Standard Characters	
2.1.4 Character Syntax Types	
2.1.4.1 Constituent Characters	
2.1.4.2 Constituent Traits	
2.1.4.3 Invalid Characters	
2.1.4.4 Macro Characters	
2.1.4.5 Multiple Escape Characters	2-8
2.1.4.5.1 Examples of Multiple Escape Characters	2–9
2.1.4.6 Single Escape Character	2–9
2.1.4.6.1 Examples of Single Escape Characters	
2.1.4.7 Whitespace Characters	
2.1.4.7.1 Examples of Whitespace Characters	2-9
2.2 Reader Algorithm	
2.3 Interpretation of Tokens	
2.3.1 Numbers as Tokens	2–14
2.3.1.1 Potential Numbers as Tokens	
2.3.1.1.1 Escape Characters and Potential Numbers	
2.3.1.1.2 Examples of Potential Numbers	
2.3.2 Constructing Numbers from Tokens	
2.3.2.1 Syntax of a Rational	
2.3.2.1.1 Syntax of an Integer	
2.3.2.1.2 Syntax of a Ratio	2-16
2.3.2.2 Syntax of a Float	
2.3.2.3 Syntax of a Complex	
2.3.3 The Consing Dot	
2.3.4 Symbols as Tokens	2–18
2.3.5 Valid Patterns for Tokens	
2.3.6 Package System Consistency Rules	
2.4 Standard Macro Characters	2-23
2.4.1 Left-Parenthesis	
2.4.2 Right-Parenthesis	
2.4.3 Single-Quote	
2.4.3.1 Examples of Single-Quote	
2.4.4 Semicolon	
2.4.4.1 Examples of Semicolon	
2.4.4.2 Notes about Style for Semicolon	
2.4.4.2.1 Use of Single Semicolon	2 - 24
2.4.4.2.2 Use of Double Semicolon	
2.4.4.2.3 Use of Triple Semicolon	
2.4.4.2.4 Use of Quadruple Semicolon	
2.4.4.2.5 Examples of Style for Semicolon	2 20 2-25
2.4.5 Double-Quote	
2.4.6 Backgroupto	

2.4.6.1 Notes about Backquote	
2.4.7 Comma	
2.4.8 Sharpsign	
2.4.8.1 Sharpsign Backslash	
2.4.8.2 Sharpsign Single-Quote	-31
2.4.8.3 Sharpsign Left-Parenthesis	-31
2.4.8.4 Sharpsign Asterisk	-32
2.4.8.4.1 Examples of Sharpsign Asterisk	-32
2.4.8.5 Sharpsign Colon	-33
2.4.8.6 Sharpsign Dot	
2.4.8.7 Sharpsign B	
2.4.8.8 Sharpsign O	
2.4.8.9 Sharpsign X	
2.4.8.10 Sharpsign R	
2.4.8.11 Sharpsign C	
2.4.8.12 Sharpsign A	
2.4.8.13 Sharpsign S	
2.4.8.14 Sharpsign P	-36
2.4.8.15 Sharpsign Equal-Sign 2	
2.4.8.16 Sharpsign Sharpsign	
2.4.8.17 Sharpsign Plus	
2.4.8.18 Sharpsign Minus	-37
2.4.8.19 Sharpsign Vertical-Bar 2	-37
2.4.8.19.1 Examples of Sharpsign Vertical-Bar 2	
2.4.8.19.2 Notes about Style for Sharpsign Vertical-Bar	-30
2.4.8.20 Sharpsign Less-Than-Sign	-30
2.4.8.21 Sharpsign Whitespace 2	-30
2.4.8.22 Sharpsign Right-Parenthesis 2	
2.4.9 Re-Reading Abbreviated Expressions	
2.4.9 Re-Reading Appreciated Expressions	-40
Chapter 3 (Evaluation and Compilation)	
3.1 Evaluation	
3.1.1 Introduction to Environments	
3.1.1.1 The Global Environment	
3.1.1.2 Dynamic Environments	3 - 1
3.1.1.3 Lexical Environments	3-2
3.1.1.3.1 The Null Lexical Environment	3-2
3.1.1.4 Environment Objects	
3.1.2 The Evaluation Model	3-3
3.1.2.1 Form Evaluation	3-3
3.1.2.1.1 Symbols as Forms	
3.1.2.1.1.1 Lexical Variables	
3.1.2.1.1.2 Dynamic Variables	
3.1.2.1.1.3 Constant Variables	
3.1.2.1.1.4 Symbols Naming Both Lexical and Dynamic Variables	

3.1.2.1.2 Conses as Forms	
3.1.2.1.2.1 Special Forms	
3.1.2.1.2.2 Macro Forms	
3.1.2.1.2.3 Function Forms	
3.1.2.1.2.4 Lambda Forms	
3.1.2.1.3 Self-Evaluating Objects	
3.1.2.1.3.1 Examples of Self-Evaluating Objects	3–9
3.1.3 Lambda Expressions	3-9
3.1.4 Closures and Lexical Binding	3–9
3.1.5 Shadowing	
3.1.6 Extent	
3.1.7 Return Values	. 3-13
3.2 Compilation	
3.2.1 Compiler Terminology	. 3–14
3.2.2 Compilation Semantics	. 3-15
3.2.2.1 Compiler Macros	. 3-15
3.2.2.1.1 Purpose of Compiler Macros	. 3-16
3.2.2.1.2 Naming of Compiler Macros	. 3-16
3.2.2.1.3 When Compiler Macros Are Used	. 3–17
3.2.2.1.3.1 Notes about the Implementation of Compiler Macros	. 3-17
3.2.2.2 Minimal Compilation	. 3-17
3.2.2.3 Semantic Constraints	. 3–18
3.2.3 File Compilation	
3.2.3.1 Processing of Top Level Forms	. 3-20
3.2.3.1.1 Processing of Defining Macros	. 3-22
3.2.3.1.2 Constraints on Macros and Compiler Macros	. 3-22
3.2.4 Literal Objects in Compiled Files	. 3-23
3.2.4.1 Externalizable Objects	. 3-23
3.2.4.2 Similarity of Literal Objects	. 3-24
3.2.4.2.1 Similarity of Aggregate Objects	. 3-24
3.2.4.2.2 Definition of Similarity	. 3-24
3.2.4.3 Extensions to Similarity Rules	
3.2.4.4 Additional Constraints on Externalizable Objects	. 3-26
3.2.5 Exceptional Situations in the Compiler	. 3-28
3.3 Declarations	. 3-29
3.3.1 Minimal Declaration Processing Requirements	. 3-29
3.3.2 Declaration Specifiers	. 3-29
3.3.3 Declaration Identifiers	. 3-29
3.3.3.1 Shorthand notation for Type Declarations	. 3-30
3.3.4 Declaration Scope	
3.3.4.1 Examples of Declaration Scope	. 3-30
3.4 Lambda Lists	
3.4.1 Ordinary Lambda Lists	
3.4.1.1 Specifiers for the required parameters	
3.4.1.2 Specifiers for optional parameters	

3.4.1.3 A specifier for a rest parameter	
3.4.1.4 Specifiers for keyword parameters	
3.4.1.4.1 Suppressing Keyword Argument Checking	
3.4.1.4.1.1 Examples of Suppressing Keyword Argument Checking	3–37
3.4.1.5 Specifiers for &aux variables	3-37
3.4.1.6 Examples of Ordinary Lambda Lists	
3.4.2 Generic Function Lambda Lists 3.4.3 Specialized Lambda Lists	
3.4.4 Macro Lambda Lists	
3.4.4.1 Destructuring by Lambda Lists	3_41
3.4.4.1.1 Data-directed Destructuring by Lambda Lists	3_43
3.4.4.1.1.1 Examples of Data-directed Destructuring by Lambda Lists	
3.4.4.1.2 Lambda-list-directed Destructuring by Lambda Lists	
3.4.5 Destructuring Lambda Lists	
3.4.6 Boa Lambda Lists	
3.4.7 Defsetf Lambda Lists	
3.4.8 Deftype Lambda Lists	
3.4.9 Define-modify-macro Lambda Lists	3-48
3.4.10 Define-method-combination Arguments Lambda Lists	3-48
3.4.11 Syntactic Interaction of Documentation Strings and Declarations	3-48
3.5 Error Checking in Function Calls	
3.5.1 Argument Mismatch Detection	
3.5.1.1 Safe and Unsafe Calls	
3.5.1.1.1 Error Detection Time in Safe Calls	
3.5.1.2 Too Few Arguments	
3.5.1.3 Too Many Arguments	
3.5.1.4 Unrecognized Keyword Arguments	
3.5.1.5 Invalid Keyword Arguments	3-51
3.5.1.6 Odd Number of Keyword Arguments	3-52
3.5.1.7 Destructuring Mismatch 3.5.1.8 Errors When Calling a Next Method	3-52
3.6 Traversal Rules and Side Effects	3-52 3-52
3.7 Destructive Operations	3-53 3-54
3.7.1 Modification of Literal Objects	
3.7.2 Transfer of Control during a Destructive Operation	
3.7.2.1 Examples of Transfer of Control during a Destructive Operation	3-55
3.8 Evaluation and Compilation Dictionary	
old Billiadion and Compilation Biotomary	0 00
Chapter 4 (Types and Classes)	
4.1 Introduction	
4.2 Types	
4.2.1 Data Type Definition	. 4-2
4.2.2 Type Relationships 4.2.3 Type Specifiers	
4.3 Classes	. 4-0

4.3.1 Introduction to Classes	1–8
4.3.1.1 Standard Metaclasses	
4.3.2 Defining Classes 4	
4.3.3 Creating Instances of Classes	-10
4.3.4 Inheritance	-11
4.3.4.1 Examples of Inheritance	-11
4.3.4.2 Inheritance of Class Options 4–	
4.3.5 Determining the Class Precedence List	
4.3.5.1 Topological Sorting 4–	-12
4.3.5.2 Examples of Class Precedence List Determination 4–	
4.3.6 Redefining Classes 4–	
4.3.6.1 Modifying the Structure of Instances	-15
4.3.6.2 Initializing Newly Added Local Slots	-15
4.3.6.3 Customizing Class Redefinition 4–	
4.3.7 Integrating Types and Classes	
4.4 Types and Classes Dictionary	
Chapter 5 (Data and Control Flow)	- 1
5.1 Generalized Reference)— <u>I</u>
5.1.1 Overview of Places and Generalized Reference	
5.1.1.1 Evaluation of Subforms to Places 5.1.1.1.1 Examples of Evaluation of Subforms to Places 5)—[
5.1.1.2 Setf Expansions	
5.1.1.2.1 Examples of Setf Expansions 5	
5.1.2 Kinds of Places)—5
5.1.2.1 Variable Names as Places)-5
5.1.2.2 Function Call Forms as Places	
5.1.2.3 VALUES Forms as Places	
5.1.2.4 THE Forms as Places 5 5.1.2.5 APPLY Forms as Places 5	
5.1.2.6 Setf Expansions and Places 5- 5.1.2.7 Macro Forms as Places 5-	
5.1.2.8 Symbol Macros as Places 5–	
5.1.2.9 Other Compound Forms as Places 5–	
5.1.3 Treatment of Other Macros Based on SETF 5-	11
5.2 Transfer of Control to an Exit Point 5–	
5.3 Data and Control Flow Dictionary 5–	
5.5 Data and Control Flow Dictionary 5-	-14
Chapter 6 (Iteration)	
6.1 The LOOP Facility	j−1
6.1.1 Overview of the Loop Facility 6.1.1 Overview of the Loop Facility 6.1.1 Overview of the Loop Facility 6.1.1	j−1
6.1.1.1 Simple vs Extended Loop 6.1.1 Simple vs Extended Loop 6.1.	
6.1.1.1.1 Simple Loop	
6.1.1.1.2 Extended Loop 6.1.1.1.2 Extended Loop	

6.1.1.2 Loop Keywords	
6.1.1.3 Parsing Loop Clauses	
6.1.1.4 Expanding Loop Forms	
6.1.1.5 Summary of Loop Clauses	j–3
6.1.1.5.1 Summary of Variable Initialization and Stepping Clauses	j–3
6.1.1.5.2 Summary of Value Accumulation Clauses	j−3
6.1.1.5.3 Summary of Termination Test Clauses	
6.1.1.5.4 Summary of Unconditional Execution Clauses	
6.1.1.5.5 Summary of Conditional Execution Clauses	
6.1.1.5.6 Summary of Miscellaneous Clauses	
6.1.1.6 Order of Execution	
6.1.1.7 Destructuring	5−6
6.1.1.8 Restrictions on Side-Effects	5−8
6.1.2 Variable Initialization and Stepping Clauses	5−8
6.1.2.1 Iteration Control	5−8
6.1.2.1.1 The for-as-arithmetic subclause	5 – 9
6.1.2.1.1.1 Examples of for-as-arithmetic subclause 6-	
6.1.2.1.2 The for-as-in-list subclause 6-	-11
6.1.2.1.2.1 Examples of for-as-in-list subclause 6-	-11
6.1.2.1.3 The for-as-on-list subclause 6-	-12
6.1.2.1.3.1 Examples of for-as-on-list subclause 6-	-12
6.1.2.1.4 The for-as-equals-then subclause 6-	-12
6.1.2.1.4.1 Examples of for-as-equals-then subclause 6-	
6.1.2.1.5 The for-as-across subclause 6-	
6.1.2.1.5.1 Examples of for-as-across subclause 6-	-13
6.1.2.1.6 The for-as-hash subclause 6-	
6.1.2.1.7 The for-as-package subclause 6-	-14
6.1.2.1.7.1 Examples of for-as-package subclause 6-	-15
6.1.2.2 Local Variable Initializations 6-	
6.1.2.2.1 Examples of WITH clause 6-	
6.1.3 Value Accumulation Clauses 6-	-17
6.1.3.1 Examples of COLLECT clause 6-	-19
6.1.3.2 Examples of APPEND and NCONC clauses 6-	
6.1.3.3 Examples of COUNT clause 6-	-20
6.1.3.4 Examples of MAXIMIZE and MINIMIZE clauses	
6.1.3.5 Examples of SUM clause	
6.1.4 Termination Test Clauses 6-	
6.1.4.1 Examples of REPEAT clause 6-	-22
6.1.4.2 Examples of ALWAYS, NEVER, and THEREIS clauses 6-	-22
6.1.4.3 Examples of WHILE and UNTIL clauses	
6.1.5 Unconditional Execution Clauses 6-	-24
6.1.5.1 Examples of unconditional execution	-24
6.1.6 Conditional Execution Clauses	
6.1.6.1 Examples of WHEN clause	
6.1.7 Miscellaneous Clauses	-26

3.1.7.1 Control Transfer Clauses	6-27
5.1.7.1.1 Examples of NAMED clause	
5.1.7.2 Initial and Final Execution	
6.1.8 Examples of Miscellaneous Loop Features	
6.1.8.1 Examples of clause grouping	
6.1.9 Notes about Loop	
6.2 Iteration Dictionary	
Chapter 7 (Objects)	
7.1 Object Creation and Initialization	7 1
7.1.1 Initialization Arguments	
7.1.2 Declaring the Validity of Initialization Arguments	
7.1.3 Defaulting of Initialization Arguments	
7.1.4 Rules for Initialization Arguments	
7.1.5 Shared-Initialize	
7.1.6 Initialize-Instance	
7.1.7 Definitions of Make-Instance and Initialize-Instance	
7.2 Changing the Class of an Instance	
7.2.1 Modifying the Structure of the Instance	7_9
7.2.2 Initializing Newly Added Local Slots	
7.2.3 Customizing the Change of Class of an Instance	7-10
7.3 Reinitializing an Instance	
7.3.1 Customizing Reinitialization	
7.4 Meta-Objects	
7.4.1 Standard Meta-objects	
7.5 Slots	7 - 13
7.5.1 Introduction to Slots	
7.5.2 Accessing Slots	
7.5.3 Inheritance of Slots and Slot Options	
7.6 Generic Functions and Methods	
7.6.1 Introduction to Generic Functions	
7.6.2 Introduction to Methods	
7.6.3 Agreement on Parameter Specializers and Qualifiers	
7.6.4 Congruent Lambda-lists for all Methods of a Generic Function	
7.6.5 Keyword Arguments in Generic Functions and Methods	7–21
7.6.5.1 Examples of Keyword Arguments in Generic Functions and Methods	
7.6.6 Method Selection and Combination	
7.6.6.1 Determining the Effective Method	
7.6.6.1.1 Selecting the Applicable Methods	
7.6.6.1.2 Sorting the Applicable Methods by Precedence Order	7-23
7.6.6.1.3 Applying method combination to the sorted list of applicable methods 7.6.6.2 Standard Method Combination	
7.6.6.3 Declarative Method Combination	
7.6.6.4 Built-in Method Combination Types	
7.6.7 Inheritance of Methods	
1.0.1 HIHEHVANCE OF MEUROUS	1-41

7.7 Objects Dictionary	7–28
Chapter 8 (Structures)	
8.1 Structures Dictionary	. 8–1
Chapter 9 (Conditions)	
9.1 Condition System Concepts	0 1
9.1.1 Condition Types	
9.1.1.1 Serious Conditions	
9.1.2 Creating Conditions	
9.1.2.1 Condition Designators	
9.1.3 Printing Conditions	
9.1.3.1 Recommended Style in Condition Reporting	
9.1.3.1.1 Capitalization and Punctuation in Condition Reports	
9.1.3.1.2 Leading and Trailing Newlines in Condition Reports	
9.1.3.1.3 Embedded Newlines in Condition Reports	
9.1.3.1.4 Note about Tabs in Condition Reports	
9.1.3.1.5 Mentioning Containing Function in Condition Reports	
9.1.4 Signaling and Handling Conditions	
9.1.4.1 Signaling	. 9–7
9.1.4.1.1 Resignaling a Condition	
9.1.4.2 Restarts	
9.1.4.2.1 Interactive Use of Restarts	
9.1.4.2.2 Interfaces to Restarts 9.1.4.2.3 Restart Tests	
9.1.4.2.4 Associating a Restart with a Condition	. 9-9
9.1.5 Assertions	
9.1.6 Notes about the Condition System's Background	
9.2 Conditions Dictionary	
	
Chapter 10 (Symbols)	10 1
10.1 Symbol Concepts 10.2 Symbols Dictionary	
10.2 Symbols Dictionary	10-2
Chapter 11 (Packages)	44 4
11.1 Package Concepts	
11.1.1 Introduction to Packages	
11.1.1.1 Package Names and Nicknames 11.1.1.2 Symbols in a Package	
11.1.1.2 Symbols in a Fackage 11.1.1.2.1 Internal and External Symbols	
11.1.1.2.1 Internal and External Symbols 11.1.1.2.2 Package Inheritance	
11.1.1.2.2 I ackage inheritance 11.1.1.2.3 Accessibility of Symbols in a Package	
11.1.1.2.4 Locating a Symbol in a Package	
1111111 200 1 2 J 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0

11.1.1.2.5 Prevention of Name Conflicts in Packages	
11.1.2 Standardized Packages	11-4
11.1.2.1 The COMMON-LISP Package 11.1.2.1.1 Constraints on the COMMON-LISP Package for Conforming Implementations	
11.1.2.1.1 Constraints on the COMMON-LISP Package for Conforming Programs 11.1.2.1.2 Constraints on the COMMON-LISP Package for Conforming Programs	
11.1.2.1.2.1 Some Exceptions to Constraints on the COMMON-LISP Package for Conforming	11-0
Programs	11–6
11.1.2.2 The COMMON-LISP-USER Package	11-6
11.1.2.3 The KEYWORD Package	
11.1.2.3.1 Interning a Symbol in the KEYWORD Package	11-7
11.1.2.3.2 Notes about The KEYWORD Package	11-7
11.1.2.4 Implementation-Defined Packages	11-7
11.2 Packages Dictionary	11-8
Chapter 12 (Numbers)	
12.1 Number Concepts	19_1
12.1.1 Numeric Operations	
12.1.1.1 Associativity and Commutativity in Numeric Operations	
12.1.1.1.1 Examples of Associativity and Commutativity in Numeric Operations	
12.1.1.2 Contagion in Numeric Operations	
12.1.1.3 Viewing Integers as Bits and Bytes	
12.1.1.3.1 Logical Operations on Integers	
12.1.1.3.2 Byte Operations on Integers	12 - 3
12.1.2 Implementation-Dependent Numeric Constants	
12.1.3 Rational Computations	
12.1.3.1 Rule of Unbounded Rational Precision	
12.1.3.2 Rule of Canonical Representation for Rationals	
12.1.3.3 Rule of Float Substitutability	
12.1.4 Floating-point Computations	
12.1.4.1 Rule of Float and Rational Contagion	
12.1.4.1.1 Examples of Rule of Float and Rational Contagion	
12.1.4.2 Rule of Float Approximation	12-7
12.1.4.3 Rule of Float Underflow and Overflow	
12.1.4.4 Rule of Float Precision Contagion 12.1.5 Complex Computations	
12.1.5 Complex Computations 12.1.5.1 Rule of Complex Substitutability	
12.1.5.1 Rule of Complex Substitutability 12.1.5.2 Rule of Complex Contagion	
12.1.5.3 Rule of Canonical Representation for Complex Rationals	
12.1.5.3.1 Examples of Rule of Canonical Representation for Complex Rationals	
12.1.5.4 Principal Values and Branch Cuts	
12.1.6 Interval Designators	
12.1.7 Random-State Operations	
•	12–11

Chapter 13 (Characters)	
13.1 Character Concepts	13-1
13.1.1 Introduction to Characters	13-1
13.1.2 Introduction to Scripts and Repertoires	13-1
13.1.2.1 Character Scripts	13-1
13.1.2.2 Character Repertoires	13-2
13.1.3 Character Attributes	13-2
13.1.4 Character Categories	13-2
13.1.4.1 Graphic Characters	
13.1.4.2 Alphabetic Characters	13 - 3
13.1.4.3 Characters With Case	
13.1.4.3.1 Uppercase Characters	13 - 3
13.1.4.3.2 Lowercase Characters	13-4
13.1.4.3.3 Corresponding Characters in the Other Case	13-4
13.1.4.3.4 Case of Implementation-Defined Characters	
13.1.4.4 Numeric Characters	
13.1.4.5 Alphanumeric Characters	13-4
13.1.4.6 Digits in a Radix	
13.1.5 Identity of Characters	
13.1.6 Ordering of Characters	
13.1.7 Character Names	13-5
13.1.8 Treatment of Newline during Input and Output	
13.1.9 Character Encodings	13 - 7
13.1.10 Documentation of Implementation-Defined Scripts	
13.2 Characters Dictionary	13-8
Chapter 14 (Conses)	
14.1 Cons Concepts	1.4_1
14.1.1 Conses as Trees	
14.1.1.1 General Restrictions on Parameters that must be Trees	
14.1.2 Conses as Lists	
14.1.2.1 Lists as Association Lists	
14.1.2.2 Lists as Sets	
14.1.2.3 General Restrictions on Parameters that must be Lists	
14.2 Conses Dictionary	
14.2 Consess Dictionary	17 7
Chapter 15 (Arrays)	
15.1 Array Concepts	
15.1.1 Array Elements	
15.1.1.1 Array Indices	
15.1.1.2 Array Dimensions	
15.1.1.2.1 Implementation Limits on Individual Array Dimensions	
15.1.1.3 Array Rank	
15.1.1.3.1 Vectors	15_1

15.1.1.3.1.1 Fill Pointers 15.1.1.3.2 Multidimensional Arrays 15.1.1.3.2.1 Storage Layout for Multidimensional Arrays 15.1.1.3.2.2 Implementation Limits on Array Rank 15.1.2 Specialized Arrays 15.1.2.1 Array Upgrading 15.1.2.2 Required Kinds of Specialized Arrays 15.2 Arrays Dictionary	. 15-2 . 15-2 . 15-2 . 15-2 . 15-3 . 15-3
Chapter 16 (Strings) 16.1 String Concepts 16.1.1 Implications of Strings Being Arrays 16.1.2 Subtypes of STRING 16.2 Strings Dictionary	. 16–1 . 16–1
Chapter 17 (Sequences) 17.1 Sequence Concepts 17.1.1 General Restrictions on Parameters that must be Sequences 17.2 Rules about Test Functions 17.2.1 Satisfying a Two-Argument Test 17.2.1.1 Examples of Satisfying a Two-Argument Test 17.2.2 Satisfying a One-Argument Test 17.2.2.1 Examples of Satisfying a One-Argument Test 17.3 Sequences Dictionary	. 17-1 . 17-2 . 17-2 . 17-2 . 17-3
Chapter 18 (Hash Tables) 18.1 Hash Table Concepts 18.1.1 Hash-Table Operations 18.1.2 Modifying Hash Table Keys 18.1.2.1 Visible Modification of Objects with respect to EQ and EQL 18.1.2.2 Visible Modification of Conses with respect to EQUAL 18.1.2.2.1 Visible Modification of Conses with respect to EQUAL 18.1.2.2.2 Visible Modification of Bit Vectors and Strings with respect to EQUAL 18.1.2.3 Visible Modification of Objects with respect to EQUALP 18.1.2.3.1 Visible Modification of Structures with respect to EQUALP 18.1.2.3.2 Visible Modification of Arrays with respect to EQUALP 18.1.2.3.3 Visible Modification of Hash Tables with respect to EQUALP 18.1.2.4 Visible Modifications by Language Extensions 18.2 Hash Tables Dictionary	18-1 18-1 18-2 18-2 18-2 18-2 18-2 18-3 18-3 18-3
Chapter 19 (Filenames) 19.1 Overview of Filenames 19.1.1 Namestrings as Filenames	

Contents **xiii**

19.1.2 Pathnames as Filenames	19–1
19.1.3 Parsing Namestrings Into Pathnames	19–2
19.2 Pathnames	19–3
19.2.1 Pathname Components	19–3
19.2.1.1 The Pathname Host Component	
19.2.1.2 The Pathname Device Component	19–3
19.2.1.3 The Pathname Directory Component	19–3
19.2.1.4 The Pathname Name Component	
19.2.1.5 The Pathname Type Component	
19.2.1.6 The Pathname Version Component	19–3
19.2.2 Interpreting Pathname Component Values	
19.2.2.1 Strings in Component Values	
19.2.2.1.1 Special Characters in Pathname Components	19–4
19.2.2.1.2 Case in Pathname Components	
19.2.2.1.2.1 Local Case in Pathname Components	
19.2.2.1.2.2 Common Case in Pathname Components	
19.2.2.2 Special Pathname Component Values	
19.2.2.2.1 NIL as a Component Value	
19.2.2.2.2 :WILD as a Component Value	
19.2.2.2.3 :UNSPECIFIC as a Component Value	
19.2.2.2.3.1 Relation between component values NIL and :UNSPECIFIC	19–6
19.2.2.3 Restrictions on Wildcard Pathnames	
19.2.2.4 Restrictions on Examining Pathname Components	19–6
19.2.2.4.1 Restrictions on Examining a Pathname Host Component	19–7
19.2.2.4.2 Restrictions on Examining a Pathname Device Component	
19.2.2.4.3 Restrictions on Examining a Pathname Directory Component	
19.2.2.4.3.1 Directory Components in Non-Hierarchical File Systems	
19.2.2.4.4 Restrictions on Examining a Pathname Name Component	
19.2.2.4.5 Restrictions on Examining a Pathname Type Component	
19.2.2.4.6 Restrictions on Examining a Pathname Version Component	
19.2.2.4.7 Notes about the Pathname Version Component	
19.2.2.5 Restrictions on Constructing Pathnames	
19.2.3 Merging Pathnames	
19.2.3.1 Examples of Merging Pathnames	19–10
19.3 Logical Pathnames	19–12
19.3.1 Syntax of Logical Pathname Namestrings	19–12
19.3.1.1 Additional Information about Parsing Logical Pathname Namestrings	19–12
19.3.1.1.1 The Host part of a Logical Pathname Namestring	
19.3.1.1.2 The Device part of a Logical Pathname Namestring	
19.3.1.1.3 The Directory part of a Logical Pathname Namestring	19–13
19.3.1.1.4 The Type part of a Logical Pathname Namestring	
19.3.1.1.5 The Version part of a Logical Pathname Namestring	
19.3.1.1.6 Wildcard Words in a Logical Pathname Namestring	
19.3.1.1.7 Lowercase Letters in a Logical Pathname Namestring	
19.3.1.1.8 Other Syntax in a Logical Pathname Namestring	

	19-14
19.3.2.1 Unspecific Components of a Logical Pathname	19–14
	19–14
19.4 Phenames Dictionary	19-10
Chapter 20 (Files)	
20.1 File System Concepts	20-1
20.1.1 Coercion of Streams to Pathnames	
20.1.2 File Operations on Open and Closed Streams	20-1
20.1.3 Truenames	20-2
20.1.3.1 Examples of Truenames	
20.2 Files Dictionary	20-3
Chapter 21 (Streams)	01 1
21.1 Stream Concepts	21-1
21.1.1 Introduction to Streams	
21.1.1.1 Abstract Classifications of Streams 21.1.1.1.1 Input, Output, and Bidirectional Streams	21-1
21.1.1.1.2 Open and Closed Streams	21^{-1} 21^{-2}
21.1.1.1.3 Interactive Streams	
21.1.1.2 Abstract Classifications of Streams	
21.1.1.2.1 File Streams	
21.1.1.3 Other Subclasses of Stream	
21.1.2 Stream Variables	
21.1.3 Stream Arguments to Standardized Functions	21-5
21.1.4 Restrictions on Composite Streams	
21.2 Streams Dictionary	21-7
Chapter 22 (Printer) 22.1 The Lisp Printer	00 1
22.1.1 Overview of The Lisp Printer	
22.1.1 Overview of the Lisp rimter 22.1.1.1 Multiple Possible Textual Representations	22-1 22-1
22.1.1.1 Multiple Fossible Textual Representations 22.1.1.1.1 Printer Escaping	
22.1.2 Printer Dispatching	
22.1.3 Default Print-Object Methods	
22.1.3.1 Printing Numbers	
22.1.3.1.1 Printing Integers	
22.1.3.1.2 Printing Ratios	
22.1.3.1.3 Printing Floats	
22.1.3.1.4 Printing Complexes	
22.1.3.1.5 Note about Printing Numbers	22-4
22.1.3.2 Printing Characters	22-4
22.1.3.3 Printing Symbols	22-4

22.1.3.3.1 Package Prefixes for Symbols	. 22–5
22.1.3.3.2 Effect of Readtable Case on the Lisp Printer	
22.1.3.3.2.1 Examples of Effect of Readtable Case on the Lisp Printer	
22.1.3.4 Printing Strings	. 22-8
22.1.3.5 Printing Lists and Conses	
22.1.3.6 Printing Bit Vectors	. 22-9
22.1.3.7 Printing Other Vectors	
22.1.3.8 Printing Other Arrays	
22.1.3.9 Examples of Printing Arrays	22-11
22.1.3.10 Printing Random States	22-11
22.1.3.11 Printing Pathnames	
22.1.3.12 Printing Structures	22-11
22.1.3.13 Printing Other Objects	22-12
22.1.4 Examples of Printer Behavior	22-12
22.2 The Lisp Pretty Printer	22-14
22.2.1 Pretty Printer Concepts	22-14
22.2.1.1 Dynamic Control of the Arrangement of Output	22-14
22.2.1.2 Format Directive Interface	
22.2.1.3 Compiling Format Strings	22-16
22.2.1.4 Pretty Print Dispatch Tables	
22.2.1.5 Pretty Printer Margins	22-16
22.2.2 Examples of using the Pretty Printer	
22.2.3 Notes about the Pretty Printer's Background	
22.3 Formatted Output	
22.3.1 FORMAT Basic Output	
22.3.1.1 Tilde C: Character	
22.3.1.2 Tilde Percent: Newline	
22.3.1.3 Tilde Ampersand: Fresh-Line	22 - 25
22.3.1.4 Tilde Vertical-Bar: Page	
22.3.1.5 Tilde Tilde: Tilde	22 - 25
22.3.2 FORMAT Radix Control	
22.3.2.1 Tilde R: Radix	
22.3.2.2 Tilde D: Decimal	
22.3.2.3 Tilde B: Binary	
22.3.2.4 Tilde O: Octal	
22.3.2.5 Tilde X: Hexadecimal	
22.3.3 FORMAT Floating-Point Printers	
22.3.3.1 Tilde F: Fixed-Format Floating-Point	22 - 27
22.3.3.2 Tilde E: Exponential Floating-Point	
22.3.3.3 Tilde G: General Floating-Point	22 - 30
22.3.3.4 Tilde Dollarsign: Monetary Floating-Point	
22.3.4 FORMAT Printer Operations	
22.3.4.1 Tilde A: Aesthetic	
22.3.4.2 Tilde S: Standard	
22.3.4.3 Tilde W: Write	22 - 31

22.3.5 FORMAT Pretty Printer Operations 22–	32
22.3.5.1 Tilde Underscore: Conditional Newline 22-	32
22.3.5.2 Tilde Less-Than-Sign: Logical Block 22-	32
22.3.5.3 Tilde I: Indent 22–3	33
22.3.5.4 Tilde Slash: Call Function 22–3	33
22.3.6 FORMAT Layout Control	
22.3.6.1 Tilde T: Tabulate	
22.3.6.2 Tilde Less-Than-Sign: Justification 22–3	
22.3.6.3 Tilde Greater-Than-Sign: End of Justification 22–3	
22.3.7 FORMAT Control-Flow Operations 22–3	
22.3.7.1 Tilde Asterisk: Go-To	
22.3.7.2 Tilde Left-Bracket: Conditional Expression 22–3	
22.3.7.3 Tilde Right-Bracket: End of Conditional Expression 22–3	
22.3.7.4 Tilde Left-Brace: Iteration 22–	
22.3.7.5 Tilde Right-Brace: End of Iteration 22–	
22.3.7.6 Tilde Question-Mark: Recursive Processing 22–3.7.6 Tilde Question-Mark: Recursive Processing 22–3.7	
22.3.8 FORMAT Miscellaneous Operations 22–	
22.3.8.1 Tilde Left-Paren: Case Conversion 22–	
22.3.8.2 Tilde Right-Paren: End of Case Conversion 22–4	
22.3.8.3 Tilde P: Plural	
22.3.9 FORMAT Miscellaneous Pseudo-Operations 22–	40
22.3.9.1 Tilde Semicolon: Clause Separator	
22.3.9.2 Tilde Circumflex: Escape Upward 22–4	40
22.3.9.3 Tilde Newline: Ignored Newline 22–	
22.3.10 Additional Information about FORMAT Operations 22–	
22.3.10.1 Nesting of FORMAT Operations 22–	
22.3.10.1 Nesting of FORMAT Operations 22–22.3.10.2 Missing and Additional FORMAT Arguments 22–4	42 43
22.3.10.3 Additional FORMAT Parameters 22–3.10.3 Addition	40
22.3.10.4 Undefined FORMAT Modifier Combinations 22–	
22.3.10 Examples of FORMAT Moduler Combinations 22–22.3.11 Examples of FORMAT 22–25.3.11 Examples 22–25.3.11 Example	
22.3.11 Examples of FORMAT 22-3.12 Notes about FORMAT 22-4	40
22.4 Printer Dictionary	40
Chapter 23 (Reader)	
23.1 Reader Concepts	-1
23.1.1 Dynamic Control of the Lisp Reader 23.1.2 Dynamic Control of the Lisp Reader 23.1.3 Dynamic Control of the	-1
23.1.2 Effect of Readtable Case on the Lisp Reader	
23.1.2.1 Examples of Effect of Readtable Case on the Lisp Reader	
23.1.3 Argument Conventions of Some Reader Functions 23	
23.1.3.1 The EOF-ERROR-P argument 23	
23.1.3.2 The RECURSIVE-P argument 23	-2^{-2}
23.2 Reader Dictionary 23	
20.2 10.0001.01.01.01.01.01.01.01.01.01.01.01	-

Chapter 24 (System Construction)

24.1 System Construction Concepts 24-1 24.1.1 Loading 24-1 24.1.2 Features 24-1 24.1.2.1 Feature Expressions 24-1 24.1.2.1.1 Examples of Feature Expressions 24-2 24.2 System Construction Dictionary 24-3 Chapter 25 (Environment) 25.1 The External Environment 25-1 25.1.1 Top level loop 25-1 25.1.2 Debugging Utilities 25-1 25.1.3 Environment Inquiry 25-1 25.1.4 Time 25-2 25.1.4.2 Universal Time 25-2 25.1.4.2 Universal Time 25-3 25.1.4.3 Internal Time 25-4 25.2 Environment Dictionary 25-5 Chapter 26 (Glossary) 25-5 Chapter A (Appendix) A.1 A.1 Removed Language Features A-1 A.1.2 Removed Types A-1 A.1.3 Removed Operators A-1 A.1.4 Removed Operators A-1 A.1.5 Removed Variables A-1		
24.1.1 Loading 24-1 24.1.2 Features 24-1 24.1.2.1 Feature Expressions 24-1 24.1.2.1.1 Examples of Feature Expressions 24-2 24.2 System Construction Dictionary 24-3 Chapter 25 (Environment) 25.1 The External Environment 25-1 25.1.1 Top level loop 25-1 25.1.2 Debugging Utilities 25-1 25.1.3 Environment Inquiry 25-1 25.1.4 Time 25-2 25.1.4.2 Universal Time 25-2 25.1.4.3 Internal Time 25-3 25.1.4.4 Seconds 25-4 25.2 Environment Dictionary 25-5 Chapter 26 (Glossary) 26-1 Chapter A (Appendix) A.1 A.1 Removed Language Features A.1 A.1.1 Requirements for removed and deprecated features A.1 A.1.2 Removed Types A.1 A.1.3 Removed Operators A.1 A.1.4 Removed Argument Conventions A.1 A.1.5 Removed Variables A.1	24.1 System Construction Concepts	1–1
24.1.2.1.1 Feature Expressions 24-1 24.1.2.1.1 Examples of Feature Expressions 24-2 24.2 System Construction Dictionary 24-3 Chapter 25 (Environment) 25.1 The External Environment 25-1 25.1.1 Top level loop 25-1 25.1.2 Debugging Utilities 25-1 25.1.3 Environment Inquiry 25-1 25.1.4 Time 25-2 25.1.4.2 Universal Time 25-2 25.1.4.2 Universal Time 25-3 25.1.4.3 Internal Time 25-4 25.2 Environment Dictionary 25-4 25.2 Environment Dictionary 25-5 Chapter 26 (Glossary) 26-1 Chapter A (Appendix) A-1 A.1 Removed Language Features A-1 A.1.1 Requirements for removed and deprecated features A-1 A.1.2 Removed Types A-1 A.1.3 Removed Operators A-1 A.1.4 Removed Argument Conventions A-1 A.1.5 Removed Variables A-1		
24.1.2.1.1 Examples of Feature Expressions 24-2 24.2 System Construction Dictionary 24-3 Chapter 25 (Environment) 25.1 The External Environment 25-1 25.1.1 Top level loop 25-1 25.1.2 Debugging Utilities 25-1 25.1.3 Environment Inquiry 25-1 25.1.4 Time 25-2 25.1.4.1 Decoded Time 25-2 25.1.4.2 Universal Time 25-3 25.1.4.3 Internal Time 25-3 25.1.4.4 Seconds 25-4 25.2 Environment Dictionary 25-5 Chapter 26 (Glossary) 26-1 Chapter A (Appendix) A-1 A.1 Removed Language Features A-1 A.1.2 Removed Types A-1 A.1.3 Removed Types A-1 A.1.4 Removed Operators A-1 A.1.5 Removed Variables A-1	24.1.2 Features	1-1
24.2 System Construction Dictionary 24-3 Chapter 25 (Environment) 25-1 25.1.1 The External Environment 25-1 25.1.2 Debugging Utilities 25-1 25.1.3 Environment Inquiry 25-1 25.1.4 Time 25-2 25.1.4.1 Decoded Time 25-2 25.1.4.2 Universal Time 25-3 25.1.4.3 Internal Time 25-3 25.1.4.4 Seconds 25-4 25.2 Environment Dictionary 25-5 Chapter 26 (Glossary) 26-1 Chapter A (Appendix) A.1 A.1 Removed Language Features A-1 A.1.2 Removed Types A-1 A.1.3 Removed Operators A-1 A.1.4 Removed Argument Conventions A-1 A.1.5 Removed Variables A-1	24.1.2.1 Feature Expressions	1–1
24.2 System Construction Dictionary 24-3 Chapter 25 (Environment) 25-1 25.1.1 The External Environment 25-1 25.1.2 Debugging Utilities 25-1 25.1.3 Environment Inquiry 25-1 25.1.4 Time 25-2 25.1.4.1 Decoded Time 25-2 25.1.4.2 Universal Time 25-3 25.1.4.3 Internal Time 25-3 25.1.4.4 Seconds 25-4 25.2 Environment Dictionary 25-5 Chapter 26 (Glossary) 26-1 Chapter A (Appendix) A.1 A.1 Removed Language Features A-1 A.1.2 Removed Types A-1 A.1.3 Removed Operators A-1 A.1.4 Removed Argument Conventions A-1 A.1.5 Removed Variables A-1	24.1.2.1.1 Examples of Feature Expressions 24	1-2
25.1 The External Environment 25-1 25.1.1 Top level loop 25-1 25.1.2 Debugging Utilities 25-1 25.1.3 Environment Inquiry 25-1 25.1.4 Time 25-2 25.1.4.1 Decoded Time 25-2 25.1.4.2 Universal Time 25-3 25.1.4.3 Internal Time 25-4 25.1.4.4 Seconds 25-4 25.2 Environment Dictionary 25-5 Chapter 26 (Glossary) 25-5 Chapter A (Appendix) A-1 A.1 Removed Language Features A-1 A.1.1 Requirements for removed and deprecated features A-1 A.1.2 Removed Types A-1 A.1.3 Removed Operators A-1 A.1.4 Removed Argument Conventions A-1 A.1.5 Removed Variables A-1		
25.1 The External Environment 25-1 25.1.1 Top level loop 25-1 25.1.2 Debugging Utilities 25-1 25.1.3 Environment Inquiry 25-1 25.1.4 Time 25-2 25.1.4.1 Decoded Time 25-2 25.1.4.2 Universal Time 25-3 25.1.4.3 Internal Time 25-4 25.1.4.4 Seconds 25-4 25.2 Environment Dictionary 25-5 Chapter 26 (Glossary) 25-5 Chapter A (Appendix) A-1 A.1 Removed Language Features A-1 A.1.1 Requirements for removed and deprecated features A-1 A.1.2 Removed Types A-1 A.1.3 Removed Operators A-1 A.1.4 Removed Argument Conventions A-1 A.1.5 Removed Variables A-1		
25.1 The External Environment 25-1 25.1.1 Top level loop 25-1 25.1.2 Debugging Utilities 25-1 25.1.3 Environment Inquiry 25-1 25.1.4 Time 25-2 25.1.4.1 Decoded Time 25-2 25.1.4.2 Universal Time 25-3 25.1.4.3 Internal Time 25-4 25.1.4.4 Seconds 25-4 25.2 Environment Dictionary 25-5 Chapter 26 (Glossary) 25-5 Chapter A (Appendix) A-1 A.1 Removed Language Features A-1 A.1.1 Requirements for removed and deprecated features A-1 A.1.2 Removed Types A-1 A.1.3 Removed Operators A-1 A.1.4 Removed Argument Conventions A-1 A.1.5 Removed Variables A-1	Chapter 25 (Environment)	
25.1.1 Top level loop 25-1 25.1.2 Debugging Utilities 25-1 25.1.3 Environment Inquiry 25-1 25.1.4 Time 25-2 25.1.4.1 Decoded Time 25-2 25.1.4.2 Universal Time 25-3 25.1.4.3 Internal Time 25-4 25.1.4.4 Seconds 25-4 25.2 Environment Dictionary 25-5 Chapter 26 (Glossary) 25-5 Chapter A (Appendix) A-1 A.1 Removed Language Features A-1 A.1.2 Removed Types A-1 A.1.3 Removed Operators A-1 A.1.4 Removed Argument Conventions A-1 A.1.5 Removed Variables A-1	25.1 The External Environment	5–1
25.1.2 Debugging Utilities 25-1 25.1.3 Environment Inquiry 25-1 25.1.4 Time 25-2 25.1.4.1 Decoded Time 25-2 25.1.4.2 Universal Time 25-3 25.1.4.3 Internal Time 25-3 25.1.4.4 Seconds 25-4 25.2 Environment Dictionary 25-5 Chapter 26 (Glossary) 26-1 Chapter A (Appendix) A.1 Removed Language Features A-1 A.1.1 Requirements for removed and deprecated features A-1 A.1.2 Removed Types A-1 A.1.3 Removed Operators A-1 A.1.4 Removed Argument Conventions A-1 A.1.5 Removed Variables A-1		
25.1.3 Environment Inquiry 25-1 25.1.4 Time 25-2 25.1.4.1 Decoded Time 25-2 25.1.4.2 Universal Time 25-3 25.1.4.3 Internal Time 25-4 25.1.4.4 Seconds 25-4 25.2 Environment Dictionary 25-5 Chapter 26 (Glossary) 26-1 Chapter A (Appendix) A.1 Removed Language Features A-1 A.1.1 Requirements for removed and deprecated features A-1 A.1.2 Removed Types A-1 A.1.3 Removed Operators A-1 A.1.4 Removed Argument Conventions A-1 A.1.5 Removed Variables A-1		
25.1.4 Time 25-2 25.1.4.1 Decoded Time 25-2 25.1.4.2 Universal Time 25-3 25.1.4.3 Internal Time 25-4 25.1.4.4 Seconds 25-4 25.2 Environment Dictionary 25-5 Chapter 26 (Glossary) 26-1 Chapter A (Appendix) A.1 Removed Language Features A.1.1 Requirements for removed and deprecated features A-1 A.1.2 Removed Types A-1 A.1.3 Removed Operators A-1 A.1.4 Removed Argument Conventions A-1 A.1.5 Removed Variables A-1		
25.1.4.1 Decoded Time 25-2 25.1.4.2 Universal Time 25-3 25.1.4.3 Internal Time 25-4 25.1.4.4 Seconds 25-4 25.2 Environment Dictionary 25-5 Chapter 26 (Glossary) 26-1 Chapter A (Appendix) A.1 Removed Language Features A-1 A.1.1 Requirements for removed and deprecated features A-1 A.1.2 Removed Types A-1 A.1.3 Removed Operators A-1 A.1.4 Removed Argument Conventions A-1 A.1.5 Removed Variables A-1		
25.1.4.2 Universal Time 25-3 25.1.4.3 Internal Time 25-4 25.1.4.4 Seconds 25-4 25.2 Environment Dictionary 25-5 Chapter 26 (Glossary) 26-1 Chapter A (Appendix) 26-1 A.1 Removed Language Features A-1 A.1.1 Requirements for removed and deprecated features A-1 A.1.2 Removed Types A-1 A.1.3 Removed Operators A-1 A.1.4 Removed Argument Conventions A-1 A.1.5 Removed Variables A-1		
25.1.4.4 Seconds 25-4 25.2 Environment Dictionary 25-5 Chapter 26 (Glossary) 26-1 26.1 Glossary 26-1 Chapter A (Appendix) A.1 Removed Language Features A.1.1 Requirements for removed and deprecated features A-1 A.1.2 Removed Types A-1 A.1.3 Removed Operators A-1 A.1.4 Removed Argument Conventions A-1 A.1.5 Removed Variables A-1		
25.2 Environment Dictionary 25–5 Chapter 26 (Glossary) 26.1 Glossary 26–1 Chapter A (Appendix) A.1 Removed Language Features A–1 A.1.1 Requirements for removed and deprecated features A–1 A.1.2 Removed Types A–1 A.1.3 Removed Operators A–1 A.1.4 Removed Argument Conventions A–1 A.1.5 Removed Variables A–1	25.1.4.3 Internal Time	5–4
Chapter 26 (Glossary) 26.1 Glossary 26.1 Glossary 26.1 Glossary 26.1 Chapter A (Appendix) A.1 Removed Language Features A.1.1 Requirements for removed and deprecated features A.1.2 Removed Types A.1.3 Removed Operators A.1.4 Removed Argument Conventions A.1.5 Removed Variables A-1	25.1.4.4 Seconds	5–4
26.1 Glossary 26-1 Chapter A (Appendix) A.1 Removed Language Features A-1 A.1.1 Requirements for removed and deprecated features A-1 A.1.2 Removed Types A-1 A.1.3 Removed Operators A-1 A.1.4 Removed Argument Conventions A-1 A.1.5 Removed Variables A-1	25.2 Environment Dictionary	5–5
26.1 Glossary 26-1 Chapter A (Appendix) A.1 Removed Language Features A-1 A.1.1 Requirements for removed and deprecated features A-1 A.1.2 Removed Types A-1 A.1.3 Removed Operators A-1 A.1.4 Removed Argument Conventions A-1 A.1.5 Removed Variables A-1		
26.1 Glossary 26-1 Chapter A (Appendix) A.1 Removed Language Features A-1 A.1.1 Requirements for removed and deprecated features A-1 A.1.2 Removed Types A-1 A.1.3 Removed Operators A-1 A.1.4 Removed Argument Conventions A-1 A.1.5 Removed Variables A-1	Chapter 26 (Glossary)	
A.1 Removed Language Features A-1 A.1.1 Requirements for removed and deprecated features A-1 A.1.2 Removed Types A-1 A.1.3 Removed Operators A-1 A.1.4 Removed Argument Conventions A-1 A.1.5 Removed Variables A-1	26.1 Glossary	3–1
A.1 Removed Language Features A-1 A.1.1 Requirements for removed and deprecated features A-1 A.1.2 Removed Types A-1 A.1.3 Removed Operators A-1 A.1.4 Removed Argument Conventions A-1 A.1.5 Removed Variables A-1	·	
A.1 Removed Language Features A-1 A.1.1 Requirements for removed and deprecated features A-1 A.1.2 Removed Types A-1 A.1.3 Removed Operators A-1 A.1.4 Removed Argument Conventions A-1 A.1.5 Removed Variables A-1	Chapter A (Appendix)	
A.1.1 Requirements for removed and deprecated features A.1.2 Removed Types A.1.3 Removed Operators A.1.4 Removed Argument Conventions A.1.5 Removed Variables A-1 A.1.5 Removed Variables		\ -1
A.1.2 Removed Types A-1 A.1.3 Removed Operators A-1 A.1.4 Removed Argument Conventions A-1 A.1.5 Removed Variables A-1		
A.1.3 Removed Operators A-1 A.1.4 Removed Argument Conventions A-1 A.1.5 Removed Variables A-1		
A.1.4 Removed Argument Conventions A-1 A.1.5 Removed Variables A-1		
A.1.5 Removed Variables		
	A.1.5 Removed Variables	1
A.1.6 Removed Reader Syntax A-1	A.1.6 Removed Reader Syntax	
A.1.7 Packages No Longer Required		

Index

2-29 &allow-other-keys 3-35 &aux 3-37 **&body** 3–42 & environment 3-42& key 3-35&optional 3–35 **&rest** 3-35 **&whole** 3–42 , 2-24 (2-23 () 1-13, 26-2 (setf class-name) 7–89 (setf documentation) 25–17) 2–23 * 12-35, 25-26 ****** 25–26 *** 25-26 *break-on-signals* 9-35*break-on-warnings* A-1 *compile-file-pathname* *compile-file-truename* 24–12 $\begin{array}{ll} \textbf{*compile-print*} & 24\text{--}13 \\ \textbf{*compile-verbose*} & 24\text{--}13 \\ \end{array}$ *debug-io* 21-57 *debugger-hook* 9-34*default-pathname-defaults* 19-28*error-output* 21-57 *features* 1-30, 2-37, 24-10*gensym-counter* 10-9 *load-pathname* 24–13 *load-print* 24–14 *load-truename* 24–13 *load-verbose* 24-14 *macroexpand-hook* 3-80*modules* 24-14 *package* 11-40

print-array 22–66 *print-base* 22–67 *print-case* 22–68 *print-circle* 2–36, 2–37, 22–69 *print-escape* 22–70 *print-gensym* 22–71 *print-length* 22–72 *print-level* 22–72 *print-lines* 22–73 *print-miser-width* 22-74*print-pprint-dispatch* 22-75 *print-pretty* 22-75 *print-radix* 22-67 *print-readably* 22-76 *print-right-margin* 22-78 *query-io* 21-57 *random-state* 12-53*read-base* 2-33, 2-34, 23-19 *read-default-float-format* 23–19 *read-eval* 2-33, 23-20*read-suppress* 23-21*readtable* 23-22 $\begin{tabular}{ll} *standard-input* & 21-57\\ *standard-output* & 21-57\\ \end{tabular}$ *terminal-io* 21-59 *trace-output* 21-57 + 7-26, 12-36, 25-25 ++ 25-25+++ 25-25 2 - 2812-36, 25-24 2 - 23.. 2-40, 22-74 2-40, 22-55/ 12-37, 25-27 // 25-27 /// 25-27 /= 12-201+ 12-381 - 12 - 38:absolute 19-7 $\verb|:back| 19-8$:common 19-5:compile-toplevel 3-60:execute 3-60

:load-toplevel 3-60 :local 19-4 :relative 19-7 :unspecific 19-6 :up 19-8 :wild 19-5, 19-8 :wild-inferiors 19-5, 19-8 ; 2-24 < 12-20 < 12-20 = 12-20	alphanumericp 13–15 ampersand 26–4 Ampersand (format directive) 22–25 and 4–28, 5–68, 7–26 anonymous 26–4 apparently uninterned 26–4 append 7–26, 14–30 applicable 26–4 applicable handler 26–4 applicable method 26–4 applicable restart 26–4
> 12-20	apply 26–4
>= 12-20	apply 5-14
A (format directive) 22–31	apropos 25-8
A (sharpsign reader macro) 2–35	apropos-list 25–8
abort 9-65, 9-68	aref 15–18
abs 12–39	argument 26-4 argument evaluation order 26-4
absolute 26–2	argument precedence order 26-4
:absolute 19-7	arithmetic-error 12–89
access 26-2 $accessibility 26-2$	arithmetic-error-operands 12–89
accessible 11-2, 26-2	arithmetic-error-operation 12–89
accessor 26–2	around method 26–4
acons 14–43	array 26–4
acos 12–29	array 2-35, 15-5
acosh 12–33	array element type 26-5
active 15-2, 26-3	array total size 26-5
actual adjustability 26–3	array-dimension 15-19
actual argument 26–3	array-dimension-limit 15–30
actual array element type 15-3, 26-3	array-dimensions 15-20
actual complex part type 26–3	array-displacement 15–22
actual parameter 26–3	array-element-type 15-21
actually adjustable 26–3	array-has-fill-pointer-p 15-21
add-method 7–87	array-in-bounds-p 15–23
adjoin 14-54	array-rank 15–24
adjust-array 15–14	array-rank-limit 15–30 array-row-major-index 15–25
adjustability 26–3	array-row-major-maex 15-25 array-total-size 15-26
adjustable 26–3	array-total-size-limit 15–31
adjustable-array-p 15–18 after method 26–3	arrayp 15–27
alist $26-3$	ash 12-64
allocate-instance 7–30	asin 12–29
alpha-char-p 13–14	asinh 12–33
alphabetic 26–3	assert 9-15
alphanumeric 26–3	assign 26-5
-	

assoc 14-43 assoc-if 14-43	bit-nand 15–37 bit-nor 15–37
assoc-if-not 14-43	bit-not 15–37
association list $14-2, 26-5$	bit-orc1 15–37
asterisk 26-5	bit-orc2 15–37
Asterisk (format directive) 22–36	bit-vector 2–32, 15–9
Asterisk (sharpsign reader macro) 2–32	bit-vector-p 15-39
at-sign 26 - 5	bit-wise logical operation specifier 26–6
atan 12-29	bit-xor 15–37
atanh 12-33	block 26–7
atom 26-5	block 5-42
atom 14–5, 14–7	block tag 26–7
atomic 26–5	bnf key 1–8
atomic type specifier 26–5	$boa\ lambda\ list$ 3–46, 26–7
attribute 26-5	body parameter 26–7
aux variable 26–5	boole 12–67
auxiliary method 26–5	boole-1 12–70
B (format directive) 22–26	boole-2 12-70
B (sharpsign reader macro) 2–33	boole-and 12–70
:back 19-8	boole-andc1 $12-70$
backquote 26–6	boole-andc2 $12-70$
Backquote (reader macro) 2–26	boole-c1 12-70
backslash 26–6	boole-c2 12–70
Backslash (sharpsign reader macro) 2–31	boole-clr $12-70$
bar $1-15$	boole-eqv 12-70
base character 26–6	boole-ior $12-70$
base string 26–6	boole-nand 12–70
base-char 13–8	boole-nor 12–70
base-string 16-2	boole-orc1 12–70
baz 1-15	boole-orc2 12–70
before method 26–6	boole-set 12-70
bidirectional 21–2, 26–6	boole-xor 12-70
bignum 12–20	boolean 26–7
binary 21-1, 26-6	boolean 4–19
bind 26-6	boolean equivalent 26–7
binding 3–1, 26–6	both-case-p 13-20
bit 26-6	bound $26-7$
bit 12–19, 15–36	bound declaration 3-30, 26-7
bit array 26–6	bounded 26–7
bit vector 15–3, 26–6	bounding index 26–7
bit-and 15–37	bounding index designator 26–8
bit-andc1 15-37	boundp 10-20
bit-andc2 15–37	break 9-33
bit-eqv 15–37	break loop 26-8
bit-ior 15–37	*break-on-signals* 9–35
DIU-101 10 01	· · · · · · · · · · · · · · · · · · ·

broadcast stream 26–8 broadcast-stream 21–7 broadcast-stream-streams built-in class 26–8 built-in type 26–8 built-in-class 4–23 butlast 14–33 byte 26–8 byte 12–76 byte specifier 26–8	21–47	cdaadr 14-9 cdaar 14-9 cdadar 14-9 cdaddr 14-9 cdadr 14-9 cdar 14-9 cddar 14-9 cddar 14-9 cddar 14-9
byte-position 12–76 byte-size 12–76 C (format directive) 22–24 C (sharpsign reader macro) caaaar 14–9 caaadr 14–9	2–34	cdddr 14-9 cddr 14-9 cddr 26-9 cdr 14-9 cdr 14-9
caaar 14–9 caadar 14–9 caadr 14–9 caar 14–9 cadar 14–9		ceiling 12–25 cell 26–9 cell-error 9–13 cell-error-name 9–14 cerror 9–19 change-class 7–38 char 16–5
cadadr 14-9 cadar 14-9 caddar 14-9 caddr 14-9 caddr 26-8		char-bit A-1 char-bits A-1 char-bits-limit A-1 char-code 13-21 char-code-limit 13-23 char-control-bit A-1
1	26-8	char-downcase 13-19 char-equal 13-10 char-font A-1 char-font-limit A-1 char-greaterp 13-10
$\begin{array}{cccc} car & 26-9 \\ \textbf{car} & 14-9 \\ case & 26-9 \\ \textbf{case} & 5-74 \\ case & in symbol names & 1-12 \\ case & sensitivity & mode & 26-9 \\ catch & 26-9 \\ \textbf{catch} & 5-43 \\ catch & tag & 26-9 \\ \textbf{ccase} & 5-74 \\ \textbf{cdaaar} & 14-9 \\ \end{array}$		char-hyper-bit A-1 char-int 13-22 char-lessp 13-10 char-meta-bit A-1 char-name 13-24 char-not-equal 13-10 char-not-lessp 13-10 char-super-bit A-1 char-upcase 13-19 char/= 13-10

char< 13-10	$compilation\ environment$ 3–14, 26–11
char<= 13-10	$compilation\ unit$ 26–11
char= 13-10	compilation-speed $3-97$
char> 13-10	compile 26-11
char>= 13-10	compile 3–18, 3–57, 3–60
character 13–1, 21–1, 26–9	$compile\ time 3-15,\ 26-11$
character 2–31, 13–8, 13–12	compile-file $3-18, 24-3$
character code 26–9	compile-file-pathname $24-5$
character designator 26–10	*compile-file-pathname* $24-12$
characterp 13-13	*compile-file-truename* $24-12$
check-type 9-22	*compile-print* $24-13$
circular 26–10	compile-time definition 3-15, 26-11
circular list 14-2, 14-4, 26-10	:compile-toplevel $3-60$
Circumflex (format directive) 22–41	*compile-verbose* 24–13
cis 12–55	$compiled\ code \ \ 3-14,\ 24-1,\ 26-11$
CL package 11-4	$compiled\ file$ 24–1, 26–12
CL-USER package 11-7	$compiled\ function 26 ext{}12$
class 4-8, 26-10	compiled-function $4-22$
class $4-23$	${f compiled-function-p} 5-28$
class designator 26–10	$compiler 3-14,\ 26-12$
class precedence list 4-8, 4-12, 26-10	$compiler\ macro 3-18,\ 26-12$
class-name $7-88$	$compiler\ macro\ expansion \ 26 ext{}12$
class-of 7-90	$compiler\ macro\ form 26 ext{}12$
clear-input 21–42	$compiler\ macro\ function 26 ext{}12$
clear-output 21–43	${f compiler-macro} 25-18$
close 26-10	${f compiler-macro-function} 3-66$
close 21–39	
closed 21–2, 26–10	complex 26-12
closure 26–10	complex $2-34$, $12-11$, $12-56$, $22-4$
clrhash 18–14	$complex\ float$ 26–12
coalesce 3–14, 26–10	$complex\ part\ type 26-12$
code 26-11	$complex\ rational$ 26–12
code-char A-1, 13-22	$complex\ single\ float$ 26–13
coerce 26–11	complexp 12-57
coerce 4-30	$composite\ stream 26-13$
colon 26–11	$compound\ form 26 ext{}13$
Colon (sharpsign reader macro) 2–33	compound type specifier 4-4, 26-13
comma 26–11	${\bf compute-applicable-methods} 776$
Comma (reader macro) 2–28	compute-restarts 9-49
comment $2-24, 2-38$	concatenate 17–29
:common $19-5$	$concatenated\ stream$ 26–13
COMMON-LISP $package 1-35, 11-4$	concatenated-stream 21-8
COMMON-LISP-USER $package$ 11-7	${\bf concatenated\text{-}stream\text{-}streams} 2150$
${ t commonp} A-1$	$\mathbf{cond} 569$
compilation 26–11	condition 26-13

condition 9-11	count-if 17–15
condition designator 9–3, 26–13	count-if-not 17-15
condition handler 26–13	ctypecase 5-76
condition reporter 9-4, 26-13	current input base 23–19, 26–15
conditional newline 26–13	current logical block 26–16
conditional newlines 22–14	current output base 22-67, 26-16
conformance 26–13	current package 11-1, 26-16
conforming code 1–29, 26–13	current pprint dispatch table 22–16, 26–16
conforming implementation 1–28, 26–13	current random state 26–16
conforming processor 26–14	current readtable 2-1, 26-16
conforming program 1–29, 26–14	D (format directive) 22–26
congruence 7–19	data type 26–16
congruent 26–14	debug 3–97
conjugate 12–57	debug I/O 26-16
cons 14-1, 26-14	*debug-io* 21–57
cons 2-26, 2-28, 14-5, 14-6	debugger 26–16
consequences 1–17	*debugger-hook* 9-34
consp 14–6	decf 12-43
constant 26–14	declaim 3–83
constant form 26–14	declaration 3–29, 26–16
constant object 26–14	declaration 3–29, 3–96
constant variable 26–14	declaration identifier 3-29, 26-16
constantly 5–66	declaration specifier 3-29, 26-16
constant 3–104	declare 26–17
constituent 26–14	declare 3-83
constituent trait 26–14	decline 26–17
constructed stream 26–15	decode-float 12-82
contagion 26–15	decode-universal-time 25–5
continuable 26–15	decoded time 25–2, 26–17
continue 9-66, 9-68	default method 7–19, 26–17
control form 26–15	*default-pathname-defaults* 19–28
control-error 5-104	defaulted initialization argument list 26–17
copy 26–15	defclass 7-60
copy-alist 14–45	defconstant 5-31
copy-list 14–19	defgeneric 7-65
copy-pprint-dispatch 22–46	define-compiler-macro 3-67
copy-readtable 23–4	define-condition 9-42
copy-seq 17-5	define-method-combination 7-76
copy-structure 8–18	define-method-combination arguments lambda list 3-
copy-symbol 10-7	48, 26–17
copy-tree 14–12	define-modify-macro 5-92
correctable 26–15	define-modify-macro lambda list 3-48, 26-17
cos 12–28	define-setf-expander 5–96
cosh 12–33	define-symbol-macro 3-77
count 17–15	defined name 26–17

defining form 26–17	division-by-zero 12–90
defmacro 3–70	do 6–31
defmethod 7-69	do* 6–31
defpackage 11-29	do-all-symbols 11–33
defparameter 5–32	do-external-symbols 11–33
defsetf 5–93	do-symbols 11–33
defsetf lambda list 3-47, 26-17	documentation 25–17
defstruct 8–1	documentation string 26–19
deftype 4–33	dolist 6–37
deftype lambda list 3–48, 26–17	Dollarsign (format directive) 22–30
defun 5–15	dot 2-23, 22-55, 26-19
defvar 5–32	Dot (sharpsign reader macro) 2–33
delete 17-32	Dot Dot 2-40, 22-74
delete-duplicates 17–35	Dot Dot Dot 2-40, 22-55
delete-file 20-9	dotimes 6–35
delete-if 17-32	$dotted\ list$ 14–2, 14–4, 26–19
delete-if-not 17–32	dotted pair 26–19
delete-package 11-17	$double\ float$ 26–19
denominator 12-61	double-float 12–14
denormalized 26–17	double-float-epsilon 12–88
deposit-field 12-77	double-float-negative-epsilon 12-88
derived type 26–18	double-quote 26 – 19
derived type specifier 4-5, 26-18	Double-Quote (reader macro) 2–26
describe 25–9	dpb 12–78
describe-object 25-10	dribble 25–23
$designator 1-14, \ 26-18$	dynamic binding 26–19
destructive 26–18	$dynamic\ environment$ 3–2, 26–19
destructuring lambda list 3-45, 26-18	dynamic extent 26–19
destructuring-bind 5-35	$dynamic\ scope 26-20$
different 26–18	$dynamic\ variable \ 26-20$
digit 26–18	dynamic-extent 3-86
digit-char A-1, 13-16	E (format directive) 22–28
digit-char-p 13-16	ecase $5-74$
dimension 15-1, 26-18	echo stream 26–20
direct instance 26–18	echo-stream 21-9
direct subclass 4-8, 26-18	echo-stream-input-stream 21-49
direct superclass 4-8, 26-18	echo-stream-output-stream 21–49
directory 20-3	ed $25-22$
directory-namestring 19-28	$effective \ method 7-22,\ 26-20$
disassemble 25–17	eighth 14-25
disestablish 26–18	element 26-20
disjoint 26–19	element type 26–20
dispatching macro character 26–19	elt 17–6
displaced array 26–19	em 26–20
distinct 26–19	$empty\ list$ 14–4, 26–20

empty type 26–20	exported 26-23
encode-universal-time 25–6	expressed adjustability 26–23
end of file 26-20	expressed array element type 15–3, 26–23
end-of-file 21–61	expressed complex part type 26-23
endp 14-28	expression 26–23
enough-namestring 19-28	expressly adjustable 26–23
ensure-directories-exist 20-4	$\mathbf{expt} \overset{\circ}{12}4\overset{\circ}{1}$
ensure-generic-function 7–29	extended character 26-23
environment 3-1, 26-21	extended function designator 26-23
environment object 3-3, 26-21	extended lambda list 26-23
environment parameter 26–21	extended-char 13-9
eq 5-56	extension 26-24
eql 4-30, 5-58	extensions $1-17, 1-18$
equal 5-59	extent 26–24
Equal-Sign (sharpsign reader macro) 2–36	external file format 26–24
equalp 5-62	external file format designator 26-24
error 26–21	$external\ symbol$ 11–2, 26–24
error 9-13, 9-17	externalizable object 3-23, 26-24
error output 26-21	F (format directive) 22–27
error terminology 1–15	false 26–24
error-output 21-57	fbound 26–24
escape 26–21	fboundp 5–18
establish 26–21	fceiling 12-25
etypecase 5-76	fdefinition $5-17$
eval 2-33, 3-59, 3-60	feature 24-1, 26-24
eval-when $3-20, 3-60$	feature expression 24–1, 26–25
evaluate 26–21	features list 24–1, 26–25
evaluation 3–1, 26–21	*features* 1-30, 2-37, 24-10
evaluation environment 3-14, 26-21	ffloor 12–25
evaluation order 3-63, 5-2, 5-43, 5-83, 6-5, 6-9,	fifth $14-25$
7-4, 9-16, 12-79	file 20–1, 26–25
evenp 12–40	$file\ compiler \ 26-25$
every 5-67	$file\ position 26-25$
execute 26-22	file position designator 26–25
:execute 3-60	$file\ stream$ 21–3, 26–25
execution time 26–22	$file\ system 26-25$
exhaustive partition 26–22	file-author 20–6
exhaustive union 26–22	file-error 20–10
exit point 26-22	file-error-pathname 20–11
exp 12–41	file-length $21-28$
explicit return 26–22	file-namestring 19-28
explicit use 26–22	file-position 21–29
exponent marker 26–22	file-stream $21-9$
export 26-22	file-string-length 21-31
export 11-8	file-write-date 20–7

filename 20-1, 26-25	$format\ string$ 26–26
fill 17–7	formatter 22–46
fill pointer 15–2, 26–25	fourth $14-25$
fill-pointer 15–27	$free\ declaration 3-30,\ 26-26$
fill-style conditional newline 22–18, 22–54	fresh 26–26
find 17–20	fresh-line 21–21
find-all-symbols 11–12	freshline 26-27
find-class 7–71	fround $12-25$
find-if 17–20	ftruncate 12–25
find-if-not 17–20	ftype 3-95
find-method 7–85	funbound 26–27
find-package 11–11	funcall 5–24
find-restart 9–50	function 26-27
find-symbol 11–9	function 2-31, 4-20, 5-25, 25-18
finish-output 21–43	$function\ block\ name 26-27$
finite 26–25	$function \ cell \ 26-27$
first 14–25	function designator 26–27
fixnum 26–26	function form 26–27
fixnum 12–20	function name 26–27
flet 5-20	function-keywords 7–28
float 26–26	function-lambda-expression 5–26
float 12–13, 12–85, 22–3	functional evaluation 26–27
float-digits 12–82	functional value 26–27
float-precision 12–82	functionp 5–28
float-radix 12–82	further compilation 3–14, 26–28
float-sign 12–82	G (format directive) 22–30
floating-point-inexact 12–91	gcd 12–42
	ged 12 12 general 26–28
floating-point-invalid-operation $12-90$ floating-point-overflow $12-91$	generalized boolean 26–28
	generalized instance 26–28
floating-point-underflow 12–91	generalized reference 5-1, 26-28
floatp 12–86	generalized synonym stream 26–28
floor 12–25	generic function 4-22, 7-17, 26-28
fmakunbound 5–19	generic function lambda list 3–39, 26–28
font key 1–7	generic-function $4-22$
foo 1–15	generic-runction 4–22 gensym 26–28
for-value 26–26	gensym 10-8
force-output 21–43	*gensym-counter* 10-9
form 26–26	gentemp 10-10
formal argument 26–26	get 10–17
formal parameter 26–26	
format 26-26	get-decoded-time 25-0 get-dispatch-macro-character 23-13
format 22-80	
format argument 26–26	get-internal-real-time 25–15
format control 22–16, 26–26	get-internal-run-time 25–16
format directive 26–26	${f get\text{-}macro\text{-}character} 2314$

get-output-stream-string $21-52$ get-properties $14-48$ get-setf-expansion $5-98$ get-universal-time $25-6$ getf $14-49$ gethash $18-10$ global declaration $3-29$, $26-29$ global environment $3-1$, $26-29$ global variable $26-29$ glyph $26-29$ go $26-29$	$\begin{array}{llllllllllllllllllllllllllllllllllll$
go 5-44	incf 12–43
go point 26–29	indefinite extent 26–31
go tag 26-29	indefinite scope 26–31
graphic 13–3, 26–29	indicator 26–31
graphic-char-p 13-17	indirect instance 26–31
Greater-Than-Sign (format directive) 22–36	inherit 26–31
handle 26–29	initial pprint dispatch table 26–31
handler 26–29	initial readtable 2–2, 26–31
handler-bind 9–37	initialization argument list 7–1, 26–31
handler-case 9–38	initialization form 26–31
hash table 26–29 hash-table 18–4	initialize-instance 7–88
hash-table-count 18–6	inline 3–93 input 21–1, 26–31
hash-table-p 18–5	input-stream-p 21-11
hash-table-rehash-size 18–7	inspect 25–23
hash-table-rehash-threshold 18–8	instance 4-8, 26-31
hash-table-size 18–9	int-char A-1
hash-table-test 18–9	integer 26–31
home package 26–29	integer 12–17
host-namestring 19–28	integer-decode-float 12-82
I (format directive) 22–33	integer-length 12-65
I/O customization variable 26–29	integerp 12–66
identical 26–30	interactive stream 21–2, 26–32
identifier 26–30	interactive-stream-p 21-12
identity 5-64	intern 26–32
if 5–70	intern 11–35
ignorable 3–85	$internal\ symbol$ 11–2, 26–32
ignore $3-85$	$internal\ time$ 25–4, 26–32
ignore-errors 9-41	internal time unit 26–32
imagpart $12-59$	internal-time-units-per-second 25–15
immutable 26–30	interned 26–32
implementation 26–30	interpreted function 26–32
implementation limit 26–30	interpreted implementation 26–32
implementation-defined 26–30	intersection 14–52

 $interval\ designator \ 26-32$ least-positive-normalized-long-float 12-87 invalid 26–32 least-positive-normalized-short-float 12-87 invalid-method-error 9-25 least-positive-normalized-single-float 12-87 invoke-debugger 9-32 ${\bf least\text{-}positive\text{-}short\text{-}float} \quad 12\text{--}87$ invoke-restart 9-52least-positive-single-float 12-87 invoke-restart-interactively 9-53 leaves 14–1 is signaled 1–16 Left-Brace (format directive) 22–37 **isqrt** 12-49 Left-Bracket (format directive) 22–36 Left-Paren (format directive) 22–39 iteration form 26–32 $iteration\ variable \ 26-33$ left-parenthesis 26-34key 26-33 Left-Parenthesis (reader macro) 2–23 keyword 26–33 Left-Parenthesis (sharpsign reader macro) 2–31 KEYWORD package 11-7 length 26–34 length 17-16 keyword 10-4keyword parameter 26 - 33Less-Than-Sign (format directive) 22–32, 22–35 keyword/value pair 26-33 Less-Than-Sign (sharpsign reader macro) 2–39 **keywordp** 10-5let 5-36**let*** 5–36 labels 5-20lexical binding 26-34 lambda 3-56 $lambda\ combination$ 26–33 $lexical\ closure \quad 26\text{--}34$ $lambda\ expression \ 26-33$ $lexical\ environment$ 3–2, 26–34 lambda form 26–33 $lexical\ scope \ 26-34$ lambda list 3-33, 26-33 $lexical\ variable$ 26–34 lambda list keyword 26–34 linear-style conditional newline 22-17, 22-54 $lambda\ variable \quad 26\text{--}34$ LISP package A-1 Lisp image 26-34 lambda-list-keywords 5-30 Lisp printer 26–35 lambda-parameters-limit 5–30 $Lisp\ read\-eval\-print\ loop \ 26-35$ last 14-34 **lcm** 12–44 Lisp reader 26–35 ldb 12-79 lisp-implementation-type 25–28 ldb-test 12-80lisp-implementation-version 25–28 **ldiff** 14-35list 14–2, 14–4, 26–35 leaf 26-34 list 2-23, 2-26, 2-28, 7-26, 14-4, 14-20leap seconds 26–34 $list\ designator \ 26-35$ list structure 26–35 least-negative-double-float 12-87 least-negative-long-float 12-87 list* 14-20 least-negative-normalized-double-float 12-87 list-all-packages 11–14 least-negative-normalized-long-float 12-87 list-length 14-21least-negative-normalized-short-float 12–87 **listen** 21–41 least-negative-normalized-single-float 12-87 **listp** 14–22 ${\bf least\text{-}negative\text{-}short\text{-}float} \quad 12\text{--}87$ $literal \quad 26\text{--}35$ ${\bf least\text{-}negative\text{-}single\text{-}float} \quad 12\text{--}87$ $literal\ object$ 3-14 least-positive-double-float 12-87 load 26-35least-positive-long-float 12-87 load 3-60, 24-6 least-positive-normalized-double-float 12-87 $load\ time \ 26-36$

$\begin{array}{llllllllllllllllllllllllllllllllllll$	lowercase 26–37 machine-instance 25–29 machine-type 25–30 machine-version 25–30 macro 3–18, 26–37
:load-toplevel $3-60$	macro character 26–37
load-truename 24–13	macro expansion 26–37
load-verbose 24–14	macro form 26–37
loader 26–36	macro function 26–37
:local 19-4	macro lambda list 3–41, 26–37
local declaration 3–29, 26–36	macro name 26–37
local precedence order 4–9, 4–12, 26–36	macro-function 3–73
local slot 26–36	macroexpand 3-75
locally 3–100	macroexpand hook 26–37
log 12–45	macroexpand-1 3-75
logand 12–71	*macroexpand-hook* 3–80 macrolet 3–18, 5–20
logandc1 12-71	
logandc2 12-71	make-array 15–10 make-broadcast-stream 21–47
logbitp 12–73	make-char A-1
logcount 12–74	make-concatenated-stream 21–51
logeqv 12–71	make-condition 9–47
logical blocks 26–36 logical blocks 22–14	make-dispatch-macro-character 23–5
logical host 26–36	make-echo-stream 21–50
logical host designator 26–36	make-hash-table 18-4
logical pathname 26–36	make-instance 7–49
logical-pathname 19–15, 19–27	make-instances-obsolete 7–50
logical-pathname-translations 19–23	make-list $14-23$
logior 12–71	make-load-form 7–51
lognand 12–71	make-load-form-saving-slots 7–55
lognor 12–71	make-method 7-73
lognot 12–71	make-package 11-20
logorc1 12-71	make-pathname 19–17
logorc2 12-71	make-random-state 12–51
logtest 12–75	make-sequence 17–8
logxor 12–71	make-string 16-13
long float 26–36	make-string-input-stream 21–53
long-float 12–14	make-string-output-stream 21–53
long-float-epsilon 12–88	make-symbol 10–6
long-float-negative-epsilon 12–88	make-synonym-stream 21–46
long-site-name $25-28$	make-two-way-stream 21–48
loop 6–38	makunbound 10–21
loop keyword 26–36	mandatory-style conditional newline 22–54
loop-finish 6-42	map 17-10
lower-case-p $13-20$	map-into $17-12$

 ${\bf most\text{-}positive\text{-}single\text{-}float} \quad 12\text{--}87$ **mapc** 14-40
 mapcan
 14-40

 mapcar
 14-40

 mapcon
 14-40
 $\begin{array}{ll} \textbf{muffle-warning} & 9-66, \, 9-68 \\ multiple \ escape & 2-9, \, 26-38 \\ multiple \ values & 26-38 \end{array}$ maphash 18-12 multiple-value-bind 5-79 **mapl** 14-40 $\mathbf{multiple\text{-}value\text{-}call} \quad 5\text{--}81$ $\mathbf{maplist} \quad 14\text{--}40$ $\mathbf{multiple\text{-}value\text{-}list} \quad 5\text{--}81$ mapping 26-37 multiple-value-prog1 5-82 $\mathbf{mask\text{-}field}$ 12-81 multiple-value-setq 5-83 max 7-26, 12-22 ${\bf multiple\text{-}values\text{-}limit} \quad 5\text{--}86$ **member** 4-27, 14-39must signal 1-16 member-if 14-39name 1-7, 26-39member-if-not 14-39name-char 13-25 $named\ constant$ 26–39 merge 17-30 merge-pathnames 19-38 namespace 3–1, 26–39 metaclass 4-1, 4-9, 26-37 namestring 19–1, 26–39 Metaobject Protocol 26–37 namestring 19-28 method 26-38nbutlast 14–33 nconc 7-26, 14-29 method 4-24 $method\ combination$ 26–38 newline 26-39Newline (format directive) method-combination 4-26, 25-1822 - 42 ${\bf method\text{-}combination\text{-}error} \quad 9\text{--}26$ next method 7-23, 26-39 method-defining form 26–38 next-method-p 7-72method-defining operator 7-18, 26-38 nickname 26-39method-qualifiers 7-47 nil 1-13, 26-39 **nil** 1–13, 4–19, 5–54 might signal 1-17 min 7-26, 12-22 ${\bf nintersection} \quad 14\text{--}52$ minimal compilation 3-14, 26-38 **ninth** 14-25 Minus (sharpsign reader macro) 2–37 no-applicable-method 7-47 $\mathbf{minusp} \quad 12\text{--}24$ no-next-method 7-48 non-atomic 26–39 miser-style conditional newline 22-17, 22-54 mismatch 17-24 non-constant variable 26–39 **mod** 12–19, 12–47 non-correctable 26-40 modified lambda list 26–38 non-empty 26-40*modules* 24-14 non-generic function 26–40 most recent 26-38 non-graphic 13-3, 26-40 most-negative-double-float 12-87 non-list 26-40 most-negative-fixnum 12-82 non-local exit 26-40 non-nil 26-40 most-negative-long-float 12-87 $non-null\ lexical\ environment$ 26–40 most-negative-short-float 12-87 $non\text{-}simple \quad 26\text{--}40$ most-negative-single-float 12-87 most-positive-double-float 12-87 $non\text{-}terminating \quad 2\text{--}8,\ 26\text{--}40$ $non-top-level\ form \quad 26-40$ ${\bf most\text{-}positive\text{-}fixnum} \quad 12\text{--}82$ most-positive-long-float 12-87 $normal\ return \quad 26\text{--}40$ most-positive-short-float 12-87 normalized 26-40

not 4–27, 5–55	9, 7-4, 9-16, 12-79
notany 5–67	$ordinary\ function$ 26–42
notation 1–7	$ordinary\ lambda\ list$ 3–33, 26–42
notevery 5-67	otherwise $5-74, 5-77$
notinline 3-29, 3-93	$otherwise\ inaccessible\ part$ $26-42$
nreconc 14-31	output 211,2642
nreverse 17–17	${f output\text{-}stream ext{-}p} 21 ext{-}11$
nset-difference 14–56	P (format directive) 22–40
nset-exclusive-or 14–58	P (sharpsign reader macro) 2–36
nstring-capitalize 16-7	$package 11-1, \ 26-42$
nstring-downcase 16–7	package 11–8
nstring-upcase 16-7	$package\ cell$ $26-42$
nsublis 14–13	$package\ designator 2642$
nsubst 14–15	$package\ marker \ 26-42$
nsubst-if 14-15	$package \ prefix 26-42$
nsubst-if-not 14-15	$package\ registry 26-42$
nsubstitute 17–26	*package* 11-40
nsubstitute-if 17–26	package-error 11–41
nsubstitute-if-not 17–26	$\mathbf{package} ext{-}\mathbf{error} ext{-}\mathbf{package} 11 ext{-}42$
nth 14-27	$\mathbf{package}$ -name 11 – 36
nth-value 5–86	package-nicknames 11–37
nthcdr 14-37	package-shadowing-symbols 11–37
null 13-2, 26-40	package-use-list 11–38
null 14–4, 14–28	package-used-by-list 11-39
null lexical environment 3-3, 26-41	$\mathbf{packagep} 11-40$
number 26-41	pairlis 14–46
number 12–11	pairwise 26-43
numberp 12–54	parallel 26-43
numerator 12-61	parameter 26-43
numeric 26-41	parameter specializer 26–43
nunion 14-61	parameter specializer name 26-43
O (format directive) 22–27	parse-error 9–14
O (sharpsign reader macro) 2–33	$\mathbf{parse\text{-}integer}$ 12–66
object 26-41	parse-namestring 19–30
object-traversing 26–41	pathname 19-1, 26-43
oddp 12–40	$\mathbf{pathname} 236, \ 1915$
open 21-2, 26-41	$pathname\ designator \ 26-43$
open 21–32	pathname-device 19–20
open-stream-p 21-12	pathname-directory 19-20
operator 26–41	pathname-host 19–20
optimize 3–97	pathname-match-p 19–34
optimize quality 26–41	pathname-name 19–20
optional parameter 26–42	pathname-type 19–20
or 4–28, 5–71, 7–26	pathname-version 19–20
order of evaluation 3-63, 5-2, 5-43, 5-83, 6-5, 6-	pathnamep 19–19
51 d. 51 5 (d. d. d. d.) 5 d. , 5 d. , 5 d. , 6 d.	- •

print-case 22–68
print-circle 2–36, 2–37, 22–69
print-escape 22–70
print-gensym 22–71
print-length 22–72
print-level 22–72 peek-char 21-17 Percent (format directive) 22–25 **phase** 12–58 physical pathname 26–43 **pi** 12–32 place 5-1, 26-43 plist 26-43 *print-lines* 22–73 *print-miser-width* 22-74Plus (sharpsign reader macro) 2–37 print-not-readable 22-79 plusp 12–24 pop 14–24 print-not-readable-object 22-79 print-object 22-57
 portable
 26-43

 position
 17-21
 print-pprint-dispatch 22-75 *print-pretty* 22-75 position-if 17–21 *print-radix* 22-67 **position-if-not** 17–21 potential copy 26–44 *print-readably* 22-76 *print-right-margin* 22-78 potential number 26–44 print-unreadable-object 22-59 **pprint** 22–61 $printer\ control\ variable \quad 22\text{--}1,\ 26\text{--}45$ pprint dispatch table 22–16, 26–44 printer escaping 22–2, 26–45 pprint-dispatch 22-47 printing 26-45 pprint-exit-if-list-exhausted 22–48 probe-file 20-3 pprint-fill 22-49 process 3-14, 26-45 pprint-indent 22–50 pprint-linear 22–49 $\begin{array}{ccc} processor & 26\text{--}45 \\ proclaim & 26\text{--}45 \end{array}$ pprint-logical-block 22-51 proclaim 3-81 pprint-newline 22-53 pprint-pop 22–55 pprint-tab 22–57 proclamation 3-29, 26-45 **prog** 5–87 prog tag 26–45 prog* 5–87 prog1 5–89 pprint-tabular 22–49 predicate 26-44 prepared to signal 1–16 **prog2** 5–89 present 11-2, 24-1, 26-44 **progn** 5–91, 7–26 pretty print 26-44 program 26-45 pretty printer 22–14, 26–44 program-error 5-104pretty printing stream 26–44 programmer 26–45 $primary\ method$ 26–44 programmer code 26-45 primary value 26–44 **progv** 5–38 **prin1** 22–61 proper list 14-2, 14-4, 26-45 prin1-to-string 22-64 proper name 26-45 **princ** 22–61 proper sequence 26–46 princ-to-string 22-64 proper subtype 26–46 principal 26-44 property 26-46 **print** 22–61 property indicator 26-46 print name 26-45 *print-array* 22–66 *print-base* 22–67 property list 26–46 property value 26-46

provide 24–15	read-line 21–24
psetf 5–99	read-preserving-whitespace 23-6
psetq 5–40	read-sequence 21–26
purports to conform 26–46	*read-suppress* 23-21
push 14-23	readably 26–47
pushnew 14–55	reader 26–47
qualified method 26–46	reader macro 26–47
qualifier 26–46	reader macro function 2–8, 26–47
query I/O 26-46	reader-error 23–23
query-io 21–57	readtable 2-1, 26-47
Question-Mark (format directive) 22–39	readtable 23–4
quotation (of forms) 2–24, 2–26, 2–28	$readtable\ case 26-47$
quotation (of strings) 2–26	readtable designator 26-48
quote 2-24, 2-26, 2-28, 3-65	*readtable* 23–22
quoted object 26–46	readtable-case 23–11
$\frac{1}{1}$ quux $1-15$	readtablep 23-12
R (format directive) 22–25	real 12–12
R (sharpsign reader macro) 2–34	realp 12–60
$ra\dot{d}ix$ 26–47	realpart 12-59
random 12–52	recognizable subtype 26–48
random state 26–47	redefinition 11–5
random-state 12–50	reduce 17–13
random-state 12–53	reference 26–48
random-state-p 12–53	registered package 26–48
rank 15–1, 26–47	reinitialize-instance 7–31
rassoc 14-47	relative 26–48
rassoc-if 14-47	:relative $19-7$
rassoc-if-not 14–47	rem $12-47$
ratio 26–47	remf 14–51
ratio 12–16, 22–3	remhash 18–11
ratio marker 26–47	remove 17–32
rational 26–47	remove-duplicates 17–35
rational 12–16, 12–62	remove-if 17–32
rationalize 12–62	remove-if-not 17-32
rationalp 12–63	remove-method 7-49
read = 26-47	remprop 10–19
read 23-6	rename-file 20–8
read-base 2-33, 2-34, 23-19	rename-package 11-14
read-byte 21-15	repertoire 13–2, 26–48
read-char 21–18	replace 17–25
read-char-no-hang 21-19	report 26–48
read-default-float-format 23–19	report message 9-4, 26-48
read-delimited-list 23–8	require 24–15
read-eval 2-33, 23-20	required parameter 26–48
read-from-string 23-10	rest 14–38
5	

rest list 26–48	secondary value 26–50
rest parameter 26–48	section 26–50
restart 26–48	sections 22–14
restart 9-48	self-evaluating object 26–50
restart designator 26–49	semi- $standard$ 26–50
restart function 26–49	semicolon 26–51
restart-bind 9-54	Semicolon (format directive) 22–40
restart-case 9-56	Semicolon (reader macro) 2–24
restart-name 9-61	sequence 17–1, 26–51
return 26–49	sequence 17–5
return 5–47	sequence function 17-1, 26-51
return value 26-49	sequential 26–51
return-from 5–45	sequentially 26–51
revappend 14–31	serious condition 26–51
reverse 17–17	serious-condition 9–12
Right-Brace (format directive) 22–39	session 26–51
Right-Bracket (format directive) 22–37	set 26-51
Right-Paren (format directive) 22–40	set 10-22
right-parenthesis 26–49	set-char-bit A-1
Right-Parenthesis (reader macro) 2–23	set-difference 14–56
room 25–21	set-dispatch-macro-character 23–13
rotatef 5-103	set-exclusive-or 14–58
round 12–25	set-macro-character 23–14
	set-pprint-dispatch 22–60
row-major-aref 15–28	set-syntax-from-char 23–16
rplaca 14-8	setf 5-99, 25-18
rplacd 14-8	setf expander 26–51
run time 3–15, 26–49	setf expansion 26–51
run-time compiler 3–15, 26–49	setf function 26–51
run-time definition 3–15, 26–49	setf function name 26–51
run-time environment 3–15, 26–49	* *
S (format directive) 22–31	setq 5–39
S (sharpsign reader macro) 2–36	seventh 14-25
safe 1–15, 26–49	shadow 3-11, 4-8, 26-51
safe call 3-50, 26-49	shadow 11–15
safety 3-29, 3-97	shadowing symbol 11–3, 11–4, 26–51
same 26-49	shadowing symbols list 26–51
satisfies 4–26	shadowing-import 11–16
satisfy the test 17-2, 17-4, 26-50	shared slot 26–52
sbit 15–36	shared-initialize 7–32
scale-float 12–82	sharpsign 26–52
schar 16–5	Sharpsign (reader macro) 2–29
scope 26-50	Sharpsign (sharpsign reader macro) 2–37
script 26–50	Sharpsign A (reader macro) 2–35
search 17-23	Sharpsign Asterisk (reader macro) 2–32
second 14–25	Sharpsign B (reader macro) 2–33

Sharpsign Backslash (reader macro) 2–31 Sharpsign C (reader macro) 2–34 Sharpsign Colon (reader macro) 2–33 Sharpsign Dot (reader macro) 2–33 Sharpsign Equal-Sign (reader macro) 2–36 Sharpsign Left-Parenthesis (reader macro) 2–31 Sharpsign Less-Than-Sign (reader macro) 2–39 Sharpsign Minus (reader macro) 2–37 Sharpsign O (reader macro) 2–33 Sharpsign P (reader macro) 2–36 Sharpsign Plus (reader macro) 2–37 Sharpsign R (reader macro) 2–34 Sharpsign Right-Parenthesis 2–40 Sharpsign S (reader macro) 2–36 Sharpsign Sharpsign (reader macro) 2–36 Sharpsign Sharpsign (reader macro) 2–37, 22–56	simple-bit-vector $2-32$, $15-10$ simple-bit-vector-p $15-40$ simple-condition $9-28$ simple-condition-format-arguments $9-29$ simple-condition-format-control $9-29$ simple-error $9-25$ simple-string $16-3$ simple-string-p $16-4$ simple-type-error $4-42$ simple-vector-p $15-31$ simple-warning $9-31$ sin $12-28$ single escape $2-9$, $26-53$ single float $26-53$ single-float $12-14$
Sharpsign Single-Quote (reader macro) 2–31 Sharpsign Vertical-Bar (reader macro) 2–38 Sharpsign Whitespace 2–39, 2–40 Sharpsign X (reader macro) 2–34 shiftf 5–101	single-float-epsilon 12–88 single-float-negative-epsilon 12–88 single-quote 26–53 Single-Quote (reader macro) 2–24 Single-Quote (sharpsign reader macro) 2–31
$\begin{array}{lll} \textbf{short float} & 26-52 \\ \textbf{short-float} & 12-14 \\ \textbf{short-float-epsilon} & 12-88 \\ \textbf{short-float-negative-epsilon} & 12-88 \\ \end{array}$	singleton 26–53 sinh 12–33 situation 26–53 sixth 14–25
$\begin{array}{lll} \textbf{short-site-name} & 25-28 \\ \textbf{should signal} & 1-16 \\ sign & 26-52 \\ signal & 1-16, 1-17, 26-52 \end{array}$	slash 26–53 Slash (format directive) 22–33 sleep 25–7 slot 26–53
$\begin{array}{ll} \textbf{signal} & 9\text{-}27 \\ signature & 26\text{-}52 \\ \textbf{signed-byte} & 12\text{-}17 \\ \textbf{signum} & 12\text{-}48 \end{array}$	slot specifier 4-10, 26-53 slot-boundp 7-40 slot-exists-p 7-41 slot-makunbound 7-42
similar 3–23, 26–52 similarity 26–52 simple 26–52 simple array 26–52	slot-missing 7–43 slot-unbound 7–44 slot-value 7–45 software-type 25–31
$\begin{array}{ccc} simple \ bit \ array & 26-52 \\ simple \ bit \ vector & 26-52 \\ simple \ condition & 26-52 \end{array}$	software-version 25–31 some 5–67 sort 17–18
$\begin{array}{ll} simple \ general \ vector & 26-52 \\ simple \ string & 26-52 \\ simple \ vector & 26-53 \\ \textbf{simple-array} & 15-6 \end{array}$	source code 24–1, 26–53 source file 24–1, 26–53 space 26–53 space 3–97
simple-base-string 16-4	special 3–29, 3–98

stream-element-type 21-13 special form 26–53 stream-error 21–60 special operator 26–53 special variable 26–53 stream-error-stream 21-60 stream-external-format 21-36special-operator-p 3-103 $\mathbf{streamp} \quad 21\text{--}14$ specialize 26-54string 15–3, 26–56 string 2–26, 16–2, 16–6 specialized 26–54 specialized lambda list 3-40, 26-54 $string\ designator\quad 26\text{--}56$ **speed** 3–97 string equal 26–56 spreadable argument list designator 26-54 string stream 26–56 **sqrt** 12–49 string-capitalize 16-7 stable-sort 17-18 ${\tt string-char} \quad A-1$ stack allocate 26–54 stack-allocated 26-54 string-char-p A-1 string-downcase 16-7 standard 7-24, 7-26string-equal 16-10 standard character 2-2, 26-54 $standard\ class \quad 26\text{--}54$ string-greaterp 16-10 string-left-trim 16-9 standard generic function 26–54 string-lessp 16-10 standard input 26–54 standard method combination 26–54 string-not-equal 16-10 string-not-greaterp 16-10 standard object 26–54 string-not-lessp 16-10 standard output 26-55 string-right-trim 16-9 standard pprint dispatch table 26–55 string-stream 21-10 standard readtable 2-1, 26-55 string-trim 16-9 standard syntax 2-1, 26-55 string-upcase 16-7 standard-char 13-9 string/= 16-10 $\mathbf{standard\text{-}char\text{-}p} \quad 13\text{--}18$ **string**< 16-10 standard-class 4-24 $string \le 16-10$ standard-generic-function 4-23 $\widetilde{\text{string}} = 16-10$ *standard-input* 21-57standard-method 4-25**string>** 16–10 **string>=** 16-10 standard-object 4-25 **stringp** 16-12 *standard-output* 21-57 $structure \quad 26\text{--}56$ standardized 26–55 structure 2-36, 25-19 startup environment 3–14, 26–55 $structure\ class$ 26–56 $step \quad 26\text{--}55$ **step** 25–13 $structure\ name \ 26-56$ structure-class 4-24 ${\bf storage\text{-}condition} \quad 9\text{--}15$ structure-object 4-25 store-value 9-67, 9-68 style warning 26–56 stream 20–1, 21–1, 21–2, 26–55 style-warning 9-12 stream 21-7subclass 4-8, 26-56 stream associated with a file 20-1, 26-55 subexpression 26-57stream designator 26–56 subform 26-57stream element type 26–56 **sublis** 14–13 stream variable 21–4, 26–56 subrepertoire 26-57 $stream\ variable\ designator \ \ 26-56$

17.0	*terminal-io* 21–59
subseq 17–9	terminating 2–8, 26–58
subsetp 14–59	terpri 21–21
subst 14–15	tertiary value 26–58
subst-if 14-15	the 3–102
subst-if-not 14–15	third 14–25
substitute 17–26	throw 26–58
substitute-if 17-26	throw 5–49
substitute-if-not 17-26	
subtype 26–57	tilde 26–58
subtypep 4–34	Tilde (format directive) 22–25
superclass 4–8, 26–57	Tilde A (format directive) 22–31
supertype 26–57	Tilde Ampersand (format directive) 22–25
supplied-p parameter 26–57	Tilde Asterisk (format directive) 22–36
svref 15–32	Tilde B (format directive) 22–26
sxhash 18–15	Tilde C (format directive) 22–24
symbol 26–57	Tilde Circumflex (format directive) 22–41
symbol 2-33, 10-2	Tilde D (format directive) 22–26
$symbol\ macro$ 3–18, 26–57	Tilde Dollarsign (format directive) 22–30
symbol-function 10–11	Tilde E (format directive) 22–28
symbol-macrolet 3-18, 3-79	Tilde F (format directive) 22–27
symbol-name 10-13	Tilde G (format directive) 22–30
symbol-package 10-14	Tilde Greater-Than-Sign (format directive) 22–36
symbol-plist 10–15	
symbol-value 10–16	Tilde I (format directive) 22–33
symbolp 10-4	Tilde Left-Brace (format directive) 22–37
synonym stream 26–57	Tilde Left-Bracket (format directive) 22–36
synonym stream symbol 26–57	Tilde Left-Paren (format directive) 22–39
synonym-stream 21–10	Tilde Less-Than-Sign (format directive) 22–32, 22–
synonym-stream-symbol 21–46	35
syntax type 2-5, 26-57	Tilde Newline (format directive) 22–42
SYSTEM package A-1	Tilde O (format directive) 22–27
system class 26–58	Tilde P (format directive) 22–40
system code 26–58	Tilde Percent (format directive) 22–25
t 26–58	Tilde Question-Mark (format directive) 22–39
t 4-26, 5-55, 5-74, 5-77, 25-18, 25-19	Tilde R (format directive) 22–25
T (format directive) 22–34	Tilde Right-Brace (format directive) 22–39
tag 26–58	Tilde Right-Bracket (format directive) 22–37
tagbody 5–48	Tilde Right-Paren (format directive) 22–40
tail 26–58	Tilde S (format directive) 22–31
tailp 14–35	Tilde Semicolon (format directive) 22–40
tan 12–28	Tilde Slash (format directive) 22–33
tanh 12–33	Tilde T (format directive) 22–34
target 26–58	Tilde Tilde (format directive) 22–25
tenth 14–25	Tilde Underscore (format directive) 22–32
terminal I/O 26–58	Tilde Vertical-Bar (format directive) 22–25
1/ U 20-30	

$\begin{array}{c} trace output 26-59 \\ **trace-output* \; 21-57 \\ translate-logical-pathname 19-35 \\ translate-pathname 19-36 \\ tree 14-1, 26-59 \\ tree structure \; 26-59 \\ tree equal \; 14-18 \\ true 26-59 \\ truename \; 20-2, 26-59 \\ truename \; 20-2, 26-59 \\ truename \; 20-5 \\ truename \; 20-5 \\ truename \; 20-5 \\ truename \; 20-5 \\ truename \; 21-11 \\ two-way-stream \; 21-11 \\ two-way-stream-output-stream \; 21-49 \\ type \; 26-59 \\ type \; 26-59 \\ type \; 26-60 \\ type \; equivalent \; 26-60 \\ type \; expand \; 26-60 \\ type \; expand \; 26-60 \\ type-error-expected-type \; 4-41 \\ type-error-expected-type \; 4-41 \\ type-error-expected-type \; 4-41 \\ type-error-expected-type \; 4-41 \\ type-error-expected-type \; 4-60 \\ unbound-slot-instance \; 7-91 \\ unbound-variable \; 10-23 \\ undefined function \; 26-60 \\ undefined for time \; 26-62 \\ undefined function \; 26-60 \\ undefined for time \; 26-62 \\ undefined function \; 26-60 \\ undefined function \;$	Tilde W (format directive) 22–32 Tilde X (format directive) 22–27 time 26–58 time 25–14 time zone 26–59 token 2–6, 26–59 top level form 26–59 trace 25–12	unintern 26–60 unintern 11–25 uninterned 26–60 union 14–61 universal time 25–3, 26–60 unless 5–72 unqualified method 26–60 unread-char 21–22 unregistered package 26–60
translate-logical-pathname 19-35		
translate-pathname 19-36 tree 14-1, 26-59 tree structure 26-59 tree-equal 14-18 unspecified consequences 1-17 true 26-59 truename 20-2, 26-59 truename 20-2, 26-59 truename 20-5 truename 20-5 truename 20-5 truename 20-5 two-way stream 26-59 two-way-stream 21-11 two-way-stream-input-stream 21-49 twp- 26-59 type 3-90, 25-19 type 3-90, 25-19 type declaration 26-60 type equivalent 26-60 type expand 26-60 type-error-datum 4-41 use-package 11-28 type-de-60 unbound-slot 7-90 unbound-slot 7-90 unbound-slot 7-90 valid array index 26-62 unbound-slot-instance 7-91 unbound-variable 10-23 undefined consequences 1-17 valid pathname host 26-62 valid pathname device 26-62 valid pathname host 26-62		
tree 14-1, 26-59 :unspecific 19-6 tree structure 26-59 unspecified consequences 1-17 tree-equal 14-18 unspecified values 1-17 true 26-59 untrace 25-12 truename 20-2, 26-59 unuse-package 11-27 truncate 12-25 unwind-protect 5-51 two-way stream 26-59 update-instance-for-different-class 7-35 two-way-stream 21-11 update-instance-for-different-class 7-35 two-way-stream-output-stream 21-49 upgrade 26-61 type 3-90, 25-19 upgraded array element type 15-3, 26-61 type 3-90, 25-19 upgraded-complex part type 15-29 type declaration 26-60 upgraded-complex-part-type 12-60 type expand 26-60 upgraded-complex-part-type 12-60 type expecifier 26-60 upercase 26-61 type-error 4-41 use list 26-61 type-error 4-41 use-package 11-28 type-error-expected-type 4-41 use-package 1 type-of 4-37 user 26-61 type-of 4-39 user 10-10 unbound 26-60 user 10-10 unbound 26-60 valid array index 26-62 unbound slot instance 7-91		
tree structure 26-59 unspecified consequences 1-17 true 26-59 unspecified value 1-17 true 26-59 untrace 25-12 truename 20-2, 26-59 unuse-package 11-27 truename 20-5 unideprotect 5-51 truename 20-5 update-instance-for-different-class 7-34 two-way stream 26-59 update-instance-for-redefined-class 7-34 two-way-stream-input-stream 21-49 upgrade 26-61 twpe 26-59 upgraded complex part type 15-3, 26-61 type 26-59 upgraded carray element type 15-3, 26-61 15		
tree-equal 14-18 unspecified values 1-17 true 26-59 untrace 25-12 truename 20-2, 26-59 unuse-package 11-27 truename 20-5 unwind-protect 5-51 truename 20-5 unwind-protect 5-51 truename 20-59 unwind-protect 5-51 two-way stream 26-59 update-instance-for-different-class 7-34 two-way-stream 21-11 update-instance-for-different-class 7-34 two-way-stream-output-stream 21-49 update-instance-for-different-class 7-34 two-way-stream-output-stream 21-49 update-instance-for-different-class 7-34 two-way-stream-output-stream 21-49 update-instance-for-different-class 7-35 two-way-stream-output-stream 21-49 update-instance-for-different-class 7-34 update-instance-for-different-class 7-35 upgated-complex-part-type 15-3, 26-61 type 26-59 upgraded-complex-part-type 15-3, 26-61 upgraded-complex-part-type 15-3, 26-61 </td <td></td> <td></td>		
$\begin{array}{c} true 26-59 \\ truename 20-2, 26-59 \\ truename 20-2, 26-59 \\ truename 20-5 \\ truename 20-5 \\ truename 20-5 \\ truename 20-5 \\ two-way stream 26-59 \\ two-way stream 26-59 \\ two-way-stream 21-11 \\ two-way-stream-input-stream 21-49 \\ two-way-stream-output-stream 21-49 \\ type 26-59 \\ type 3-90, 25-19 \\ type 3-90, 25-19 \\ type 40-80 $		
truename 20-2, 26-59 truename 20-5 truename 20-6 two-way stream 26-59 update-instance-for-different-class 7-34 update-instance-for-redefined-class 7-35 two-way-stream-input-stream 21-49 two-way-stream-output-stream 21-49 type 26-59 upgrade 26-61 type 3-90, 25-19 type declaration 26-60 upper-case-p 13-20 upgraded-array-element-type 15-29 upgraded-array-element-type 12-60 type equivalent 26-60 upper-case-p 13-20 upper-case-p 13-20 upper-case-p 13-20 type specifier 26-60 type-error 4-41 type-error-datum 4-41 type-error-expected-type 4-41 use-package 11-28 type-of 4-37 typecase 5-76 USER package A-1 type-of 4-39 unbound variable 26-60 unbound-slot 7-90 unbound-slot 7-90 unbound-slot-instance 7-91 unbound-variable 10-23 undefined consequences 1-17 undefined function 26-60 undefined-function 5-104 Underscore (format directive) 22-32 undefined pathname name 26-62 unlight pathnam		-
truename 20–5		
truncate $12-25$ $two-way stream 26-59$ $two-way-stream 21-11$ $two-way-stream 21-11$ $two-way-stream 21-12$ $two-way-stream 21-149$ $two-way-stream 21-49$ $two-way-stream 21-49$ $two-way-stream-output-stream 21-49$ $type 26-59$ $type 26-59$ $type 3-90, 25-19$ $type declaration 26-60$ $type equivalent 26-60$ $type expand 26-60$ $type expand 26-60$ $type specifier 26-60$ $type specifier 26-60$ $type-error 4-41$ $type-error 4-41$ $type-error 4-41$ $type-error 4-41$ $type-error 4-37$ $type 4-39$ $unbound 26-60$ $unbound 26$		• 0
$\begin{array}{c} \text{two-way stream} & 26-59 \\ \text{two-way-stream} & 21-11 \\ \text{two-way-stream-input-stream} & 21-49 \\ \text{two-way-stream-output-stream} & 21-49 \\ \text{type} & 26-59 \\ \text{type} & 26-59 \\ \text{type} & 3-90, 25-19 \\ \text{type} & equivalent} & 26-60 \\ \text{type} & expand} & 26-60 \\ \text{type-error-} & 4-41 \\ \text{type-error-expected-type} & 4-41 \\ \text{type-error-expected-type} & 4-41 \\ \text{type-of} & 4-37 \\ \text{type-of} & 4-39 \\ \text{type-of} & 4-39 \\ \text{unbound} & 26-60 \\ \text{unbound-slot-instance} & 7-90 \\ \text{unbound-slot-instance} & 7-91 \\ \text{unbefined consequences} & 1-12 \\ \text{undefined function} & 26-62 \\ \text{undefined-function} & 5-104 \\ \text{Underscore} & (format directive) & 22-32 \\ \end{array}$		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		±
two-way-stream-input-stream 21–49 two-way-stream-output-stream 21–49 type 26–59 type 3–90, 25–19 type declaration 26–60 type equivalent 26–60 type expand 26–60 type expand 26–60 type expand 26–60 type-error 4–41 type-error 4–41 type-error-expected-type 4–41 type-of 4–37 typecase 5–76 typease 5–76 type 3–90 type 4–39 unbound 26–60 unbound-slot 7–90 unbound-slot 7–90 undefined consequences 1–17 undefined function 5–104 upgraded array element type 15–3, 26–61 upgraded-complex-part-type 15–29 upgraded-complex-part-type 15–29 upgraded-complex-part-type 15–29 upgraded-complex-part-type 15–29 upgraded-complex-part-type 15–29 upgraded-complex-part-type 15–29 upgraded-complex part type 26–61 uppgraded array element type 15–3, 26–61 upgraded complex part type 26–61 uppgraded complex part type 26–61 uppgraded complex part type 15–29 upgraded-complex-part-type 12–60 upper-case-p 13–20 upper-case-p 13	· ·	-
two-way-stream-output-stream 21-49 upgraded array element type 15-3, 26-61 type 26-59 upgraded complex part type 26-61 type 3-90, 25-19 upgraded-array-element-type 15-29 type declaration 26-60 upgraded-complex-part-type 12-60 type equivalent 26-60 uppercase-p 13-20 type expand 26-60 uppercase-p 26-61 type expand 26-60 use 26-61 type-error 4-41 use list 26-61 type-error-datum 4-41 use-package 11-28 type-or 4-37 user-local user 26-61 type-or 4-37 user base and user-homedir-pathname 25-32 type-or 4-39 user-homedir-pathname 25-32 unbound 26-60 valid array dimension 26-61 unbound-slot 7-90 valid array index 26-62 unbound-variable 10-23 valid pathname host 26-62 undefined consequences 1-17 valid pathname directory 26-62 </td <td>v</td> <td><u> </u></td>	v	<u> </u>
$\begin{array}{llllllllllllllllllllllllllllllllllll$		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		upgraded-array-element-type 15-29
$\begin{array}{llllllllllllllllllllllllllllllllllll$		upgraded-complex-part-type 12-60
$\begin{array}{llllllllllllllllllllllllllllllllllll$	01	upper-case-p $13-20$
$\begin{array}{llllllllllllllllllllllllllllllllllll$	01 1	uppercase 26–61
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		use 26-61
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	v v	use list 26–61
$\begin{array}{llllllllllllllllllllllllllllllllllll$		use-package 11-28
$\begin{array}{llllllllllllllllllllllllllllllllllll$		use-value 9–68
$\begin{array}{llllllllllllllllllllllllllllllllllll$	type-of 4-37	user 26-61
$\begin{array}{c} \textit{unbound} \textit{26-60} \\ \textit{unbound} \textit{valid array dimension} \textit{26-61} \\ \textit{unbound variable} \textit{26-60} \\ \textit{unbound-slot} \textit{7-90} \\ \textit{unbound-slot-instance} \textit{7-91} \\ \textit{unbound-variable} \textit{10-23} \\ \textit{undefined consequences} \textit{1-17} \\ \textit{undefined function} \textit{26-60} \\ \textit{undefined-function} \textit{26-60} \\ \textit{undefined-function} \textit{5-104} \\ \textit{Underscore} \; (\text{format directive}) \textit{22-32} \\ \end{array} \begin{array}{c} \textit{valid array dimension} \textit{26-61} \\ \textit{valid array row-major index} \textit{26-62} \\ \textit{valid fill pointer} \textit{26-62} \\ \textit{valid pointer} \textit{26-62} \\ \textit{valid pathname device} \textit{26-62} \\ \textit{valid pathname host} \textit{26-62} \\ \textit{valid pathname name} \textit{26-62} \\ \textit{valid pathname name} \textit{26-62} \\ \textit{valid pathname name} \textit{26-62} \\ \end{array}$		1 0
$\begin{array}{llllllllllllllllllllllllllllllllllll$	typep 4-39	
$\begin{array}{llllllllllllllllllllllllllllllllllll$	unbound 26–60	
$\begin{array}{llllllllllllllllllllllllllllllllllll$	unbound variable 26–60	
unbound-variable10-23valid logical pathname host26-62undefined consequences1-17valid pathname device26-62undefined function26-60valid pathname directory26-62undefined-function5-104valid pathname host26-62Underscore (format directive)22-32valid pathname name26-62	unbound-slot 7-90	
undefined consequences 1–17 undefined function 26–60 undefined-function 5–104 Underscore (format directive) 22–32 valid pathname device 26–62 valid pathname directory 26–62 valid pathname host 26–62 valid pathname name 26–62	unbound-slot-instance 7–91	
undefined function 26–60 valid pathname directory 26–62 undefined-function 5–104 valid pathname host 26–62 Underscore (format directive) 22–32 valid pathname name 26–62	unbound-variable 10–23	
undefined-function 5–104 valid pathname host 26–62 Underscore (format directive) 22–32 valid pathname name 26–62	±	
Underscore (format directive) 22–32 valid pathname name 26–62		
1:1 11 20 00		
unexport 11–24 vana panname type 20–02	,	
	unexport 11–24	оши ранните туре 20-02

 $valid\ pathname\ version \quad 26\text{--}62$ valid physical pathname host 26-62 valid sequence index 26–62 value 26-63 $value\ cell$ 26–63 values 4-29, 5-84 $\mathbf{values\text{-}list} \quad 5\text{--}85$ $variable \quad 26\text{--}63$ variable 25–19 vector 15-1, 26-63 **vector** 2-31, 15-7, 15-33 ${\bf vector\text{-}pop} \quad 15\text{--}33$ vector-push 15-34vector-push-extend 15-34 **vectorp** 15-36 vertical-bar 26–63 Vertical-Bar (format directive) 22–25 Vertical-Bar (sharpsign reader macro) 2–38 W (format directive) 22–32 **warn** 9-29 $\mathbf{warning} \quad 9\text{--}11$ warning 1-18 $\mathbf{when} \quad 5\text{--}72$ $white space \quad 26\text{--}63$ $wild \quad 26\text{--}63$:wild 19-5, 19-8:wild-inferiors 19-5, 19-8wild-pathname-p 19-33 $\textbf{with-accessors} \quad 7\text{--}56$ with-compilation-unit 24-8 $\textbf{with-condition-restarts} \quad 9-62$ with-hash-table-iterator 18-13 $\textbf{with-input-from-string} \quad 21-54$ with-open-file 21-37 with-open-stream 21-40 with-output-to-string 21-55 with-package-iterator 11-21 with-simple-restart 9-63 with-slots 7-58 with-standard-io-syntax 23-17 $write \quad 26\text{--}63$ $\mathbf{write} \quad 22\text{--}61$ write-byte 21–16 write-char 21–23 write-line 21–25

write-sequence 21–27 write-string 21–25 write-to-string 22–64 writer 26–63 X (format directive) 22–27 X (sharpsign reader macro) 2–34 y-or-n-p 21–44 yes-or-no-p 21–44 yield 26–64 zerop 12–25 ' 2–26

Credits

Principal Technical Editors:

Kent M. Pitman Harlequin, Inc. 1993-present Symbolics, Inc. 1990-1992

Kathy Chapman Digital Equipment Corporation 1987-1989

Occasional Guest Editors:

Richard P. Gabriel Lucid, Inc. Sandra Loosemore self

Financial Contributors to the Editing Process:

Digital Equipment Corporation Harlequin, Ltd. and Harlequin, Inc. Symbolics, Inc. Apple, Inc. Franz, Inc. Lucid, Inc.

Special thanks to Guy L. Steele Jr. and Digital Press for producing *Common Lisp: The Language*, and for relaxing copyright restrictions enough to make it possible for that document's text to provide an early basis of this work.

Edit and Review History:

```
01-Jan-89
             Chapman
                           Draft of Chapters 1.1 (scope).
01-Jan-89
                           Draft of Chapters 5.1 (conditions).
             Pitman
01-May-89
             Chapman
                           Draft of 1.2–1.6.
01-May-89
             Gabriel
                           Rewrite of Chapters 1.1 and 5.1.
01-Jun-89
             Loosemore
                           Review of Chapter 4.2.
                           Review of Glossary
01-Jun-89
             Pitman
15-Jun-89
             Gabriel
                           Rewrite of Glossary
                           Comments on Chapters 2.1–2.4 (types, objects).
16-Jun-89
             Margolin
             Gabriel
                           Rewrite of 4.2.
23-Jun-89
07-Jul-89
             Moon
                           Review of Chapters 4.1, 4.3
12-Jul-89
             Gabriel
                           Revision of 4.2.
                           Review of Glossary
15-Jul-89
             Pitman
18-Jul-89
             Gray
                            Comments on 5.1
25-Jul-89
             Gabriel
                            Revision of Chapters 1.2–1.6, 2.2
                            Rewrite of 5.1
26-Jul-89
             Gabriel
             Gabriel
                           Rewrite of 4.1.
26-Jul-89
27-Jul-89
             Pitman
                           Revision of 5.1
27-Jul-89
             Gabriel
                           Revision of 5.1
28-Jul-89
             Chapman
                           Draft of 2.2, 3.2, 3.3, 5.4
28-Jul-89
             Gabriel
                           Revision of Glossary.
01-Oct-89
             Margolin
                           Review of Dictionary from Jun-89 draft.
20-Jan-91
             Pitman
                           Draft 8.81 (for X3J13 review). Document X3J13/91-101.
29-Jan-91
             Waters
                           Review of 8.81/Chapter 23 (Printer).
01
-Mar-91
             Moon
                           Review of 8.81/Chapter 4 (Evaluation and Compilation).
                           Review of 8.81/Chapter 4 (Evaluation and Compilation).
01-Mar-91
             Barrett
                           Review of 8.81/Glossary.
01-Mar-91
             Moon
                           Review of 8.81/Glossary.
13-Mar-90
             Wechsler
                           Review of 8.81/Chapter 1.
21-Mar-91
             Kerns
             Margolin
                           Review of 8.81/Chapters 1–12.
26-Apr-91
15-May-91
             Barrett
                           Review of 8.81/Chapters 5 (Misc), 11 (Conditions).
04-Jun-91
             Laddaga
                           Review of 9.60/Chapter 20 (Pathnames).
10-Jun-91
             Pitman
                           Draft 9.126 (for X3J13 review). Document X3J13/91-102.
02-Sep-91
             Barrett
                           Review of 9.28/Chapter 4 (Evaluation and Compilation).
02\text{-Sep-}91
             Barrett
                            Review of 9.52/Chapter 4 (Evaluation and Compilation).
15-Sep-91
             Barrett
                           Review of 9.126/Chapter 4 (Evaluation and Compilation)
                              and Chapter 7 (Evaluation/Compilation).
                              (some comments not yet merged)
18-Sep-91
             Wechsler
                            Review of 9.126.
                           Review of 10.16/Chapter 7 (Evaluation/Compilation).
21-Sep-91
             Barrett
                              (some comments not yet merged)
                            Review of 10.95/Chapter 25 (Printer).
28-Sep-91
             Barrett
                              (some comments not yet merged)
```

13-Oct-91	Barrett	Review (and help editing) of 10.104/Chapter 4 (Evaluation and Compilation)
15-Oct-91	Waters	Review of 10.95/Chapter 25 (Printer).
24-Oct-91	Pitman	Draft 10.156 (for X3J13 review). Document X3J13/91-103.
04-Nov-91	Moon	Review of 10.156/Chapter 5 (Data and Control Flow)
04-N0V-91	MOOH	and Chapter 26 (Glossary).
11 Nov. 01	Lagamana	
11-Nov-91	Loosemore	Review of 10.156/Chapter 2 (Syntax), Chapter 3 (Evaluation and Compilation), Chapter 5 (Data and Control Flow), and Chapter 8 (Structures).
02-Dec-91	Barrett	Review of 10.156/Chapter 4 (Types and Classes), and Chapter 10 (Symbols).
02-Dec-91	Barrett	Review of 10.156/Chapter 3 (Evaluation and Compilation),
		Chapter 6 (Iteration), Chapter 9 (Conditions), and Chapter 14 (Conses).
		(some comments not yet merged)
$09 ext{-} ext{Dec-}91$	Gabriel	Review of 10.156/Chapter 1 (Introduction),
		Chapter 2 (Syntax), and Chapter 3 (Evaluation and Compilation).
$09\text{-}\mathrm{Dec}\text{-}91$	Ida	Light review of 10.156/Chapters 1-5.
$09 ext{-} ext{Dec-}91$	Moon	Review of 10.156/Chapter 3 (Evaluation and Compilation).
		(some comments not yet merged)
10 - Dec- 91	Loosemore	Review of 10.156/Chapter 10 (Symbols),
		Chapter 20 (Files), and Chapter 13 (Characters).
10-Dec-91	Loosemore	Review of 10.156/Chapter 14 (Conses).
		(some comments not yet merged)
10-Dec-91	Laubsch	Review of 10.156/Chapters 1 (Introduction),
		Chapter 2 (Syntax), Chapter 3 (Evaluation and Compilation), Chapter 4 (Types and Classes), Chapter 5 (Data and Control Flow), Chapter 7 (Objects), Chapter 11 (Packages), Chapter 19 (Filenames), and Chapter 21 (Streams).
18-Dec-91	Margolin	Review of 10.156/Chapter 18 (Hash Tables).
04 -Jan-92	White	Review of 10.156/Chapter 6 (Iteration),
		Chapter 11 (Packages), Chapter 18 (Hash Tables), and Chapter 23 (Reader).
04-Jan-92	White	Review of 10.156/Chapter 26 (Glossary). (some comments not yet merged)
04 -Jan-92	Barrett	Review of 10.156/Chapter 18 (Hash Tables) and Chapter 16 (Strings).
04-Jan-92	Barrett	Review of 10.156/Chapter 15 (Arrays) and Chapter 21 (Streams). (some comments not yet merged)
06-Jan-92	Loosemore	Review of 10.156/Chapter 16 (Strings), Chapter 17 (Sequences), and Chapter 25 (Environment).
06-Jan-92	Loosemore	Review of 10.156/Chapter 21 (Streams) and Chapter 23 (Reader). (some comments not yet merged)
$06 ext{-Jan-}92$	Margolin	Review of 10.156/Chapter 2 (Syntax).
07-Jan-92	Margolin	Review of 10.156/Chapter 4 (Types and Classes).
$03 ext{-}{ m Feb} ext{-}92$	Aspinall	Review of 10.156/Chapter 12 (Numbers).
	*	, , ,

$16 ext{-}{ m Feb ext{-}}92$	Pitman	Draft 11.82 (for X3J13 letter ballot). Document X3J13/92-101.
16-Mar-92	Loosemore	Review of 11.82/Chapter 1, 3, 4, 5, 7, 8, 9, 10,
		11, 12, 18, 22, 23, 24, 25, and 26.
$16 ext{-}{ m Feb ext{-}}92$	Pitman	Draft 12.24 (for X3 consideration). Document X3J13/92-102.
09 -Sep -92	Samson	Public Review Comments (#1). Documents X3J13/92-1001 to 92-1003.
22-Oct-92	Rose, Yen	Public Review Comments (#2). Documents X3J13/92-1101 to 92-1103.
23-Oct-92	Staley	Public Review Comments (#3). Documents X3J13/92-1201 to 92-1204.
09-Nov-92	Barrett	Public Review Comments (#4). Documents X3J13/92-3101 to 92-3110.
11-Nov-92	Moon	Public Review Comments (#5). Documents X3J13/92-3201 to 92-3248.
17-Nov-92	Loosemore	Public Review Comments (#6). Documents X3J13/92-1301 to 92-1335.
23-Nov-92	Margolin	Public Review Comments $(\#7)$. Documents X3J13/92-1401 to 92-1419.
23-Nov-92	Withington	Public Review Comments (#8a). Documents X3J13/92-1501 to 92-1512.
		(11-11)
23-Nov-92	Feinberg	Public Review Comments (#8b). Documents X3J13/92-1601 to 92-1603.
23-Nov-92	Wechsler	Public Review Comments (#8c). Documents X3J13/92-1701 to 92-1703.
23-Nov-92	Moore	Public Review Comments (#9). Documents X3J13/92-1801 to 92-1802.
23-Nov-92	Flanagan	Public Review Comments (#10). Documents X3J13/92-1901 to 92-1910.
23-Nov-92	Dalton	Public Review Comments (#11). Documents X3J13/92-2001 to 92-2012.
23-Nov-92	Gallagher	Public Review Comments (#12). Documents X3J13/92-2101 to 92-2103.
23-Nov-92	Norvig	Public Review Comments (#13). Documents X3J13/92-2201 to 92-2208.
24-Nov-92	Robertson	Public Review Comments (#14). Document X3J13/92-2301.
23-Nov-92	Kawabe	Public Review Comments (#15). Documents X3J13/92-2401 to 92-2403.
23-Nov-92	Barrett	Public Review Comments (#16). Documents X3J13/92-2511 to X3J13/92-2531.
23-Nov-92	Wertheimer	Public Review Comments (#17). Document X3J13/92-2601.
24-Nov-92	Pitman	Public Review Comments (#18). Documents X3J13/92-2701 to 92-2742.
24-Nov-92	Mato Mira	Public Review Comments (#19). Documents X3J13/92-2801 to 92-2805.
24-Nov-92	Philpot	Public Review Comments (#20). Document X3J13/92-2901.
23-Nov-92	Cerys	Public Review Comments (#21). Document X3J13/92-3001.
30-Aug- 93	Pitman	Draft 13.65 (for X3J13 consideration). Document X3J13/93-101.
$04 ext{-}0ct ext{-}93$	X3J13	Minor fixes to Draft 13.65 before sending to X3.
05-Oct-93	Pitman	Draft 14.10 (for X3 consideration). Document X3J13/93-102.
08-Nov-93	Dalton	"reply to reply to pr comments". Document X3J13/94-311.
04 -Apr-94	Boyer,	
	Kaufmann,	
	Moore	Public Review Comments (#1). Document X3J13/94-305.
05-Apr-94	Pitman	Public Review Comments (#2). Document X3J13/94-306.
14-Mar- 94	Schulenburg	Public Review Comments (#3). Document X3J13/94-307.
04 -Apr-94	Shepard	Late commentary. Document X3J13/94-309.
05-May- 94	X3J13	Editorial-only changes to Draft 14.10 in response to comments.
10-May- 94	Pitman	Draft 15.17 (for X3 consideration). Document X3J13/94-101.

The following lists of information are almost certainly incomplete, but it was felt that it was better to risk publishing incomplete information than to fail to acknowledge important contributions by the many people and organizations who have contributed to this effort.

Mention here of any individual or organization does not imply endorsement of this document by that individual or organization.

Ad Hoc Group Chairs:

Conditions

Validation

Editorial

Linden, Thom Characters Ennis, Susan P. Charter Cleanup Masinter, Larry Fahlman, Scott

Haflich, Steve

Compiler

Loosemore, Sandra Pitman, Kent M. Chapman, Kathy Douglas Rand

Graphics & Windows Iteration White, JonL $Lisp_1/Lisp_2$ Gabriel, Richard P. Haflich, Steve Macros

Pitman, Kent M. Bobrow, Daniel G. Objects Presentation of Standard Brown, Gary Pretty Printer Waters, Richard C. Public Review Ida, Masayuki Types & Declarations Scherlis, William

Berman, Richard Balzer, Bob

Major Administrative Contributions:

Mathis, Robert Brown, Gary Steele, Guy L., Jr. Eiron, Hanoch Zubkoff, Jan L. Haflich, Steve Gabriel, Richard P. Ida, Masavuki Masinter, Larry Loeffler, David D. Loosemore, Sandra Tyson, Mabry Pitman, Kent M. Whittemore, Susan Barrett, Kim Woodyatt, Anne

Major Technical Contributions:

Barrett, Kim A. Loosemore, Sandra Bobrow, Daniel G. Margolin, Barry Daniels, Andy Moon, David A. DeMichiel, Linda G. Pitman, Kent M. Dussud, Patrick H. Perdue, Crispin Gabriel, Richard P. Steele, Guy L., Jr. Ida, Masayuki Waters, Richard C. Kiczales, Gregor White, JonL

Organizational Participants:

The Aerospace Corporation LMI

AI Architects Loosemore, Sandra

Amoco Production Co. Lucid, Inc. Aoyama Gakuin University MCC Apple Computer MIT

Barrett, Kim MITRE Corporation

Boeing Advanced Technology Center MSC

Carnegie-Mellon University NASA Ames Research Center

Chestnut Software Nihon Symbolics

Computer Sciences National Bureau of Standards

CONTEL Prime Computer

Digital Equipment Corporation Siemens

Evans & Sutherland Southern Illinois University

Encore Sperry Franz, Inc. SRI

Gigamos Sun Microsystems

GMD Symbolics Gold Hill Tektronix

Greenblatt, Richard Texas Instruments

Grumman Data Systems Corporation Thinking Machines Corporation

Harlequin, Ltd. Unisys

Hewlett-Packard University of Bath
Honeywell University of Edinburgh
University of Utah

Integrated Inference Machines
US Army
International LISP Associates
USC/ISI
Johnson Controls
Xerox

Kerns, Robert W.

Individual Participants:

Antonisse, Jim Arbaugh, Bill Balzer, Bob Barrett, Kim Bartley, David Beckerle, Mike Beiser, Paul Benson, Eric Berman, Richard Bobrow, Daniel G. Boelk, Mary Brittain, Skona Brown, Gary Chailloux, Jerome Chapman, Kathy Clinger, Will Coffee, Peter C. Cugini, John Curtis, Pavel Dabrowski, Christopher Daessler, Klaus Dalton, Jeff Daniels, Andy DeMichiel, Linda G. Duggan, Jerry Dussud, Patrick H. Ennis, Susan P. Fahlman, Scott Gabriel, Richard P. ${\it Giansiracusa, Bob}$ Gray, David Greenblatt, Richard Hadden, George D. Haflich, Steve Harris, Richard M.

Hewitt, Carl Hornig, Charles Ida, Masayuki Keene, Sonya Keller, Shaun Kempf, James Kerns, Robert W. Kiczales, Gregor Kolb, Dieter Koschmann, Timothy Kosinski, Paul Larson, Aaron Latto, Andy Laubsch, Joachim Layer, Kevin Linden, Thom Loeffler, David D. Loosemore, Sandra Magataca, Mituhiro Margolin, Barry Masinter, Larry Mathis, Robert Matthews, Dave McCarthy, John Mikelsons, Martin Moon, David A. Moore, Timothy Nicoud, Stephen Nilsson, Jarl O'Dell, Jim Ohlander, Ron Padget, Julian Palter, Gary Peck, Jeff Pellegrino, Bob

Perdue, Crispin Philipp, Christopher Pierson, Dan Pitman, Kent M. Raghavan, B. Rand, Douglas Rininger, Jeff Rosenking, Jeff Scherlis, William Shiota, Eiji Sizer, Andy Slater, David Sodan, Angela Soley, Richard St. Clair, Bill Stanhope, Philip Steele, Guy L., Jr. Tucker, Paul Turba, Thomas Unietis, Dave van Roggen, Walter van Roggen, Walter Waldrum, Ellen Waters, Richard C. Wechsler, Allan Wegman, Mark Weinreb, Daniel White, JonL Wieland, Alexis Withington, P. Tucker Wright, Whitman York, Bill Zacharias, Gail Zubkoff, Jan L.