

Go digital today!

Convert your paper checklists into digital forms

Scan this QR code to use this paper checklist on your smartphone or tablet or visit <https://safetyculture.com/>

SafetyCulture



Construction Risk Assessment Form

Identify which construction activities are at risk for your particular job and assess the severity, likelihood and risk rating. Provide control measures and plans. Modify the template to include additional at risk activities.

Title Page

* Job #

Text answer

Conducted on

Date/time

Enter Date and Time:

___ ___ / ___ ___ / ___ ___

___ ___ : ___ ___ AM / PM

Prepared by

Text answer

Location

Text answer

Proposed work description

Text answer

Audit

Instructions

Instruction

-
1. Answer "Safe", "At Risk", "N/A" for each of the hazards below
 2. If "At Risk", follow the questions to identify the likelihood of occurrence, severity and risk rating
 3. Include any notes and photos by clicking on the paperclip icon and then "Add Image"
 4. Answer the relevant control questions
 5. Complete the form by providing the relevant signatures

Confined Space

Confined Space

Select one

- ☐ Safe
- ☐ At Risk
- ☐ N/A

If answer is At Risk

Answer Question(s) 1.0, 1.1, 1.2,
1.3, 1.4

1.0 - Likelihood of occurrence

Select one

- ☐ Likely to occur
- ☐ May occur
- ☐ Not likely to occur

1.1 - Severity

Select one

- ☐ Fatality/ Disability
- ☐ Medical treatment
- ☐ Incident report only

1.2 - Risk rating

Select one

- ☐ High
- ☐ Medium
- ☐ Low

1.3 - Confined Space permit received

Select one

- ☐ Yes
- ☐ No
- ☐ N/A
-

1.4 - Enter description of control measures

Text answer

Working at Height

Working at Height

Select one

- ☐ Safe
- ☐ At Risk
- ☐ N/A
-

If answer is At Risk

Answer Question(s) 1.0, 1.1, 1.2,
1.3, 1.4, 1.5

1.0 - Likelihood of occurrence

Select one

- ☐ Likely to occur
- ☐ May occur
- ☐ Not likely to occur

1.1 - Severity

Select one

- ☐ Fatality/ Disability
 - ☐ Medical treatment
 - ☐ Incident report only
-

1.2 - Risk rating

Select one

- ☐ High
 - ☐ Medium
 - ☐ Low
-

1.3 - Working at height permit received

Select one

- ☐ Yes
 - ☐ No
 - ☐ N/A
-

1.4 - Height safety harness worn

Select one

- ☐ Yes
 - ☐ No
 - ☐ N/A
-

1.5 - Enter description of control measures

Text answer

Restricted Access

Restricted Access

Select one

- ☐ Safe
- ☐ At Risk
- ☐ N/A

If answer is At Risk

Answer Question(s) 1.0, 1.1, 1.2,
1.3

1.0 - Likelihood of occurrence

Select one

- ☐ Likely to occur
- ☐ May occur
- ☐ Not likely to occur

1.1 - Severity

Select one

- ☐ Fatality/ Disability
- ☐ Medical treatment
- ☐ Incident report only

1.2 - Risk rating

Select one

- ☐ High
- ☐ Medium
- ☐ Low

1.3 - Enter description of control measures

Text answer

Electricity

Electricity

Select one

- ☐ Safe
- ☐ At Risk
- ☐ N/A

If answer is At Risk

Answer Question(s) 1.0, 1.1, 1.2,
1.3

1.0 - Likelihood of occurrence

Select one

- ☐ Likely to occur
- ☐ May occur
- ☐ Not likely to occur

1.1 - Severity

Select one

- ☐ Fatality/ Disability
- ☐ Medical treatment
- ☐ Incident report only

1.2 - Risk rating

Select one

- ☐ High
- ☐ Medium
- ☐ Low

1.3 - Enter description of control measures

Text answer

Compressed Air

Compressed Air

Select one

- ☐ Safe
- ☐ At Risk
- ☐ N/A

If answer is At Risk

Answer Question(s) 1.0, 1.1, 1.2,
1.3

1.0 - Likelihood of occurrence

Select one

- ☐ Likely to occur
- ☐ May occur
- ☐ Not likely to occur

1.1 - Severity

Select one

- ☐ Fatality/ Disability
- ☐ Medical treatment
- ☐ Incident report only

1.2 - Risk rating

Select one

- ☐ High
- ☐ Medium
- ☐ Low

1.3 - Enter description of control measures

Text answer

Uneven/slippery Surfaces

Uneven/slippery Surfaces

Select one

- ☐ Safe
- ☐ At Risk
- ☐ N/A

If answer is At Risk

Answer Question(s) 1.0, 1.1, 1.2,
1.3

1.0 - Likelihood of occurrence

Select one

- ☐ Likely to occur
- ☐ May occur
- ☐ Not likely to occur

1.1 - Severity

Select one

- ☐ Fatality/ Disability
- ☐ Medical treatment
- ☐ Incident report only

1.2 - Risk rating

Select one

- ☐ High
- ☐ Medium
- ☐ Low

1.3 - Enter description of control measures

Text answer

Hazardous Gases

Hazardous Gases

Select one

- ☐ Safe
- ☐ At Risk
- ☐ N/A

If answer is At Risk

Answer Question(s) 1.0, 1.1, 1.2,
1.3

1.0 - Likelihood of occurrence

Select one

- ☐ Likely to occur
- ☐ May occur
- ☐ Not likely to occur

1.1 - Severity

Select one

- ☐ Fatality/ Disability
- ☐ Medical treatment
- ☐ Incident report only

1.2 - Risk rating

Select one

- ☐ High
- ☐ Medium
- ☐ Low

1.3 - Enter description of control measures

Text answer

Asbestos

Asbestos

Select one

- ☐ Safe
- ☐ At Risk
- ☐ N/A

If answer is At Risk

Answer Question(s) 1.0, 1.1, 1.2,
1.3

1.0 - Likelihood of occurrence

Select one

- ☐ Likely to occur
- ☐ May occur
- ☐ Not likely to occur

1.1 - Severity

Select one

- ☐ Fatality/ Disability
- ☐ Medical treatment
- ☐ Incident report only

1.2 - Risk rating

Select one

- ☐ High
- ☐ Medium
- ☐ Low

1.3 - Enter description of control measures

Text answer

Vehicular movement

Vehicular movement

Select one

- ☐ Safe
- ☐ At Risk
- ☐ N/A

If answer is At Risk

Answer Question(s) 1.0, 1.1, 1.2,
1.3

1.0 - Likelihood of occurrence

Select one

- ☐ Likely to occur
- ☐ May occur
- ☐ Not likely to occur

1.1 - Severity

Select one

- ☐ Fatality/ Disability
- ☐ Medical treatment
- ☐ Incident report only

1.2 - Risk rating

Select one

- ☐ High
- ☐ Medium
- ☐ Low

1.3 - Enter description of control measures

Text answer

Dust & Airborne particle's

Dust & Airborne particle's

Select one

- ☐ Safe
- ☐ At Risk
- ☐ N/A

If answer is At Risk

Answer Question(s) 1.0, 1.1, 1.2,
1.3

1.0 - Likelihood of occurrence

Select one

- ☐ Likely to occur
- ☐ May occur
- ☐ Not likely to occur

1.1 - Severity

Select one

- ☐ Fatality/ Disability
- ☐ Medical treatment
- ☐ Incident report only

1.2 - Risk rating

Select one

- ☐ High
- ☐ Medium
- ☐ Low

1.3 - Enter description of control measures

Text answer

Working over/near water

Working over/near water

Select one

- ☐ Safe
- ☐ At Risk
- ☐ N/A

If answer is At Risk

Answer Question(s) 1.0, 1.1, 1.2,
1.3

1.0 - Likelihood of occurrence

Select one

- ☐ Likely to occur
- ☐ May occur
- ☐ Not likely to occur

1.1 - Severity

Select one

- ☐ Fatality/ Disability
- ☐ Medical treatment
- ☐ Incident report only

1.2 - Risk rating

Select one

- ☐ High
- ☐ Medium
- ☐ Low

1.3 - Enter description of control measures

Text answer

Overhead hazards

Overhead hazards

Select one

- ☐ Safe
- ☐ At Risk
- ☐ N/A

If answer is At Risk

Answer Question(s) 1.0, 1.1, 1.2,
1.3

1.0 - Likelihood of occurrence

Select one

- ☐ Likely to occur
- ☐ May occur
- ☐ Not likely to occur

1.1 - Severity

Select one

- ☐ Fatality/ Disability
- ☐ Medical treatment
- ☐ Incident report only

1.2 - Risk rating

Select one

- ☐ High
- ☐ Medium
- ☐ Low

1.3 - Enter description of control measures

Text answer

Manual handling

Manual handling

Select one

- ☐ Safe
- ☐ At Risk
- ☐ N/A

If answer is At Risk

Answer Question(s) 1.0, 1.1, 1.2,
1.3

1.0 - Likelihood of occurrence

Select one

- ☐ Likely to occur
- ☐ May occur
- ☐ Not likely to occur

1.1 - Severity

Select one

- ☐ Fatality/ Disability
- ☐ Medical treatment
- ☐ Incident report only

1.2 - Risk rating

Select one

- ☐ High
- ☐ Medium
- ☐ Low

1.3 - Enter description of control measures

Text answer

Fire / Explosion

Fire / Explosion

Select one

- ☐ Safe
- ☐ At Risk
- ☐ N/A

If answer is At Risk

Answer Question(s) 1.0, 1.1, 1.2,
1.3

1.0 - Likelihood of occurrence

Select one

- ☐ Likely to occur
- ☐ May occur
- ☐ Not likely to occur

1.1 - Severity

Select one

- ☐ Fatality/ Disability
- ☐ Medical treatment
- ☐ Incident report only

1.2 - Risk rating

Select one

- ☐ High
- ☐ Medium
- ☐ Low

1.3 - Enter description of control measures

Text answer

Noise

Noise

Select one

- ☐ Safe
- ☐ At Risk
- ☐ N/A

If answer is At Risk

Answer Question(s) 1.0, 1.1, 1.2,
1.3

1.0 - Likelihood of occurrence

Select one

- ☐ Likely to occur
- ☐ May occur
- ☐ Not likely to occur

1.1 - Severity

Select one

- ☐ Fatality/ Disability
- ☐ Medical treatment
- ☐ Incident report only

1.2 - Risk rating

Select one

- ☐ High
- ☐ Medium
- ☐ Low

1.3 - Enter description of control measures

Text answer

UV

UV

Select one

- ☐ Safe
- ☐ At Risk
- ☐ N/A

If answer is At Risk

Answer Question(s) 1.0, 1.1, 1.2,
1.3

1.0 - Likelihood of occurrence

Select one

- ☐ Likely to occur
- ☐ May occur
- ☐ Not likely to occur

1.1 - Severity

Select one

- ☐ Fatality/ Disability
- ☐ Medical treatment
- ☐ Incident report only

1.2 - Risk rating

Select one

- ☐ High
- ☐ Medium
- ☐ Low

1.3 - Enter description of control measures

Text answer

Buried/Covered services

Buried/Covered services

Select one

- ☐ Safe
- ☐ At Risk
- ☐ N/A

If answer is At Risk

Answer Question(s) 1.0, 1.1, 1.2,
1.3

1.0 - Likelihood of occurrence

Select one

- ☐ Likely to occur
- ☐ May occur
- ☐ Not likely to occur

1.1 - Severity

Select one

- ☐ Fatality/ Disability
- ☐ Medical treatment
- ☐ Incident report only

1.2 - Risk rating

Select one

- ☐ High
- ☐ Medium
- ☐ Low

1.3 - Enter description of control measures

Text answer

Lone worker

Lone worker

Select one

- ☐ Safe
- ☐ At Risk
- ☐ N/A

If answer is At Risk

Answer Question(s) 1.0, 1.1, 1.2,
1.3

1.0 - Likelihood of occurrence

Select one

- ☐ Likely to occur
- ☐ May occur
- ☐ Not likely to occur

1.1 - Severity

Select one

- ☐ Fatality/ Disability
- ☐ Medical treatment
- ☐ Incident report only

1.2 - Risk rating

Select one

- ☐ High
- ☐ Medium
- ☐ Low

1.3 - Enter description of control measures

Text answer

Spills / Pollution

Spills / Pollution

Select one

- ☐ Safe
- ☐ At Risk
- ☐ N/A

If answer is At Risk

Answer Question(s) 1.0, 1.1, 1.2,
1.3

1.0 - Likelihood of occurrence

Select one

- ☐ Likely to occur
- ☐ May occur
- ☐ Not likely to occur

1.1 - Severity

Select one

- ☐ Fatality/ Disability
- ☐ Medical treatment
- ☐ Incident report only

1.2 - Risk rating

Select one

- ☐ High
- ☐ Medium
- ☐ Low

1.3 - Enter description of control measures

Text answer

Completion

Observations and recommendations

Text answer

Work completed

Select one

- ☐ Yes
- ☐ No
- ☐ N/A

Equipment is safe & fit to operate

Select one

- ☐ Yes
- ☐ No
- ☐ N/A

Customer representative

Signature

Date: _ _ / _ _ / _ _ _ _