



- [Print Summary](#)
- [Print Expanded](#)
- [Copy JSON](#)
- [Save as HTML](#)
- [Save as JSON](#)
- [Open in Viewer](#)
- [Toggle Dark Theme](#)



Performance

Metrics



▲ First Contentful Paint	4.2 s	▲ First Meaningful Paint	4.2 s
Speed Index	4.2 s	First CPU Idle	4.2 s
Time to Interactive	4.2 s	Max Potential First Input Delay	20 ms

[View Trace](#)

Values are estimated and may vary. The performance score is based only on these metrics.



Opportunities — These suggestions can help your page load faster. They don't directly affect the Performance score.

Opportunity	Estimated Savings	
▲ Properly size images	56.1 s	
Serve images that are appropriately-sized to save cellular data and improve load time. Learn more .		
<input type="checkbox"/> Show 3rd party resources (0)		
URL	Size	Potential Savings
 ...album-covers/album29.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	1,685 KB	1,677 KB

URL	Size	Potential Savings
 ...album-covers/album103.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	490 KB	473 KB
 ...album-covers/album4.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	363 KB	295 KB
 ...album-covers/album3.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	211 KB	177 KB
 ...album-covers/album30.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	163 KB	153 KB
 ...album-covers/album10.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	188 KB	143 KB
 ...album-covers/album26.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	175 KB	133 KB
 ...album-covers/album34.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	167 KB	127 KB
 ...album-covers/album15.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	161 KB	122 KB
 ...album-covers/album23.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	157 KB	120 KB
 ...album-covers/album51.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	133 KB	119 KB
 ...album-covers/album79.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	124 KB	118 KB
 ...album-covers/album49.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	151 KB	115 KB
 ...album-covers/album27.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	150 KB	114 KB
 ...album-covers/album14.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	150 KB	114 KB
 ...album-covers/album47.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	149 KB	114 KB
 ...album-covers/album25.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	146 KB	111 KB
 ...album-covers/album16.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	145 KB	110 KB
 ...album-covers/album19.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	145 KB	110 KB
 ...album-covers/album78.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	142 KB	109 KB

URL	Size	Potential Savings
 ...album-covers/album48.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	137 KB	104 KB
 ...album-covers/album11.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	132 KB	100 KB
 ...album-covers/album75.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	131 KB	100 KB
 ...album-covers/album42.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	107 KB	100 KB
 ...album-covers/album89.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	130 KB	99 KB
 ...album-covers/album28.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	129 KB	98 KB
 ...album-covers/album45.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	126 KB	96 KB
 ...album-covers/album40.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	126 KB	96 KB
 ...album-covers/album94.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	126 KB	96 KB
 ...album-covers/album60.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	125 KB	95 KB
 ...album-covers/album87.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	125 KB	95 KB
 ...album-covers/album80.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	124 KB	94 KB
 ...album-covers/album107.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	122 KB	93 KB
 ...album-covers/album13.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	122 KB	93 KB
 ...album-covers/album113.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	121 KB	92 KB
 ...album-covers/album31.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	121 KB	92 KB
 ...album-covers/album104.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	120 KB	91 KB
 ...album-covers/album37.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	119 KB	90 KB
 ...album-covers/album96.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	114 KB	87 KB

URL	Size	Potential Savings
 ...album-covers/album98.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	113 KB	86 KB
 ...album-covers/album52.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	112 KB	85 KB
 ...album-covers/album55.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	112 KB	85 KB
 ...album-covers/album112.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	111 KB	85 KB
 ...album-covers/album2.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	91 KB	84 KB
 ...album-covers/album84.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	109 KB	83 KB
 ...album-covers/album88.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	109 KB	83 KB
 ...album-covers/album59.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	108 KB	83 KB
 ...album-covers/album61.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	108 KB	83 KB
 ...album-covers/album58.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	107 KB	82 KB
 ...album-covers/album97.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	106 KB	81 KB
 ...album-covers/album116.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	97 KB	81 KB
 ...album-covers/album85.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	104 KB	79 KB
 ...album-covers/album105.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	103 KB	79 KB
 ...album-covers/album115.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	103 KB	78 KB
 ...album-covers/album93.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	102 KB	78 KB
 ...album-covers/album91.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	102 KB	78 KB
 ...album-covers/album99.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	101 KB	77 KB
 ...album-covers/album101.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	101 KB	77 KB

URL	Size	Potential Savings
 ...album-covers/album35.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	101 KB	77 KB
 ...album-covers/album63.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	100 KB	76 KB
 ...album-covers/album36.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	99 KB	76 KB
 ...album-covers/album111.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	99 KB	76 KB
 ...album-covers/album68.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	98 KB	75 KB
 ...album-covers/album77.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	97 KB	74 KB
 ...album-covers/album92.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	97 KB	74 KB
 ...album-covers/album102.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	95 KB	73 KB
 ...album-covers/album108.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	95 KB	73 KB
 ...album-covers/album86.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	94 KB	72 KB
 ...album-covers/album114.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	93 KB	71 KB
 ...album-covers/album64.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	92 KB	70 KB
 ...album-covers/album72.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	91 KB	70 KB
 ...album-covers/album54.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	88 KB	67 KB
 ...album-covers/album53.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	87 KB	67 KB
 ...album-covers/album69.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	86 KB	66 KB
 ...album-covers/album5.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	81 KB	65 KB
 ...album-covers/album81.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	85 KB	65 KB
 ...album-covers/album66.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	83 KB	63 KB

URL	Size	Potential Savings
 ...album-covers/album56.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	83 KB	63 KB
 ...album-covers/album7.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	73 KB	63 KB
 ...album-covers/album12.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	82 KB	63 KB
 ...album-covers/album70.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	81 KB	62 KB
 ...album-covers/album76.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	80 KB	61 KB
 ...album-covers/album74.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	79 KB	60 KB
 ...album-covers/album106.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	78 KB	59 KB
 ...album-covers/album73.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	78 KB	59 KB
 ...album-covers/album38.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	77 KB	59 KB
 ...album-covers/album9.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	77 KB	59 KB
 ...album-covers/album62.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	77 KB	58 KB
 ...album-covers/album90.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	76 KB	58 KB
 ...album-covers/album44.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	74 KB	57 KB
 ...album-covers/album95.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	72 KB	55 KB
 ...album-covers/album71.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	72 KB	55 KB
 ...album-covers/album8.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	72 KB	55 KB
 ...album-covers/album33.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	71 KB	54 KB
 ...album-covers/album32.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	71 KB	54 KB
 ...album-covers/album43.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	69 KB	53 KB

URL	Size	Potential Savings
 ...album-covers/album100.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	69 KB	52 KB
 ...album-covers/album82.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	67 KB	51 KB
 ...album-covers/album50.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	67 KB	51 KB
 ...album-covers/album46.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	66 KB	50 KB
 ...album-covers/album41.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	65 KB	50 KB
 ...album-covers/album65.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	65 KB	49 KB
 ...album-covers/album110.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	64 KB	49 KB
 ...album-covers/album17.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	62 KB	47 KB
 ...album-covers/album83.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	60 KB	46 KB
 ...album-covers/album1.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	58 KB	44 KB
 ...album-covers/album24.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	58 KB	44 KB
 ...album-covers/album109.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	57 KB	44 KB
 ...album-covers/album18.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	54 KB	41 KB
 ...album-covers/album39.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	49 KB	41 KB
 ...album-covers/album21.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	47 KB	40 KB
 ...album-covers/album67.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	48 KB	37 KB
 ...album-covers/album6.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	48 KB	36 KB
 ...album-covers/album57.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	45 KB	34 KB
 ...album-covers/album20.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	35 KB	27 KB

URL	Size	Potential Savings
-----	------	-------------------



...album-covers/album22.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)

32 KB

24 KB

▲ Eliminate render-blocking resources

1.35 s

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn more.](#)

Show 3rd-party resources (7)

URL	Size	Potential Savings
/jquery-3.4.1.slim.min.js (code.jquery.com)	48 KB	2,260 ms
...umd/popper.min.js (cdn.jsdelivr.net)	14 KB	1,520 ms
...css/font-awesome.min.css (stackpath.bootstrapcdn.com)	14 KB	1,510 ms
...css/bootstrap.min.css (stackpath.bootstrapcdn.com)	23 KB	1,810 ms
...css/hover-min.css (cdnjs.cloudflare.com)	12 KB	1,370 ms
...4/w3.css (www.w3schools.com)	10 KB	1,380 ms
...css/style.css (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	20 KB	1,500 ms
...js/bootstrap.min.js (stackpath.bootstrapcdn.com)	31 KB	1,960 ms

Remove unused CSS

0.45 s

Remove dead rules from stylesheets and defer the loading of CSS not used for above-the-fold content to reduce unnecessary bytes consumed by network activity. [Learn more.](#)

Show 3rd-party resources (4)

URL	Size	Potential Savings
...css/bootstrap.min.css (stackpath.bootstrapcdn.com)	23 KB	23 KB
...css/style.css (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	20 KB	16 KB
...css/font-awesome.min.css (stackpath.bootstrapcdn.com)	14 KB	14 KB
...css/hover-min.css (cdnjs.cloudflare.com)	12 KB	12 KB
...4/w3.css (www.w3schools.com)	10 KB	10 KB

Diagnostics — More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

▲ Avoid enormous network payloads — Total size was 14,508 KB

Large network payloads cost users real money and are highly correlated with long load times. [Learn more.](#)

Show 3rd-party resources (0)

URL	Size
...album-covers/album29.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	1,685 KB
...album-covers/album103.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	490 KB
...album-covers/album4.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	363 KB
...images/sheet-music-bg.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	223 KB
...album-covers/album3.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	211 KB
...album-covers/album10.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	188 KB
...album-covers/album26.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	176 KB
...album-covers/album34.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	167 KB
...album-covers/album30.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	163 KB
...album-covers/album15.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	161 KB

⚠ Serve static assets with an efficient cache policy — 119 resources found

A long cache lifetime can speed up repeat visits to your page. [Learn more](#).

Show 3rd-party resources (1)

URL	Cache TTL	Size
...album-covers/album29.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	1,685 KB
...album-covers/album103.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	490 KB
...album-covers/album4.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	363 KB
...images/sheet-music-bg.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	223 KB
...album-covers/album3.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	211 KB
...album-covers/album10.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	188 KB
...album-covers/album26.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	176 KB
...album-covers/album34.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	167 KB
...album-covers/album30.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	163 KB
...album-covers/album15.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	161 KB
...album-covers/album23.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	158 KB
...album-covers/album49.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	151 KB
...album-covers/album27.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	151 KB
...album-covers/album14.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	151 KB
...album-covers/album47.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	149 KB
...album-covers/album25.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	146 KB

URL	Cache TTL	Size
...album-covers/album16.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	145 KB
...album-covers/album19.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	145 KB
...album-covers/album78.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	143 KB
...album-covers/album48.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	137 KB
...album-covers/album51.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	133 KB
...album-covers/album11.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	132 KB
...album-covers/album75.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	131 KB
...album-covers/album89.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	130 KB
...album-covers/album28.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	129 KB
...album-covers/album45.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	127 KB
...album-covers/album94.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	126 KB
...album-covers/album40.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	126 KB
...album-covers/album60.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	125 KB
...album-covers/album87.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	125 KB
...album-covers/album80.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	124 KB
...album-covers/album79.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	124 KB
...album-covers/album107.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	122 KB
...album-covers/album13.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	122 KB
...album-covers/album113.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	122 KB
...album-covers/album31.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	121 KB
...album-covers/album104.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	120 KB
...album-covers/album37.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	119 KB
...album-covers/album98.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	114 KB
...album-covers/album96.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	114 KB
...album-covers/album55.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	112 KB
...album-covers/album52.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	112 KB
...album-covers/album112.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	112 KB
...album-covers/album84.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	109 KB
...album-covers/album88.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	109 KB
...album-covers/album61.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	109 KB
...album-covers/album59.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	108 KB

URL	Cache TTL	Size
...album-covers/album58.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	108 KB
...album-covers/album42.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	107 KB
...album-covers/album97.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	106 KB
...album-covers/album85.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	105 KB
...album-covers/album105.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	104 KB
...album-covers/album93.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	103 KB
...album-covers/album91.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	103 KB
...album-covers/album115.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	103 KB
...album-covers/album99.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	101 KB
...album-covers/album35.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	101 KB
...album-covers/album101.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	101 KB
...album-covers/album36.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	100 KB
...album-covers/album63.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	100 KB
...album-covers/album111.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	100 KB
...album-covers/album68.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	98 KB
...album-covers/album77.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	98 KB
...album-covers/album92.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	97 KB
...album-covers/album116.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	97 KB
...album-covers/album108.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	96 KB
...album-covers/album102.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	95 KB
...album-covers/album86.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	94 KB
...album-covers/album114.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	93 KB
...album-covers/album64.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	92 KB
...album-covers/album72.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	91 KB
...album-covers/album2.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	91 KB
...album-covers/album54.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	89 KB
...album-covers/album53.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	87 KB
...album-covers/album69.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	86 KB
...album-covers/album81.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	85 KB
...album-covers/album66.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	83 KB
...album-covers/album56.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	83 KB

URL	Cache TTL	Size
...album-covers/album12.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	83 KB
...album-covers/album70.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	82 KB
...album-covers/album5.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	81 KB
...album-covers/album76.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	80 KB
...album-covers/album74.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	79 KB
...album-covers/album73.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	78 KB
...album-covers/album106.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	78 KB
...album-covers/album38.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	77 KB
...album-covers/album9.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	77 KB
...album-covers/album62.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	77 KB
...album-covers/album90.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	76 KB
...album-covers/album44.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	74 KB
...album-covers/album7.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	73 KB
...album-covers/album95.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	72 KB
...album-covers/album8.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	72 KB
...album-covers/album71.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	72 KB
...album-covers/album33.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	71 KB
...album-covers/album32.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	71 KB
...album-covers/album43.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	69 KB
...album-covers/album100.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	69 KB
...album-covers/album82.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	67 KB
...album-covers/album50.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	67 KB
...album-covers/album46.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	66 KB
...album-covers/album41.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	65 KB
...album-covers/album65.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	65 KB
...album-covers/album110.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	64 KB
...album-covers/album17.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	62 KB
...album-covers/album83.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	60 KB
...album-covers/album1.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	58 KB
...album-covers/album24.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	58 KB
...album-covers/album109.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	58 KB

URL	Cache TTL	Size
...album-covers/album18.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	54 KB
...album-covers/album39.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	49 KB
...album-covers/album67.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	48 KB
...album-covers/album6.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	48 KB
...album-covers/album21.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	47 KB
...album-covers/album57.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	45 KB
...album-covers/album20.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	35 KB
...album-covers/album22.jpg (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	32 KB
...css/style.css (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	None	20 KB
...4/w3.css (www.w3schools.com)	4 h	10 KB

▲ Ensure text remains visible during webfont load

Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading. [Learn more.](#)

Show 3rd-party resources (1)

URL	Potential Savings
...fonts/fontawesome-webfont.woff2?v=4.7.0 (stackpath.bootstrapcdn.com)	30 ms

▲ Minimize main-thread work — 5.4 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn more](#)

Category	Time Spent
Other	3,255 ms
Rendering	841 ms
Parse HTML & CSS	671 ms
Style & Layout	452 ms
Script Evaluation	129 ms
Script Parsing & Compilation	36 ms
Garbage Collection	16 ms

Avoid chaining critical requests — 12 chains found

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [Learn more](#).

Maximum critical path latency: **650 ms**

Initial Navigation

```
/discography.html (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)

  /jquery-3.4.1.slim.min.js (code.jquery.com) - 60 ms, 47.77 KB

  ...umd/popper.min.js (cdn.jsdelivr.net) - 30 ms, 14.26 KB

  ...css/font-awesome.min.css (stackpath.bootstrapcdn.com) - 20 ms, 14.03 KB

  ...css/bootstrap.min.css (stackpath.bootstrapcdn.com) - 60 ms, 23.38 KB

  ...css/hover-min.css (cdnjs.cloudflare.com) - 40 ms, 12.03 KB

  ...4/w3.css (www.w3schools.com) - 20 ms, 10.29 KB

  ...css/style.css (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io) - 90 ms, 20.21 KB

  ...js/bootstrap.min.js (stackpath.bootstrapcdn.com) - 60 ms, 31.2 KB

/css2?family=Acme&family=Fondamento:ital@1&display=swap (fonts.googleapis.com) - 30 ms, 1 KB

...v9/RrQfboBx-....woff2 (fonts.gstatic.com) - 30 ms, 8.1 KB

...v10/4UaFrEJGs....woff2 (fonts.gstatic.com) - 30 ms, 44.64 KB

...fonts/fontawesome-webfont.woff2?v=4.7.0 (stackpath.bootstrapcdn.com) - 30 ms, 150.94 KB
```

Keep request counts low and transfer sizes small — 130 requests • 14,508 KB

To set budgets for the quantity and size of page resources, add a budget.json file. [Learn more.](#)

Resource Type	Requests	Transfer Size
Total	130	14,508 KB
Image	117	14,122 KB
Font	3	204 KB
Script	3	93 KB
Stylesheet	6	81 KB
Document	1	9 KB
Media	0	0 KB
Other	0	0 KB
Third-party	11	358 KB

Passed audits (15)

Defer offscreen images

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn more.](#)

Minify CSS — Potential savings of 8 KB

Minifying CSS files can reduce network payload sizes. [Learn more.](#)

Show 3rd party resources (0)

URL	Size	Potential Savings
...css/style.css (8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io)	20 KB	8 KB

Minify JavaScript

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn more.](#)

Efficiently encode images

Optimized images load faster and consume less cellular data. [Learn more.](#)

Serve images in next-gen formats

Image formats like JPEG 2000, JPEG XR, and WebP often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more.](#)

Enable text compression

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more.](#)

Preconnect to required origins

Consider adding `preconnect` or `dns-prefetch` resource hints to establish early connections to important third-party origins. [Learn more.](#)

Server response times are low (TTFB) — Root document took 80 ms

Time To First Byte identifies the time at which your server sends a response. [Learn more.](#)

Avoid multiple page redirects

Redirects introduce additional delays before the page can be loaded. [Learn more.](#)

Preload key requests

Consider using ``<link rel=preload>`` to prioritize fetching resources that are currently requested later in page load. [Learn more.](#)

Use video formats for animated content

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more](#)

Avoids an excessive DOM size — 499 elements

A large DOM will increase memory usage, cause longer [style calculations](#), and produce costly [layout reflows](#). [Learn more](#).

Statistic	Element	Value
Total DOM Elements		499

Statistic	Element	Value
Maximum DOM Depth	<i class="fa fa-facebook" aria-hidden="true">	8
Maximum Child Elements	<div class="row" id="gallery" data-toggle="modal" data-target="#exampleModal">	116

User Timing marks and measures ^

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more](#).

JavaScript execution time — 0.1 s ^

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn more](#).

Show 3rd-party resources (0)

URL	Total CPU Time	Script Evaluation	Script Parse
Other	5,258 ms	22 ms	2 ms
chrome-extension://dodmmoeoklaejobgleioelladabek/dist/bundles/gitpodify.bundle.js	52 ms	34 ms	18 ms

Minimize third-party usage — Third-party code blocked the main thread for 0 ms ^

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn more](#).

Third-Party	Size	Main-Thread Blocking Time
Bootstrap CDN	220 KB	0 ms
jQuery CDN	48 KB	0 ms
JSDelivr CDN	14 KB	0 ms
Cloudflare CDN	12 KB	0 ms



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Only a subset of accessibility issues can be automatically detected so manual testing is also encouraged.

Additional items to manually check (11) — These items address areas which an automated testing tool cannot cover.

Learn more in our guide on [conducting an accessibility review](#).

The page has a logical tab order

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more](#).

Interactive controls are keyboard focusable

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn more](#).

Interactive elements indicate their purpose and state

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn more](#).

The user's focus is directed to new content added to the page

If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn more](#).

User focus is not accidentally trapped in a region

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn more](#).

Custom controls have associated labels

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more](#).

Custom controls have ARIA roles

Custom interactive controls have appropriate ARIA roles. [Learn more](#).

Visual order on the page follows DOM order

DOM order matches the visual order, improving navigation for assistive technology. [Learn more](#).

Offscreen content is hidden from assistive technology

Offscreen content is hidden with display: none or aria-hidden=true. [Learn more](#).

Headings don't skip levels

Headings are used to create an outline for the page and heading levels are not skipped. [Learn more](#).

HTML5 landmark elements are used to improve navigation

Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology.

[Learn more](#).

Passed audits (11)

The page contains a heading, skip link, or landmark region

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more](#).

Background and foreground colors have a sufficient contrast ratio

Low-contrast text is difficult or impossible for many users to read. [Learn more.](#)

Document has a `<title>` element ^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more.](#)

[`id`] attributes on the page are unique ^

The value of an id attribute must be unique to prevent other instances from being overlooked by assistive technologies.

[Learn more.](#)

`<html>` element has a [`lang`] attribute ^

If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more.](#)

`<html>` element has a valid value for its [`lang`] attribute ^

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn more.](#)

Image elements have [`alt`] attributes ^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more.](#)

Links have a discernible name ^

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn more.](#)

Lists contain only `` elements and script supporting elements (`<script>` and `<template>`). ^

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more.](#)

List items (``) are contained within `` or `` parent elements ^

Screen readers require list items (``) to be contained within a parent '``' or '``' to be announced properly. [Learn more.](#)

`[user-scalable="no"]` is not used in the `<meta name="viewport">` element and the `[maximum-scale]` attribute is not less than 5. ^

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more.](#)

Not applicable (24) ^

[`accesskey`] values are unique ^

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more.](#)

[aria-*] attributes match their roles

Each ARIA `role` supports a specific subset of `aria-*` attributes. Mismatching these invalidates the `aria-*` attributes. [Learn more](#).

[role]s have all required [aria-*] attributes

Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more](#).

Elements with an ARIA [role] that require children to contain a specific [role] have all required children.

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more](#).

[role]s are contained by their required parent element

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more](#).

[role] values are valid

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more](#).

[aria-*] attributes have valid values

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more](#).

[aria-*] attributes are valid and not misspelled

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more](#).

<audio> elements contain a <track> element with [kind="captions"]

Captions make audio elements usable for deaf or hearing-impaired users, providing critical information such as who is talking, what they're saying, and other non-speech information. [Learn more](#).

Buttons have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn more](#).

<dl>'s contain only properly-ordered <dt> and <dd> groups, <script> or <template> elements.

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn more](#).

Definition list items are wrapped in <dl> elements

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<dl>` element to ensure that screen readers can properly announce them. [Learn more](#).

<frame> or <iframe> elements have a title

Screen reader users rely on frame titles to describe the contents of frames. [Learn more](#).

<input type="image"> elements have [alt] text

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn more](#).



Form elements have associated labels

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more.](#)

Presentational <table> elements avoid using <th>, <caption> or the [summary] attribute.

A table being used for layout purposes should not include data elements, such as the th or caption elements or the summary attribute, because this can create a confusing experience for screen reader users. [Learn more.](#)

The document does not use <meta http-equiv="refresh">

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more.](#)

<object> elements have [alt] text

Screen readers cannot translate non-text content. Adding alt text to `<object>` elements helps screen readers convey meaning to users. [Learn more.](#)

No element has a [tabindex] value greater than 0

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more.](#)

Cells in a <table> element that use the [headers] attribute refer to table cells within the same table.

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more.](#)

<th> elements and elements with [role="columnheader"/"rowheader"] have data cells they describe.

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more.](#)

[lang] attributes have a valid value

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn more.](#)

<video> elements contain a <track> element with [kind="captions"]

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more.](#)

<video> elements contain a <track> element with [kind="description"]

Audio descriptions provide relevant information for videos that dialogue cannot, such as facial expressions and scenes. [Learn more.](#)



Best Practices

⚠ Links to cross-origin destinations are unsafe

Add `rel="noopener"` or `rel="noreferrer"` to any external links to improve performance and prevent security vulnerabilities. [Learn more.](#)

Show 3rd party resources (4)

URL	Target	Rel
/DaveBrubeckMusic/ (www.facebook.com)	_blank	
/thedavebrubeck?lang=en (twitter.com)	_blank	
/thedavebrubeck/?hl=en (www.instagram.com)	_blank	
/artist/3kUKwTJdH... (open.spotify.com)	_blank	

Passed audits (14)

Avoids Application Cache

Application Cache is deprecated. [Learn more.](#)

Uses HTTPS

All sites should be protected with HTTPS, even ones that don't handle sensitive data. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more.](#)

Uses HTTP/2 for its own resources

HTTP/2 offers many benefits over HTTP/1.1, including binary headers, multiplexing, and server push. [Learn more.](#)

Uses passive listeners to improve scrolling performance

Consider marking your touch and wheel event listeners as `passive` to improve your page's scroll performance. [Learn more.](#)

Avoids document.write()

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn more.](#)

Avoids requesting the geolocation permission on page load

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more.](#)

Page has the HTML doctype

Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more.](#)

Avoids front-end JavaScript libraries with known security vulnerabilities

Some third-party scripts may contain known security vulnerabilities that are easily identified and exploited by attackers. [Learn more.](#)

Detected JavaScript libraries

All front-end JavaScript libraries detected on the page. [Learn more.](#)

Name	Version
Bootstrap	4.4.1
jQuery	3.4.1
jQuery (Fast path)	

Avoids requesting the notification permission on page load

Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more.](#)

Avoids deprecated APIs

Deprecated APIs will eventually be removed from the browser. [Learn more.](#)

Allows users to paste into password fields

Preventing password pasting undermines good security policy. [Learn more.](#)

No browser errors logged to the console

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more.](#)

Displays images with correct aspect ratio

Image display dimensions should match natural aspect ratio. [Learn more.](#)



SEO

These checks ensure that your page is optimized for search engine results ranking. There are additional factors Lighthouse does not check that may affect your search ranking. [Learn more.](#)

Content Best Practices — Format your HTML in a way that enables crawlers to better understand your app's content.

⚠ Document does not have a meta description

Meta descriptions may be included in search results to concisely summarize page content. [Learn more.](#)

Additional items to manually check (1) — Run these additional validators on your site to check additional SEO best practices.



Structured data is valid

Run the [Structured Data Testing Tool](#) and the [Structured Data Linter](#) to validate structured data. [Learn more.](#)

Passed audits (8)

Has a `<meta name="viewport">` tag with width or initial-scale

Add a `<meta name="viewport">` tag to optimize your app for mobile screens. [Learn more.](#)

Document has a `<title>` element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more.](#)

Page has successful HTTP status code

Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more.](#)

Links have descriptive text

Descriptive link text helps search engines understand your content. [Learn more.](#)

Page isn't blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more.](#)

Image elements have [alt] attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more.](#)

Document has a valid hreflang

hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more.](#)

Document avoids plugins

Search engines can't index plugin content, and many devices restrict plugins or don't support them. [Learn more.](#)

Not applicable (4)

robots.txt is valid

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more.](#)

Document has a valid rel=canonical

Canonical links suggest which URL to show in search results. [Learn more.](#)

Document uses legible font sizes

Font sizes less than 12px are too small to be legible and require mobile visitors to “pinch to zoom” in order to read. Strive to have >60% of page text $\geq 12\text{px}$. [Learn more](#).

Tap targets are sized appropriately ^

Interactive elements like buttons and links should be large enough (48x48px), and have enough space around them, to be easy enough to tap without overlapping onto other elements. [Learn more](#).



Progressive Web App

These checks validate the aspects of a Progressive Web App. [Learn more](#).

Fast and reliable

Page load is fast enough on mobile networks ^

A fast page load over a cellular network ensures a good mobile user experience. [Learn more](#).

▲ Current page does not respond with a 200 when offline ^

If you're building a Progressive Web App, consider using a service worker so that your app can work offline. [Learn more](#).

▲ start_url does not respond with a 200 when offline **No usable web app manifest found on page.** ^

A service worker enables your web app to be reliable in unpredictable network conditions. [Learn more](#).

Installable

Uses HTTPS ^

All sites should be protected with HTTPS, even ones that don't handle sensitive data. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more](#).

▲ Does not register a service worker that controls page and start_url ^

The service worker is the technology that enables your app to use many Progressive Web App features, such as offline, add to homescreen, and push notifications. [Learn more](#).

▲ Web app manifest does not meet the installability requirements **Failures: No manifest was fetched.** ^

Browsers can proactively prompt users to add your app to their homescreen, which can lead to higher engagement. [Learn more](#).

PWA Optimized

Redirects HTTP traffic to HTTPS

If you've already set up HTTPS, make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. [Learn more](#).

▲ Is not configured for a custom splash screen **Failures: No manifest was fetched.**

A themed splash screen ensures a high-quality experience when users launch your app from their homescreens. [Learn more](#).

▲ Does not set a theme color for the address bar.

Failures: No manifest was fetched, No `<meta name="theme-color">` tag found.

The browser address bar can be themed to match your site. [Learn more](#).

Content is sized correctly for the viewport

If the width of your app's content doesn't match the width of the viewport, your app might not be optimized for mobile screens. [Learn more](#).

Has a `<meta name="viewport">` tag with width or initial-scale

Add a `<meta name="viewport">` tag to optimize your app for mobile screens. [Learn more](#).

Contains some content when JavaScript is not available

Your app should display some content when JavaScript is disabled, even if it's just a warning to the user that JavaScript is required to use the app. [Learn more](#).

▲ Does not provide a valid apple-touch-icon

For ideal appearance on iOS when users add a progressive web app to the home screen, define an `apple-touch-icon`. It must point to a non-transparent 192px (or 180px) square PNG. [Learn More](#).

Additional items to manually check (3) — These checks are required by the baseline [PWA Checklist](#) but are not automatically checked by Lighthouse. They do not affect your score but it's important that you verify them manually.

Site works cross-browser

To reach the most number of users, sites should work across every major browser. [Learn more](#).

Page transitions don't feel like they block on the network

Transitions should feel snappy as you tap around, even on a slow network. This experience is key to a user's perception of performance. [Learn more](#).

Each page has a URL

Ensure individual pages are deep linkable via URL and that URLs are unique for the purpose of shareability on social media. [Learn more](#).

URL	https://8000-f4b3ce55-1946-4210-88b8-76612e06a169.ws-us02.gitpod.io/discography.html
Fetch time	Jul 19, 2020, 10:14 PM EDT
Device	Emulated Desktop
Network throttling	150 ms TCP RTT, 1,638.4 Kbps throughput (Simulated)
CPU throttling	4x slowdown (Simulated)
User agent (host)	Mozilla/5.0 (Macintosh; Intel Mac OS X 10_14_6) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/80.0.3987.132 Safari/537.36
User agent (network)	Mozilla/5.0 (Macintosh; Intel Mac OS X 10_13_6) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/74.0.3694.0 Safari/537.36 Chrome-Lighthouse
CPU/Memory Power	1412

Generated by **Lighthouse** 5.7.0 | [File an issue](#)