



Product Catalog

2027
Collection

LUXIKO
Betaalbaar licht & geluid

How to read the codes

CODE STRUCTURE

MVS720S1317

family · series · watts · optic · colour + gobo wheels

SERIES	WHAT IT MEANS
B · Budget	Entry level. Lowest cost per fixture, indoor club and mobile DJ work.
S · Standard	Workhorse rental stock. Better build, brighter, more DMX modes.
P · Premium	Top of the range. Highest output, full feature set, mostly IP rated.

OPTIC LETTER	FIXTURE TYPE
B	Beam — tight parallel beam, gobo and colour wheels
W	Wash — even soft field, no gobos
H	Hybrid — beam / spot / wash in one head
Z	Zoom — motorised zoom, LED multi-cell engine
P	Profile / Spot — shutter framing or fixed profile optics
F	Framing — full framing shutter system
S	Special — bar format, double sided or multi-head effect fixtures
X	General — no dedicated optic (flat par, strobe, machine, accessory)

IP RATING	WHERE IT CAN GO
IP20	Indoor only. No protection against water.
IP25	Indoor. Protected against dripping water at an angle.
IP54	Covered outdoor. Dust protected, splash proof.
IP56	Covered outdoor. Dust protected, resists powerful jets.
IP65	Outdoor. Dust tight and protected against water jets.
IP66	Outdoor. Dust tight, protected against heavy seas and strong jets.
OUTDOOR	Sold as outdoor by the manufacturer, but no IP number stated.
IP N/A	No IP rating stated. Treat as indoor only until confirmed.

DMX channels are printed to the right of every fixture. A dash (-) means the manufacturer did not state a channel count.

Pages run Budget, then Standard, then Premium, and inside each series from the lowest IP rating to the highest. Prices on request.

Contents

CODE	SECTION	ITEMS	IP RATINGS
MV	Moving Heads	68	IP20 · IP65 · IP66 · OUTDOOR · IP N/A
PR	PAR Cans	43	IP20 · IP54 · IP65 · IP66 · IP N/A
BR	LED & Pixel Bars	19	IP20 · IP25 · IP54 · IP65 · IP N/A
WL	Wash / City Colors	9	IP65
BL	Blinders	9	IP20 · IP56 · IP65 · IP N/A
ST	Strobes	21	IP20 · IP65 · OUTDOOR · IP N/A
FX	Effect Lights	13	IP20 · IP54 · IP65 · IP N/A
PS	Pinspots	5	IP20 · IP N/A
PF	Profiles & Spots	3	IP20 · IP N/A
FR	Fresnels	3	IP20 · IP65
GP	Gobo Projectors	7	IP65
LS	Lasers	5	IP20 · IP65 · IP66 · IP N/A
MX	Matrix Panels	5	IP20 · IP65 · IP N/A
TB	Tube Lights	2	IP65
MB	Mirror Balls	2	IP20 · IP N/A
RT	Retro & Vintage	7	IP20 · IP N/A
FM	Fog & Haze Machines	6	IP20 · IP N/A
CT	Controllers	8	IP N/A
AC	Accessories	12	OUTDOOR · IP N/A

247 fixtures · 19 sections · 2027 collection

Moving Heads

68 FIXTURES

SERIES

Budget · Standard · Premium

IP RATINGS

IP20 · IP65 · IP66 · OUTDOOR · IP N/A

CODE PREFIX

MV



Moving Heads **IP20**

BUDGET SERIES



MVB200B1311

200W BEAM

-

Zoom: No
Prism: Yes
CMY: No
CTO: No
Weight: 7.7KG

Frost: No
Battery: No
Beam Angle: -
Color Wheels: 13
Gobo's: 11



MVB230B1317

230W BEAM

16CH / 20CH

Zoom: No
Prism: Yes
CMY: No
CTO: No
Weight: 10.8KG

Frost: No
Battery: No
Beam Angle: 3.8°
Color Wheels: 13
Gobo's: 17



MVB230B1317-2

230W BEAM

16CH / 20CH

Zoom: No
Prism: Yes
CMY: No
CTO: No
Weight: 10.8KG

Frost: No
Battery: No
Beam Angle: 3.8°
Color Wheels: 13
Gobo's: 17



MVB280B

280W (7×40W) BEAM

11CH / 17CH

Zoom: Yes
Prism: No
CMY: No
CTO: No
Weight: 5.8KG

Frost: No
Battery: No
Beam Angle: 4.2~49.6°
Color Wheels: -
Gobo's: -

Moving Heads **IP20**

BUDGET SERIES **CONTINUED**



MVB295B1213

295W BEAM

16CH

Zoom: No
Prism: Yes
CMY: No
CTO: No
Weight: 8.5 KG

Frost: No
Battery: No
Beam Angle: -
Color Wheels: 12
Gobo's: 13



MVB295B1400

295W BEAM

16CH

Zoom: No
Prism: Yes
CMY: No
CTO: No
Weight: 14.1KG

Frost: No
Battery: No
Beam Angle: -
Color Wheels: 14
Gobo's: -



MVB295B1413

295W BEAM

16CH

Zoom: No
Prism: Yes
CMY: No
CTO: No
Weight: 12.3KG

Frost: Yes
Battery: No
Beam Angle: 2°
Color Wheels: 14
Gobo's: 13



MVB300B1417

300W BEAM

-

Zoom: No
Prism: Yes
CMY: No
CTO: No
Weight: 12.1kg

Frost: Yes
Battery: No
Beam Angle: -
Color Wheels: 14
Gobo's: 17

Moving Heads **IP20**

BUDGET SERIES **CONTINUED**



MVB580B

580W BEAM

Zoom: No
Prism: No
CMY: No
CTO: No
Weight: -

Frost: No
Battery: No
Beam Angle: 5.5 degrees 6. Dimming: 0...
Color Wheels: -
Gobo's: -



MVB240S

240W (4×60W) SPECIAL

20CH / 34CH / 93CH

Zoom: No
Prism: No
CMY: No
CTO: No
Weight: 10.6KG

Frost: No
Battery: No
Beam Angle: -
Color Wheels: -
Gobo's: -



MVB480S

480W (12×40W) SPECIAL

26CH / 38CH / 62CH / 74CH / +1

Zoom: No
Prism: No
CMY: No
CTO: No
Weight: -

Frost: No
Battery: No
Beam Angle: -
Color Wheels: -
Gobo's: -



MVB30H0707

30W HYBRID

9CH / 11CH

Zoom: No
Prism: No
CMY: No
CTO: Yes
Weight: 4.1kg

Frost: No
Battery: Yes
Beam Angle: -
Color Wheels: 7
Gobo's: 7

Moving Heads **IP20**

BUDGET SERIES **CONTINUED**



MVB280W

280W (7×40W) WASH

17CH / 21CH / 29CH

Zoom: Yes
Prism: No
CMY: No
CTO: No
Weight: 6kg

Frost: No
Battery: No
Beam Angle: 4.5°~ 45°
Color Wheels: -
Gobo's: -



MVB380Z

380W (19×20W) ZOOM

31CH / 33CH / 109CH

Zoom: Yes
Prism: No
CMY: No
CTO: Yes
Weight: -

Frost: No
Battery: No
Beam Angle: 4-45 °
Color Wheels: -
Gobo's: -



MVB175X

175W (7×25W) LED MOVING HEAD

21CH / 49CH

Zoom: No
Prism: No
CMY: No
CTO: No
Weight: -

Frost: No
Battery: No
Beam Angle: -
Color Wheels: -
Gobo's: -



MVB220X

220W LED MOVING HEAD

16CH / 24CH

Zoom: No
Prism: No
CMY: No
CTO: No
Weight: -

Frost: No
Battery: No
Beam Angle: -
Color Wheels: -
Gobo's: -

Moving Heads **IP20**

BUDGET SERIES **CONTINUED**



MVBX0200

COB MOVING HEAD

11CH

Zoom: No
Prism: No
CMY: No
CTO: Yes
Weight: 12 kg

Frost: No
Battery: No
Beam Angle: 5-60 ° .
Color Wheels: 2
Gobo's: -

Moving Heads **IP65**

BUDGET SERIES



MVB120B

120W (12×10W) BEAM

6CH / 7CH / 8CH / 12CH

Zoom: No
Prism: No
CMY: No
CTO: No
Weight: 7.1kg

Frost: No
Battery: No
Beam Angle: 15°
Color Wheels: -
Gobo's: -

Moving Heads **IP N/A**

BUDGET SERIES



MVB230B1417

230W BEAM

16CH

Zoom: No
Prism: Yes
CMY: No
CTO: No
Weight: 16kg

Frost: No
Battery: No
Beam Angle: -
Color Wheels: 14
Gobo's: 17



MVB180S

180W SPECIAL

-

Zoom: No
Prism: No
CMY: No
CTO: No
Weight: -

Frost: No
Battery: No
Beam Angle: -
Color Wheels: -
Gobo's: -



MVB450S

450W SPECIAL

5CH / 7CH / 14CH / 18CH / +2

Zoom: No
Prism: No
CMY: No
CTO: No
Weight: 13.6Kg

Frost: No
Battery: No
Beam Angle: 2°
Color Wheels: -
Gobo's: -



MVB120W

120W (1×120W) WASH

23CH

Zoom: No
Prism: No
CMY: No
CTO: No
Weight: 3.25kg

Frost: No
Battery: No
Beam Angle: 4.5 ° -45 °
Color Wheels: -
Gobo's: -

Moving Heads **IP N/A**

BUDGET SERIES **CONTINUED**



MVB555Z

555W (37×15W) ZOOM

-

Zoom: Yes

Prism: No

CMY: No

CTO: No

Weight: 15KG

Frost: No

Battery: No

Beam Angle: 10° □ 60° linear focusing an...

Color Wheels: -

Gobo's: -



MVB15X

15W LED MOVING HEAD

24CH

Zoom: No

Prism: No

CMY: No

CTO: No

Weight: 7.7 kg

Frost: No

Battery: Yes

Beam Angle: -

Color Wheels: -

Gobo's: -

Moving Heads **IP20**

STANDARD SERIES



MVS360B

360W (6×60W) BEAM

21CH / 51CH / 55CH / 75CH

Zoom: Yes
Prism: No
CMY: No
CTO: No
Weight: 14.6kg

Frost: No
Battery: No
Beam Angle: 2.8°~31°
Color Wheels: -
Gobo's: -



MVS380B1411

380W BEAM

18CH

Zoom: No
Prism: Yes
CMY: No
CTO: No
Weight: 16.45KG

Frost: No
Battery: No
Beam Angle: 2.5 °
Color Wheels: 14
Gobo's: 11



MVS400B

400W BEAM

-

Zoom: No
Prism: Yes
CMY: No
CTO: No
Weight: -

Frost: No
Battery: No
Beam Angle: -
Color Wheels: -
Gobo's: -



MVS600S

600W (10×60W) SPECIAL

17CH / 27CH / 99CH / 108CH / +2

Zoom: Yes
Prism: No
CMY: No
CTO: Yes
Weight: 21.21kg

Frost: No
Battery: No
Beam Angle: 2.8°- 31°
Color Wheels: -
Gobo's: -

Moving Heads **IP20**

STANDARD SERIES **CONTINUED**



MVS720S

720W (12×60W) SPECIAL

17CH / 20CH / 53CH / 101CH / +2

Zoom: No
Prism: No
CMY: No
CTO: No
Weight: 26KG

Frost: No
Battery: No
Beam Angle: -
Color Wheels: -
Gobo's: -



MVS720S-2

720W (12×60W) SPECIAL

20CH / 53CH / 101CH / 155CH / +1

Zoom: No
Prism: No
CMY: Yes
CTO: Yes
Weight: 28.1KG (61.9 lbs)

Frost: No
Battery: No
Beam Angle: -
Color Wheels: -
Gobo's: -



MVS300H0913

300W HYBRID

18CH

Zoom: Yes
Prism: Yes
CMY: No
CTO: No
Weight: -

Frost: Yes
Battery: No
Beam Angle: 4-35degree
Color Wheels: 9
Gobo's: 13



MVS400H1218

400W HYBRID

26CH

Zoom: Yes
Prism: Yes
CMY: Yes
CTO: Yes
Weight: 23Kg

Frost: Yes
Battery: No
Beam Angle: 3-45degree
Color Wheels: 12
Gobo's: 18

Moving Heads **IP20**

STANDARD SERIES **CONTINUED**



MVS300W

300W (5×60W) WASH

24CH / 48CH / 49CH / 57CH

Zoom: Yes
Prism: No
CMY: No
CTO: No
Weight: -

Frost: No
Battery: No
Beam Angle: 2.8°-31°
Color Wheels: -
Gobo's: -



MVS760Z-3

760W (19×40W) ZOOM

31CH / 33CH / 109CH

Zoom: Yes
Prism: No
CMY: No
CTO: No
Weight: -

Frost: No
Battery: No
Beam Angle: -
Color Wheels: -
Gobo's: -

Moving Heads **IP65**

STANDARD SERIES



MVS300B1413

300W BEAM

16CH

Zoom: No
Prism: Yes
CMY: No
CTO: No
Weight: 16.5 kg

Frost: Yes
Battery: No
Beam Angle: 0-1.7°
Color Wheels: 14
Gobo's: 13



MVS420B

420W (7×60W) BEAM

14CH / 20CH / 25CH / 36CH / +2

Zoom: Yes
Prism: No
CMY: No
CTO: No
Weight: 15.3kg

Frost: No
Battery: No
Beam Angle: 4-52°
Color Wheels: -
Gobo's: -



MVS420W

420W (7×60W) WASH

23CH / 35CH / 51CH

Zoom: Yes
Prism: No
CMY: No
CTO: Yes
Weight: 15.55kg

Frost: No
Battery: No
Beam Angle: 3.7-54°
Color Wheels: -
Gobo's: -



MVS760Z

760W (19×40W) ZOOM

21CH / 22CH / 35CH / 36CH / +1

Zoom: Yes
Prism: No
CMY: No
CTO: No
Weight: -

Frost: No
Battery: No
Beam Angle: -
Color Wheels: -
Gobo's: -

Moving Heads **IP65**

STANDARD SERIES **CONTINUED**



MVS760Z-2

760W (19×40W) ZOOM

21CH / 22CH

Zoom: Yes

Prism: No

CMY: No

CTO: No

Weight: 22.63kgs

Frost: No

Battery: No

Beam Angle: 5-45degree

Color Wheels: -

Gobo's: -

Moving Heads **IP66**

STANDARD SERIES



MVS200B1317

200W BEAM

13CH

Zoom: No
Prism: Yes
CMY: No
CTO: Yes
Weight: 11.38kg

Frost: No
Battery: No
Beam Angle: 1.6°
Color Wheels: 13
Gobo's: 17

Moving Heads **IP N/A**

STANDARD SERIES



MVS60B

60W BEAM

Zoom: Yes
Prism: Yes
CMY: No
CTO: No
Weight: 10.5kg

12CH / 27CH

Frost: No
Battery: No
Beam Angle: 4-28 degree
Color Wheels: -
Gobo's: -



MVS300H0915

300W HYBRID

Zoom: Yes
Prism: Yes
CMY: No
CTO: No
Weight: -

16CH / 22CH

Frost: Yes
Battery: No
Beam Angle: 2-40degree
Color Wheels: 9
Gobo's: 15



MVS380H0913

380W HYBRID

Zoom: Yes
Prism: Yes
CMY: No
CTO: No
Weight: 15.7KG

16CH / 24CH

Frost: Yes
Battery: No
Beam Angle: 2.5° -50 °
Color Wheels: 9
Gobo's: 13



MVS700F0817

700W FRAMING

Zoom: Yes
Prism: Yes
CMY: Yes
CTO: Yes
Weight: -

35CH

Frost: Yes
Battery: No
Beam Angle: 3°-40°, zoom lens, linear zo...
Color Wheels: 8
Gobo's: 17

Moving Heads **IP N/A**

STANDARD SERIES **CONTINUED**



MVS760W

760W (19×40W) WASH

23CH / 25CH / 101CH

Zoom: No
Prism: No
CMY: No
CTO: No
Weight: -

Frost: No
Battery: No
Beam Angle: 4-45 degrees
Color Wheels: -
Gobo's: -



MVS720Z

720W (18×40W) ZOOM

16CH / 27CH / 76CH / 88CH

Zoom: Yes
Prism: No
CMY: No
CTO: Yes
Weight: 18.3kg

Frost: No
Battery: No
Beam Angle: -
Color Wheels: -
Gobo's: -



MVS720Z-2

720W (18×40W) ZOOM

-

Zoom: Yes
Prism: No
CMY: No
CTO: Yes
Weight: -

Frost: No
Battery: No
Beam Angle: -
Color Wheels: -
Gobo's: -

Moving Heads **IP65**

PREMIUM SERIES



MVP600S

600W (10×60W) SPECIAL

17CH / 27CH / 99CH / 108CH / +2

Zoom: Yes
Prism: No
CMY: No
CTO: Yes
Weight: 31kg

Frost: No
Battery: No
Beam Angle: 5-17°
Color Wheels: -
Gobo's: -



MVP600S-3

600W (5×120W) SPECIAL

-

Zoom: No
Prism: No
CMY: No
CTO: Yes
Weight: 26.3kg

Frost: No
Battery: No
Beam Angle: 3.9°-25.1°
Color Wheels: -
Gobo's: -



MVP720S

720W (12×60W) SPECIAL

20CH / 53CH / 101CH / 155CH / +1

Zoom: No
Prism: No
CMY: No
CTO: No
Weight: 29.5kg

Frost: No
Battery: No
Beam Angle: -
Color Wheels: -
Gobo's: -



MVP720S-2

720W (12×60W) SPECIAL

1CH / 20CH / 53CH / 101CH / +2

Zoom: No
Prism: No
CMY: No
CTO: No
Weight: 30KG

Frost: No
Battery: No
Beam Angle: -
Color Wheels: -
Gobo's: -

Moving Heads **IP65**

PREMIUM SERIES **CONTINUED**



MVP720Z

720W (18×40W) ZOOM

16CH / 27CH / 76CH / 88CH

Zoom: Yes
Prism: No
CMY: No
CTO: Yes
Weight: 18.3kg

Frost: No
Battery: No
Beam Angle: -
Color Wheels: -
Gobo's: -



MVP720Z-2

720W (18×40W) ZOOM

-

Zoom: Yes
Prism: No
CMY: No
CTO: Yes
Weight: 24KG

Frost: No
Battery: No
Beam Angle: -
Color Wheels: -
Gobo's: -



MVP800Z

800W (20×40W) ZOOM

19CH / 34CH / 35CH / 48CH / +3

Zoom: Yes
Prism: No
CMY: No
CTO: Yes
Weight: -

Frost: No
Battery: No
Beam Angle: -
Color Wheels: -
Gobo's: -

Moving Heads **IP66**

PREMIUM SERIES



MVP420B0013

420W BEAM

24CH

Zoom: No
Prism: Yes
CMY: Yes
CTO: Yes
Weight: 29.5kg

Frost: Yes
Battery: No
Beam Angle: 1.8°
Color Wheels: -
Gobo's: 13



MVP420B1413

420W BEAM

-

Zoom: No
Prism: Yes
CMY: No
CTO: No
Weight: -

Frost: Yes
Battery: No
Beam Angle: -
Color Wheels: 14
Gobo's: 13



MVP470H1319

470W HYBRID

34CH / 39CH

Zoom: Yes
Prism: Yes
CMY: Yes
CTO: Yes
Weight: 30kg

Frost: Yes
Battery: No
Beam Angle: 2°-40°
Color Wheels: 13
Gobo's: 19



MVP600H0600

600W HYBRID

26CH / 35CH

Zoom: Yes
Prism: Yes
CMY: Yes
CTO: Yes
Weight: 24kg

Frost: No
Battery: No
Beam Angle: -
Color Wheels: 6
Gobo's: -

Moving Heads **IP66**

PREMIUM SERIES **CONTINUED**



MVP700F0016

700W FRAMING

Zoom: Yes
Prism: Yes
CMY: Yes
CTO: Yes
Weight: 24kg

Frost: Yes
Battery: No
Beam Angle: 5°- 50°
Color Wheels: -
Gobo's: 16



MVP1520W

1520W (19×80W) WASH

27CH / 41CH

Zoom: Yes
Prism: No
CMY: No
CTO: No
Weight: 35kgs

Frost: No
Battery: No
Beam Angle: 5-50degree
Color Wheels: -
Gobo's: -



MVP1520W-2

1520W (19×80W) WASH

27CH / 41CH

Zoom: Yes
Prism: No
CMY: No
CTO: No
Weight: 35kgs

Frost: No
Battery: No
Beam Angle: 5-50degree
Color Wheels: -
Gobo's: -

Moving Heads **OUTDOOR**

PREMIUM SERIES

MVP600S-2

600W (5×120W) SPECIAL -



Zoom: No
Prism: No
CMY: No
CTO: Yes
Weight: 26.6kg

Frost: No
Battery: No
Beam Angle: 3°-30°
Color Wheels: -
Gobo's: -

Moving Heads **IP N/A**

PREMIUM SERIES



MVP200B1309

200W (12×40W) BEAM

35CH

Zoom: Yes
Prism: Yes
CMY: No
CTO: Yes
Weight: 20.5KG

Frost: Yes
Battery: No
Beam Angle: 3°(200w led)
Color Wheels: 13
Gobo's: 9



MVP1200F0200

1200W FRAMING

-

Zoom: Yes
Prism: Yes
CMY: Yes
CTO: Yes
Weight: -

Frost: No
Battery: No
Beam Angle: -
Color Wheels: 2
Gobo's: -



MVP1480Z

1480W (37×40W) ZOOM

21CH / 35CH / 132CH / 146CH / +2

Zoom: Yes
Prism: No
CMY: No
CTO: Yes
Weight: 26KG

Frost: No
Battery: Yes
Beam Angle: 4-50 degrees
Color Wheels: -
Gobo's: -



MVP1480Z-2

1480W (37×40W) ZOOM

21CH / 35CH / 132CH / 146CH / +2

Zoom: Yes
Prism: No
CMY: No
CTO: Yes
Weight: 26KG

Frost: No
Battery: Yes
Beam Angle: 4-50 degrees
Color Wheels: -
Gobo's: -

Moving Heads **IP N/A**

PREMIUM SERIES **CONTINUED**



MVP500Z1407

500W ZOOM

Zoom: Yes
Prism: No
CMY: No
CTO: Yes
Weight: -

Frost: No
Battery: No
Beam Angle: -
Color Wheels: 14
Gobo's: 7



MVP925Z

925W (37×25W) ZOOM

Zoom: Yes
Prism: No
CMY: No
CTO: No
Weight: -

Frost: No
Battery: No
Beam Angle: -
Color Wheels: -
Gobo's: -

PAR Cans

43 FIXTURES

SERIES

Budget · Standard · Premium

IP RATINGS

IP20 · IP54 · IP65 · IP66 · IP N/A

CODE PREFIX

PR



BUDGET SERIES



PRB40B

40W BEAM PAR

4CH / 8CH

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Beam Angle: 5°

Dimmer: 0-100% dimmer
Strobe: 0-20HZ
Op. Temp: -20°C-40°C
Weight: 1.3kg



PRB54B

54W (54×1W) BEAM PAR

7CH

Source: LED
Voltage: 90-240V
Beam Angle: 15° 25° 40° op...
Op. Temp: -20~40°C

Housing: plastic
Size: 250*190*230mm (1pc/CTN)
Weight: 1.3Kg



PRB10H

10W (3×3W) HYBRID PAR

4CH / 8CH

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Beam Angle: 10/25 degree

Dimmer: 0-100% dimmer
Strobe: 0-24HZ
Battery: Lithium Ion
Op. Temp: -20°C-40°C



PRB120X

120W (12×10W) PAR

6CH / 10CH

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...

Size: 300*272*108mm
Weight: 3.826KG



PRB180X

180W (18×10W) PAR

8CH

Source: LED
Voltage: 90-260V
Control: DMX512, Master/Sl...
Beam Angle: 15 ° 25 ° , 45 ° .

Strobe: 0 ~ 20 times / sec
Size: 310*310*360mm.
Weight: 3kg.

BUDGET SERIES CONTINUED



PRB180X-3

180W (18×10W) PAR

4CH / 8CH

Source: LED
Voltage: 90-260V
Control: DMX512, Master/Sl...

Beam Angle: 15 ° 25 ° , 45 ° (optional)
Strobe: 0 ~ 20 times / sec



PRB50X

50W PAR

8CH

Source: LED
Voltage: 90-260V

Control: DMX512, Master/Slave, Sound
Op. Temp: -30°C-40°C



PRB50X-2

50W PAR

2CH / 6CH

Source: LED
Voltage: 110-220V
Control: DMX512, Master/Sl...
Colour Temp: 2000k~6500k

LED Life: over 50000hours
Op. Temp: -30°~45°
Housing: Black



PRB50X-3

50W (5×10W) PAR

6CH / 10CH

Source: LED
Voltage: 90-260V
Control: DMX512, Master/Sl...
Beam Angle: 15 degree
Dimmer: 0-100% smoothly d...

Strobe: 20t/s strobe effect with variable...
LED Life: 50000 hours
Size: 240*240*240mm
Weight: 3.7KG

BUDGET SERIES



PRB180X-2

180W PAR

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...

4CH / 8CH

Weight: 4.09KG
Carton: 6PCS/CARTON



PRB180X-4

180W PAR

Source: LED
Voltage: 100-240V

4CH / 8CH

Control: DMX512, Master/Slave, Sound
Weight: 3.7KG



PRB180X-5

180W PAR

Source: LED
Voltage: 100-240V

4CH / 8CH

Control: DMX512, Master/Slave, Sound
Weight: 3.7KG



PRB60X

60W (3×20W) PAR

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...

11CH

Size: 170*113*167.5mm
Weight: 1.5KG

PAR Cans IP66

BUDGET SERIES



PRB140X

140W (7×20W) PAR

Source: LED

-
Voltage: 100-230V

BUDGET SERIES



PRB324X

324W (18×18W) PAR

6CH / 10CH

Source: LED

Voltage: 110-220V

Control: DMX512, Master/Sl...

Weight: 2.36KG

Carton: 6PCS/CARTON

STANDARD SERIES

PRS40B



40W (4×10W) BEAM PAR

6CH / 10CH

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Beam Angle: 15°
Dimmer: 0-100% dimmer

Strobe: 0-24HZ
Battery: Lithium Ion
Op. Temp: -20°C-40°C
Size: 140*140*200mm
Weight: 2.4kg

PRS72B



72W (6×12W) BEAM PAR

6CH / 10CH

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Beam Angle: 25°
Dimmer: 0-100% dimmer

Strobe: 0-24HZ
Battery: Lithium Ion
Op. Temp: -20°C-40°C
Size: 140*140*200mm
Weight: 2.4kg

PRS100Z-2



100W (1×100W) ZOOM PAR

2CH

Source: LED
Control: DMX512
Beam Angle: 9°/15°/20°/25...

Zoom: Yes
Colour Temp: 3000K/ 5700K

PRS180Z



180W (18×10W) ZOOM PAR

6CH / 9CH

Source: LED
Voltage: 100-240V
Zoom: Yes
Dimmer: 0-100% with regula...

Strobe: 10 Flashes per second (any color)
LED Life: 50,000 hours
Size: 25x25x38 mm

PRS180Z-2



180W (18×10W) ZOOM PAR

8CH

Source: LED
Voltage: 90-260V
Control: DMX512, Master/Sl...
Beam Angle: 15 ° 25 ° , 45 ° .

Zoom: Yes
Strobe: 0 ~ 20 times / sec
Size: 310*310*360mm.
Weight: 3kg.

STANDARD SERIES CONTINUED



PRS200Z

200W (1×200W) ZOOM PAR 3CH / 6CH

Source: LED
Voltage: 100-240V
Control: DMX512
Zoom: 15-60°, electric zoom
Dimmer: 0-100% linear dim...
Strobe: 20 Flashes per second
LED Life: 50,000 hours
Size: 46*30*18cm
Weight: 4.55kg



PRS285Z

285W (19×15W) ZOOM PAR 10CH

Source: 19pcs 15w 4-IN-1 L...
Voltage: 90-260V
Control: DMX512, Master/Sl...
Zoom: 10-50 degrees
Size: 280*280*390mm(1pcs/CTN) Speci...
Weight: 4.9kg



PRS40Z

40W ZOOM PAR 4CH / 8CH

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Beam Angle: 40°
Zoom: 4~60° □ manual zoom □
Dimmer: 0-100% dimmer
Strobe: 0-20HZ
Op. Temp: -20°C-40°C
Weight: 2kg



PRS200X

200W PAR 2CH / 4CH / 6CH

Source: LED
Voltage: 110-220V
Control: DMX512, Master/Sl...
Beam Angle: 60°
Colour Temp: 2000k~6500k
Dimmer: 0~100% linearly adj...
Cooling: Forced Air Convection, with 1 Fan
LED Life: over 50000hours
Op. Temp: -30°~45°
Housing: Black
Size: 56*56*42cm(4pcs/case)

STANDARD SERIES



PRS100Z

100W (1×100W) ZOOM PAR 2CH

Source: LED

Control: DMX512

Beam Angle: 9°/15°/20°/25...

Zoom: Yes

Colour Temp: 3000K/ 5700K

STANDARD SERIES



PRS100B

100W BEAM PAR

Source: LED
Voltage: 100-240V
Beam Angle: 20°

Size: 250*170*230mm
Weight: 3.1KG



PRS56X

56W (7×8W) PAR

Source: LED
Voltage: 100-240V

4CH / 8CH
Control: DMX512, Master/Slave, Sound
Weight: 3.1KG



PRS56X-2

56W (7×8W) PAR

Source: LED
Voltage: 100-240V

6CH / 10CH
Control: DMX512, Master/Slave, Sound
Weight: 3.1KG

STANDARD SERIES



PRS270B

270W (18×15W) BEAM PAR 8CH

Source: LED

Voltage: 100-240V

Control: DMX512, Master/Sl...

Beam Angle: 25°

Colour Temp: 7600

Strobe: 0-20Hz

Housing: die-casting mold + aluminum

Size: 320*190*280mm

Weight: 3.6KG

PREMIUM SERIES



PRP72B

72W (6×12W) BEAM PAR

6CH / 10CH

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Beam Angle: 25°
Dimmer: 0-100% dimmer

Strobe: 0-24HZ
Battery: Lithium Ion
Op. Temp: -20°C-40°C
Size: 140*140*200mm
Weight: 2.4kg



PRP90B

90W (9×10W) BEAM PAR

6CH / 10CH

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Beam Angle: 15°
Dimmer: 0-100% dimmer

Strobe: 0-24HZ
Battery: Lithium Ion
Op. Temp: -20°C-40°C
Size: 670x550x450mm, G.W.:50kg
Weight: 4.5kg

PREMIUM SERIES



PRP120X

120W PAR

Source: LED

Voltage: 100-240V

Control: DMX512, Master/Sl...

6CH / 10CH

Battery: 4 hours(full power)

Size: 320x210x245mm

Weight: 5.06kg

PREMIUM SERIES



PRP40B

40W (4×10W) BEAM PAR

7CH / 11CH

Source: LED
Voltage: 100-240V
Control: Wireless
Beam Angle: 15°
Dimmer: 0-100% dimmer

Strobe: 0-24HZ
Battery: Lithium Ion
Op. Temp: -20°C-40°C
Size: 140*140*200mm
Weight: 3.03kg



PRP40B-2

40W (4×10W) BEAM PAR

7CH / 11CH

Source: LED
Voltage: 100-240V
Control: Wireless
Beam Angle: 15°
Dimmer: 0-100% dimmer

Strobe: 0-24HZ
Battery: Lithium Ion
Op. Temp: -20°C-40°C
Size: 140*140*200mm
Weight: 3.03kg



PRP60B

60W (6×10W) BEAM PAR

7CH / 11CH

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Beam Angle: 25°
Dimmer: 0-100% dimmer

Strobe: 0-24HZ
Battery: Lithium Ion
Op. Temp: -20°C-40°C
Size: 140*140*200mm
Weight: 3.08kg



PRP90B-2

90W (9×10W) BEAM PAR

6CH / 10CH

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Beam Angle: 15°
Dimmer: 0-100% dimmer
Strobe: 0-24 F.P.S, speed a...

Battery: Lithium Ion
Op. Temp: -10°C- 45°C
Housing: Aluminum alloy
Size: 222.5×183.8×260mm
Weight: 4.5kg

PREMIUM SERIES CONTINUED



PRP90B-3

90W (9×10W) BEAM PAR

4CH / 8CH

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Beam Angle: 25°
Dimmer: 0-100% dimmer

Strobe: 0-24HZ
Battery: Lithium Ion
Op. Temp: -20°C-40°C
Size: 140*140*202mm
Weight: 3.08kg



PRP280Z

280W (7×40W) ZOOM PAR

9CH / 19CH

Source: 7pcs 30w 4-IN-1 LE...
Voltage: 90-260V
Control: DMX512, Master/Sl...

Beam Angle: 3-60degree
Zoom: 3-60degree
LED Life: 60000hours 0-100% smoothly...



PRP285Z

285W (19×15W) ZOOM PAR

11CH / 22CH

Source: LED
Voltage: 90-260V
Control: DMX512, Master/Sl...

Beam Angle: 9.4-49.6degree
Zoom: 9.4-49.6degree
LED Life: 60000hours



PRP140X

140W (7×20W) PAR

1CH / 6CH / 9CH / 19CH

Source: LED
Voltage: 100-240V
Dimmer: 0-100% linear dim...
Strobe: 0~ 20Hz

Connectors: True one in/out • IP 5-pin XL...
Size: 309x144.8x255mm Control • Proto...
Weight: 4.52KG



PRP300X

300W PAR

-

Source: LED
Voltage: 100-240V
Colour Temp: 1800~8500 K
CRI: 92+

Strobe: 1□25HZ
Op. Temp: -40 °C - 45 °C
Size: 223x170x248.4mm
Weight: 2.8KG

PREMIUM SERIES CONTINUED



PRP90X

90W (9×10W) PAR

2CH / 4CH / 6CH / 8CH / +1

Source: LED

Beam Angle: 30(±5) degree

Voltage: 100-250V

Battery: Yes

Control: DMX512, Master/Sl...

Weight: kg

PREMIUM SERIES



PRP360B

360W (18×20W) BEAM PAR 6CH / 8CH / 12CH

Source: LED

Voltage: 100-240V

Control: DMX512, Master/Sl...

Beam Angle: 25°

Dimmer: 0-100% dimmer

Strobe: 0-24HZ

LED Life: 20,000hours

Op. Temp: -20°C-40°C

Size: 336*320*145mm

Weight: 6.42KG

LED & Pixel Bars

19 FIXTURES

SERIES

Budget · Standard · Premium

IP RATINGS

IP20 · IP25 · IP54 · IP65 · IP N/A

CODE PREFIX

BR



LED & Pixel Bars IP20

BUDGET SERIES

BRB500W

500W (10×50W) WASH BAR 1CH / 2CH / 4CH / 5CH / +1



Source: LED
Voltage: 230V
Control: DMX512, Master/Sl...
Beam Angle: 35°
Dimmer: 0-100% electronic
Strobe: Max 10Hz electroni...

Connectors: Power CON IN/ OUT
Cooling: Efficient low noise fan cooling s...
Size: 1078*130*136mm
Weight: 6.35KG
Carton: 115*202*213cm 7.8KG

BRB30Z

30W (3×10W) ZOOM BAR 7CH



Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Zoom: 15-60°
Dimmer: 0-100% linear adjus...

Battery: Lithium Ion
Connectors: 3-pin dmx IN/OUT
Housing: aluminum alloy
Size: 459*214*74mm
Weight: 2.6kg

BRB30X

30W (4×7W) BAR 5CH



Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Colour Temp: 3200K
Dimmer: 0-100% linear adjus...

Battery: Lithium Ion
LED Life: 500times circulation
Housing: Metal
Size: 600x65x240mm
Weight: 3.17kg

LED & Pixel Bars IP65

BUDGET SERIES

BRB180B



180W (18×10W) BEAM BAR 11CH / 29CH / 108CH / 119CH

Source: LED

Voltage: 90-260V

Control: DMX512, Master/Sl...

Beam Angle: 25° or 45°

Strobe: Digital strobe, speed adjustable (...)

Size: 1000x85x130mm No fan totally sile...

LED & Pixel Bars IP N/A

BUDGET SERIES



BRB85B

85W BEAM BAR

Source: LED
Voltage: 100-256V

Control: DMX512, Master/Slave, Sound
Beam Angle: 25 degree



BRB108H

108W (36×3W) HYBRID BAR 9CH / 108CH

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...

Dimmer: FLICKER FREE 10KHz dimming r...
Size: 100x5x13cm
Weight: 2.3KG



BRB60Z

60W (6×10W) ZOOM BAR 1CH

Source: LED
Voltage: 180-240V
Beam Angle: 5 °-37 °
Zoom: Yes

Colour Temp: 2700K CRI 66 Control and...
Battery: Yes
Connectors: IEC IN/OUT

LED & Pixel Bars IP20

STANDARD SERIES

BRS80B

80W (24×3W) BEAM BAR -



Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Beam Angle: 10/20/25degr...
Dimmer: 0-100% dimmer

Strobe: 0-24HZ
Battery: Lithium Ion
LED Life: 500times circulation
Op. Temp: -20°C-40°C
Size: 1030x62x58mm

LED & Pixel Bars IP25

STANDARD SERIES

BRS80B-3



80W (8×10W) BEAM BAR

5CH / 8CH

Source: LED

Voltage: 100-240V

Control: DMX512, Master/Sl...

Beam Angle: 3-90degrees

Dimmer: 0-100% linear adjus...

Connectors: 3-pin dmx IN/OUT

Housing: aluminum alloy

Size: 900*80*241mm

Weight: 3.8kg

LED & Pixel Bars IP54

STANDARD SERIES

BRS90W

90W WASH BAR

6CH / 10CH



Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Beam Angle: 15°

Dimmer: 0-100% dimmer
Strobe: 0-24HZ
Battery: Lithium Ion
Op. Temp: -20°C-40°C

LED & Pixel Bars IP65

STANDARD SERIES

BRS180B



180W (18×10W) BEAM BAR 1CH / 5CH / 8CH / 90CH / +1

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Beam Angle: 25°
LED Life: 20000 hours
Size: 100*14*18CM
Weight: 9.2KG

BRS80B-2



80W (24×3W) BEAM BAR 6CH / 8CH / 14CH / 50CH

Source: LED
Control: DMX512, Master/Sl...
Beam Angle: 10°□20°□25°
Dimmer: 0-100% dimmer
Strobe: 0-24hz
Battery: Lithium Ion Battery Charge Time...
Op. Temp: 20-40°C
Size: 118*23*17.5cm
Weight: 6.1kg

BRS150H



150W (10×15W) HYBRID BAR 1CH / 8CH / 12CH / 110CH / +1

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Beam Angle: 40°
Dimmer: 0-100% with regula...
Strobe: 10 Flashes per second (any color)
LED Life: 50,000 hours
Size: 100*16*21CM
Weight: 7.4KG

LED & Pixel Bars **IP N/A**

STANDARD SERIES



BRS300S0700

300W (2×30W) SPECIAL BAR 18CH / 36CH / 66CH

Source: LED

Voltage: 100-240V

Control: DMX512, Master/Sl...

Size: 97*46*26cm(1piece/carton)

Weight: 15.5kg

LED & Pixel Bars IP20

PREMIUM SERIES



BRP90B

90W BEAM BAR

6CH / 10CH

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Beam Angle: 25°
Dimmer: 0-100% dimmer

Strobe: 0-24HZ
Battery: Lithium Ion
Op. Temp: -20°C-40°C
Weight: 13kg



BRP40Z

40W (4×10W) ZOOM BAR

4CH / 8CH

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Beam Angle: Adjustable
Zoom: 6-37-60degree
Colour Temp: 2700k

Dimmer: 0-100% dimmer
Strobe: 0-24HZ
Battery: Lithium Ion
Op. Temp: -20°C-40°C
Weight: 11kg

LED & Pixel Bars IP65

PREMIUM SERIES

BRP270B



270W (18×15W) BEAM BAR 1CH / 5CH / 9CH / 90CH / +1

Source: LED

Voltage: 100-240V

Control: DMX512, Master/Sl...

Beam Angle: 25° With Linear Electronic F...

Size: 1000*140*182mm

Weight: 10.25KG

BRP400Z-2



400W (10×40W) ZOOM BAR -

Source: LED

Voltage: 90-260V

Control: DMX512, Sound, Au...

Beam Angle: 3-60degree

Zoom: 3-60degree

Size: 505*136*325mm

Weight: 9.5kg

LED & Pixel Bars **IP N/A**

PREMIUM SERIES

BRP400Z



400W (10×40W) ZOOM BAR -

Source: LED

Zoom: 3-60degree

Voltage: 90-260V

Size: 505*136*325mm

Control: DMX512, Sound, Au...

Weight: 9.5kg

Beam Angle: 3-60degree

Wash / City Colors

09 FIXTURES

SERIES

Budget · Standard · Premium

IP RATINGS

IP65

CODE PREFIX

WL



Wash / City Colors IP65

BUDGET SERIES

WLB150B



150W (3×50W) BEAM WASH LIGHT -

Source: LED
Voltage: 100-240V
Control: Wireless
Beam Angle: 28.07 degrees
LED Life: 20000 hours

Op. Temp: -10 ~40
Size: 430x360x240mm
Weight: 7.6kg
Carton: 440x370x260mm

WLB180W



180W (18×10W) WASH 8CH

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...

Dimmer: 0-100% with regulated constant...
Strobe: 10 Flashes per second (any color)
Size: 33*25*20cm

WLB96W



96W (24×4W) WASH 7CH

Source: LED
Voltage: 100-256V

Control: DMX512
Size: 120× 150× 1100mm

Wash / City Colors IP65

STANDARD SERIES



WLS400B

400W (40×10W) BEAM WASH LIGHT -

Source: LED
Voltage: 100-240V
Beam Angle: 40°

Tilt: 210° , 16 bit
Size: 450*131*310mm
Weight: 8.6KG



WLS10W

10W WASH

4CH / 8CH

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Beam Angle: 15°, 25°, 45° o...

Cooling: Die casting aluminum a forming
Weight: 33.1kg
Carton: 70X62X56cm



WLS440W

440W (44×10W) WASH

4CH / 5CH / 9CH

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Beam Angle: 40°

Dimmer: 0-100% with regulated constant...
Strobe: 10 Flashes per second (any color)
Weight: KG

Wash / City Colors IP65

PREMIUM SERIES



WLP10W

10W WASH

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Beam Angle: 40°

4CH / 5CH / 9CH

Dimmer: 0-100% with regulated constant...
Strobe: 10 Flashes per second (any color)
Weight: 13KG



WLP480W

480W (24×20W) WASH

Source: LED

-



WLP960W

960W (48×20W) WASH

Source: LED

-

Blinders

09 FIXTURES

SERIES

Budget · Standard · Premium

IP RATINGS

IP20 · IP56 · IP65 · IP N/A

CODE PREFIX

BL



BUDGET SERIES

BLB200B



200W (2×100W) BEAM BLINDER 2CH / 5CH

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Beam Angle: 30 degree
Dimmer: 0~100% linearly adj...
Strobe: Variable speed (1-3...

Cooling: Two low noise fans
LED Life: over 50,000 hours
Housing: Metal
Size: 49*22*26.5cm (1pc/carton) 71x50....
Weight: 3.6kgs

BLB200B-2



200W (2×100W) BEAM BLINDER 2CH / 4CH / 8CH

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Beam Angle: 30 degree

Dimmer: 0-100% linear adjustable
Strobe: Variable speed (1-30Hz)
Housing: Metal

BLB400B



400W (4×100W) BEAM BLINDER 1CH / 2CH / 4CH / 8CH

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Beam Angle: 30 degree

Dimmer: 0-100% linear adjustable
Strobe: Variable speed (1-30Hz)
Housing: Metal

STANDARD SERIES

BLS400B



400W (4×100W) BEAM BLINDER 4CH / 8CH

Source: LED

Voltage: 100-240V

Control: DMX512, Master/Sl...

Beam Angle: 30 degree

Dimmer: 0~100% linearly adj...

Strobe: Variable speed (1-3...

Cooling: Two low noise fans

LED Life: over 50,000 hours

Housing: Metal

Size: 42.2*16.7*46.5 cm (1pcs/carton) 7...

Weight: 5kgs

STANDARD SERIES



BLS400B-2

400W (4×100W) BEAM BLINDER 4CH / 8CH

Source: LED

Voltage: 100-240V

Control: DMX512, Master/Sl...

Beam Angle: 50degrees

Dimmer: 0-100% linear adjustable

Strobe: Variable speed (1-30Hz)

Cooling: Waterproof fan+die-casting alu...

Housing: Metal

STANDARD SERIES



BLS200X 200W BLINDER

Source: LED
Voltage: 90-240V
Control: DMX512
Beam Angle: 45°-65°

4CH / 8CH

Colour Temp: 2400k-6000k
Size: 45*27*25CM
Weight: 9.3KG

STANDARD SERIES



BLS400X

400W (2×200W) BLINDER

2CH / 6CH

Source: LED

Voltage: 90-240V

Control: DMX512, Master/Sl...

Dimmer: Smooth dimmer fro...

Strobe: Strobe effect with variable speed

Size: 405*245*235mm

Weight: 7.5kg

PREMIUM SERIES



BLP400B

400W (4×100W) BEAM BLINDER -

Source: LED
Voltage: 100-240V
Beam Angle: 30°
CRI: > 80

Dimmer: 0~100% linearly adjustable Stro...
Size: 394×374×159mm
Weight: 12kg
Carton: 470x450x300mm



BLP200X

200W BLINDER

Source: LED
Voltage: 90-240V

2CH / 6CH

Control: DMX512, Master/Slave, Sound

Strobes

21 FIXTURES

SERIES

Budget · Standard · Premium

IP RATINGS

IP20 · IP65 · OUTDOOR · IP N/A

CODE PREFIX

ST



BUDGET SERIES



STB1000X

1000W STROBE

1CH / 6CH / 8CH

Source: LED
Voltage: 110-240V
Control: DMX512, Master/Sl...
Colour Temp: 6500 ~ 7200K

Strobe: 0-20/S
Size: 54 * 32 * 20.5CM
Weight: 7KG



STB1000X-2

1000W STROBE

3CH / 9CH / 24CH

Source: LED
Voltage: 110-240V
Control: DMX512, Sound, Au...
Dimmer: 32bit 0-100% linear...

Strobe: 0~20/s
Size: 54*32*20.5CM
Weight: 6KG



STB200X

200W STROBE

4CH / 13CH / 36CH / 96CH / +1

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Dimmer: 16bit 0~100% linea...

Strobe: 1~30HZ
Size: 97*13*7.5CM
Weight: 3.7KG
Carton: 106*29*34cm



STB3000X

3000W STROBE

4CH

Source: Discharge lamp
Voltage: 220-240V
Control: DMX512, Master/Sl...

Size: 54 * 32 * 20.5CM
Weight: 7KG
Carton: EPE or air box

BUDGET SERIES

STB300B

300W BEAM STROBE

72CH



Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Beam Angle: 120 °
Colour Temp: RGB linear col...

Dimmer: 0-255,0%-100 linear dimming
Strobe: independent electronic strobe
Cooling: natural heat dissipation
Size: 646 × 255 × 330mm(L × W × H)
Weight: 13kg

STB350H

350W HYBRID STROBE

4CH / 16CH / 85CH / 161CH



Source: 5050 0.3W RGB 3in...
Voltage: 100-240V
Control: DMX512, Master/Sl...
Dimmer: 32bit 0-100% linear...

Strobe: 1-30Hz
Size: 100*10*13cm
Weight: 6.65kg
Carton: 110*16.5*22cm

BUDGET SERIES

Voltage: AC100-240V, 50/60Hz
Consumption: 240W
Light source: 96x 9659020 lamp/beads=96 301 white light
lamp/beads
Channel: 4CH 112CH/32CH
Control mode: DMX512, self-propelled, voice controlled,
with RDM function
Dimming: 3204 0-100% linear dimming
Features: 8-stage home return/delay/explosive flashing
Strobe frequency: 5-30Hz
IP rate: IP20
Appearance: Metal, black
Connection method: DMX512 input/output
Power Connector: powerCON mini4
Size: 167x204x104mm
Net weight: 7.5kg

STBX
960-LED STROBE
Source: LED

-

STANDARD SERIES



STS1200B

1200W BEAM STROBE

3CH / 4CH / 14CH

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Dimmer: 0-100% linear LED...
Strobe: 0-24HZ

Connectors: Powercon In/Out
LED Life: Over 50000hours
Op. Temp: -20°C-40°C
Weight: 8.3KGs
Carton: 560x340x240mm



STS480H

480W HYBRID STROBE

5CH / 7CH / 14CH / 19CH / +2

Source: 1320pcs 0.2w RGB...
Voltage: 100-240V
Dimmer: 0-100% electronic
Tilt: 185 °
Connectors: seetronic Pow...

Cooling: Efficient low noise fan cooling s...
Op. Temp: 45° C / 113° F
Size: 570mm*226.5mm*291.2mm
Weight: 14.12KG



STS240X

240W STROBE

6CH / 9CH / 13CH / 18CH / +4

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Colour Temp: Red: 620-630...
Dimmer: 16bit0~100 linear d...

Connectors: Powercon input/output
Housing: black aluminum shell 3 pin DMX...
Size: 160*405*251mm (L/W/H)
Weight: 6.5kg



STS800X

800W (100x5W) STROBE

16CH / 34CH / 38CH / 47CH / +3

Source: 100x5W white LEDs...
Voltage: 100-240V
Dimmer: 0-100% linear dim...

Strobe: 1-25Hz
Size: 500*83*210.5mm
Weight: 5.3kg

STANDARD SERIES



STS2000H

2000W HYBRID STROBE

24CH / 46CH / 68CH / 91CH / +1

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Beam Angle: □LED Life Time...
Dimmer: 0-100% electronic
Strobe: Hz

Tilt: 184°
Connectors: Ture one Powercon IN/ OUT
Cooling: Efficient low noise fan cooling s...
LED Life: 20000 hours
Op. Temp: -20°C□45°C
Size: 430mm*211mm*419mm



STS500H

500W HYBRID STROBE

7CH / 15CH / 17CH / 21CH / +7

Source: 5050 0.3W RGB 3in...
Voltage: 100-240V
Control: DMX512, Master/Sl...

Dimmer: 32bit 0-100% linear dimming Wi...
Strobe: 1-30Hz
Weight: 6.65kg



STS1000X

1000W STROBE

-

Source: LED
Beam Angle: 120 degrees
Strobe: 0-20Hz

Size: 508*146*298.5mm
Weight: 9Kg

STANDARD SERIES



STS1000H

1000W HYBRID STROBE

11CH / 14CH / 17CH / 23CH / +2

Source: 576pcs 0.5w RGB 3...
Voltage: 100-240V
Control: DMX512, Master/Sl...
Dimmer: 0-100% electronic
Tilt: 200°

Connectors: PowerCON IN/ OUT
Cooling: Efficient low noise fan cooling s...
Op. Temp: 45°C / 113°F
Weight: 11.8kg



STS450X

450W STROBE

4CH / 16CH / 48CH

Source: LED
Voltage: 110-240V
Control: DMX512, Master/Sl...

Colour Temp: White 6500-7500K
Dimmer: 0-100% linear adjustment

PREMIUM SERIES



STP590B

590W BEAM STROBE

4CH / 192CH

Source: LED
Voltage: 100-240V
Beam Angle: 98degree
Dimmer: 4modes dimming c...
Strobe: 0-30hz

Connectors: seetronic PowerCON IN/ OUT
Cooling: Speed adjustable fan
Housing: Die-casting aluminum, black col...
Size: 468mm*179mm*268mm
Weight: 16.3KG



STP1000H

1000W HYBRID STROBE

-

Source: LED
Voltage: 100-240V
Dimmer: 0-100% electronic
Strobe: electronic, max. 20...

Tilt: 185°
Cooling: Temperature controlled, overhe...
Op. Temp: -30°C / 86°F, 50°C / 122°F
Weight: 10 kg



STP1200H

1200W HYBRID STROBE

11CH / 14CH / 17CH / 23CH / +2

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Beam Angle: 22°
Dimmer: 0-100% electronic
Strobe: 0-20Hz
Tilt: 185°

Connectors: PowerCON IN/ OUT
Cooling: Efficient low noise fan cooling s...
LED Life: 20000 hours
Op. Temp: 45° C / 113° F
Size: 587mm*242mm*352mm
Weight: 24.6KG



STP2000H

2000W HYBRID STROBE

-

Source: LED
Voltage: 100-240V
Dimmer: 0-100% electronic
Strobe: electronic, max. 20...

Tilt: 185°
Cooling: Temperature controlled, overhe...
Op. Temp: -30°C / 86°F, 50°C / 122°F
Housing: black Dimensions

PREMIUM SERIES CONTINUED

STP580H

580W HYBRID STROBE

8CH / 11CH / 13CH / 24CH / +5



Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Dimmer: 0-100% electronic
Strobe: 0-20Hz
Tilt: 200 °, 16bit

Connectors: Power CON IN/ OUT
Cooling: Efficient low noise fan cooling s...
LED Life: 50000 hours
Op. Temp: 45° C / 113° F DMX Channels:...
Size: 501.84mm*147.65mm*337.55mm

Effect Lights

13 FIXTURES

SERIES

Budget · Standard · Premium

IP RATINGS

IP20 · IP54 · IP65 · IP N/A

CODE PREFIX

FX



BUDGET SERIES



FXB70W

70W (7×10W) WASH EFFECT 9CH / 14CH

Source: LED

Voltage: 90-240V

Control: DMX512, Master/Sl...

Dimmer: 0~100% mechanic dimmer

Weight: 2.78kg



FXB100X

100W EFFECT

Source: LED

-



FXB54X

54W (18×3W) EFFECT

Source: LED

Voltage: 00-240V

-

STANDARD SERIES

FXS180W



180W (18×10W) WASH EFFECT 9CH / 23CH / 72CH

Source: LED

Voltage: 100-240V

Control: DMX512, Master/Sl...

Dimmer: Linear 0-100% dimmer

Weight: 4.62kg

STANDARD SERIES



FXS100B

100W BEAM EFFECT

1CH / 2CH

Source: LED

Voltage: 100-240V

Control: DMX512, Master/Sl...

Beam Angle: 30 degree

Dimmer: 0-100% linear adjustable

Strobe: Variable speed (1-30Hz)

Housing: Metal

STANDARD SERIES



FXS24B

24W (8×3W) BEAM EFFECT 7CH / 13CH

Source: LED
Voltage: 90-240V
Control: DMX512, Master/Sl...
Beam Angle: 45degree
Dimmer: 0-100%dimmer
Tilt: 135° 16 bit



FXS10W

10W WASH EFFECT 9CH / 23CH / 72CH

Source: LED
Voltage: 90-245V
Control: DMX512, Master/Sl...
Beam Angle: 15°or 40°
LED Life: >100 thousand hours
Size: 111*18*23CM
Weight: 6.7kg



FXS25X

25W (2×1W) EFFECT 9CH

Source: LED
Voltage: 110-240V
Control: DMX512, Master/Sl...
Battery: 3hours
Size: 300.4*231.7*279.5MM
Weight: 3.22kg

PREMIUM SERIES



FXP120Z

120W (3×40W) ZOOM EFFECT 9CH / 12CH / 17CH

Source: 3×40W RGBW 4in1
Voltage: 100-240V
Control: DMX512, Master/Sl...
Beam Angle: 7°~40°
Zoom: Yes

Dimmer: 0-100% dimmer
Strobe: 0-24Hz
Op. Temp: -20°C-40°C
Weight: 4.6kg

PREMIUM SERIES



FXP285W

285W (19×15W) WASH EFFECT -

Source: LED
Voltage: 100-240V
Zoom: 4°-60° Electronic Zo...
Pan: 540° , 16 bit

Tilt: 210° , 16 bit 0-100% linear electroni...
Size: 494*358*253
Weight: 15KG



FXP475W

475W (19×25W) WASH EFFECT -

Source: LED
Voltage: 100-240V
Beam Angle: 10° ~ 60°

Size: 430 × 246 × 512mm
Weight: 9.5Kgs



FXP475W-2

475W (19×25W) WASH EFFECT 10CH / 15CH / 21CH / 37CH / +1

Source: LED
Voltage: 100-240V
Beam Angle: 10° ~ 60° Beam

Size: 430 × 246 × 512mm
Weight: 9.5Kgs



FXP576X

576W (48×12W) EFFECT -

Source: LED
Beam Angle: 8-120 degrees

Size: 565 x 240 x 296 mm
Weight: 9Kg

Pinspots

05 FIXTURES

SERIES

Standard

IP RATINGS

IP20 · IP N/A

CODE PREFIX

PS



STANDARD SERIES

PSS10Z



10W (1×10W) ZOOM PINSPOT 2CH

Source: LED	Zoom: Yes
Voltage: 100-230V	Dimmer: 0-100% dimmer *Strobe rate: 0-...
Control: DMX512, Wireless	Battery: Lithium Ion
Beam Angle: 6-37degree	Op. Temp: 0°C-40°C

PSS60Z



60W ZOOM PINSPOT 4CH / 8CH

Source: LED	Zoom: 4~60° □ manual zoom □
Voltage: 100-240V	Dimmer: 0-100% dimmer
Control: DMX512, Master/Sl...	Strobe: 0-20HZ
Beam Angle: 4~60° □ manual...	Op. Temp: -20°C-40°C

PSS60Z-2



60W (6×10W) ZOOM PINSPOT 8CH

Source: LED	Strobe: 1-25times/s
Voltage: 100-240V	Battery: Lithium Ion
Control: DMX512, Master/Sl...	Connectors: Powercon in
Zoom: 6-37°	Housing: aluminum alloy
Colour Temp: 2700K±100	Size: 940*74*241mm
Dimmer: 0-100% linear adjus...	Weight: 4.06kg

STANDARD SERIES



PSS15Z

15W ZOOM PINSPOT

-

Source: LED
Voltage: 90-240V
Control: Wireless
Zoom: 14-39degree
CRI: 70

Dimmer: 0-100% dimmer
Strobe: 20Hz
Battery: Lithium Ion
Weight: 0.4kg



PSS15X

15W PINSPOT

-

Profiles & Spots

03 FIXTURES

SERIES

Standard

IP RATINGS

IP20 · IP N/A

CODE PREFIX

PF



Profiles & Spots **IP20**

STANDARD SERIES



PFS200P

200W SPOT PROFILE

-

Source: LED

Op. Temp: -10°C-40°C CAR...

Size: 680*340*340MM

Weight: 11.00Kg

Carton: 700*360*365MM



PFS40P

40W SPOT PROFILE

-

Source: LED

Voltage: 100-240V

Dimmer: 0~100% linearly adj...

Strobe: 1-25times/sec

LED Life: over 50,000 hours

Op. Temp: 0°C~40°C

Housing: Die-casting Aluminum

Weight: 2.4kg

Profiles & Spots **IP N/A**

STANDARD SERIES



PFS20P

20W SPOT PROFILE

Source: LED

Voltage: 100-240V

Dimmer: 0~100% linearly adj...

Strobe: 1-25times/sec

LED Life: over 50,000 hours

Housing: Die-casting Aluminum

Fresnels

03 FIXTURES

SERIES

Standard

IP RATINGS

IP20 · IP65

CODE PREFIX

FR



STANDARD SERIES

FRS150Z



150W (1×150W) ZOOM FRESNEL -

Source: LED
Voltage: 100-240V
Zoom: Yes

Strobe: 1-25times/sec 1 DMX channels...
Size: 360(L)*260(W)*200(H)mm
Weight: 6.5kg

FRS200X



200W FRESNEL

3CH

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Colour Temp: 30000K
Dimmer: 0-100% linear adjus...

Strobe: Variable speed (1-30Hz)
Connectors: powercon IN/OUT
LED Life: over 20000 hours
Weight: 4.95KG

STANDARD SERIES



FRS100B

100W BEAM FRESNEL

1CH / 2CH

Source: LED

Voltage: 100-240V

Control: DMX512, Master/Sl...

Beam Angle: 30 degree

Dimmer: 0-100% linear adjustable

Strobe: Variable speed (1-30Hz)

Housing: Metal

Gobo Projectors

07 FIXTURES

SERIES

Budget · Standard · Premium

IP RATINGS

IP65

CODE PREFIX

GP



Gobo Projectors IP65

BUDGET SERIES



GPB150X

150W GOBO PROJECTOR 7CH

Source: LED
Voltage: 110-240V

Dimmer: 0-100% linear dimming The patt...
Cooling: radiator, fan cooling



GPB200X

200W GOBO PROJECTOR 6CH

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Dimmer: 0-100% linear dim...

Strobe: 0-20Hz
Housing: aluminum alloy + flame-retarda...
Size: 353.8*245*225.8MM
Weight: 6.89KG

Gobo Projectors IP65

STANDARD SERIES



GPS200Z

200W ZOOM GOBO PROJECTOR 12CH

Source: LED
Voltage: 110-240V
Zoom: Yes

Dimmer: 0-100% linear dimming The patt...
Housing: high-quality aluminum alloy



GPS200X

200W GOBO PROJECTOR 5CH

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Beam Angle: 30 °
Dimmer: 0-100% linear dim...

Strobe: 0-20Hz
Housing: aluminum alloy + flame-retarda...
Size: 353.8*245*225.8MM
Weight: 6.89KG



GPS400X

400W GOBO PROJECTOR 8CH

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...
Beam Angle: ° -56.5 °
Colour Temp: 9100 CRI;73

Dimmer: 0-100% linear dimming
Strobe: 0-20Hz
Housing: aluminum alloy
Size: 435.1*309*289.8MM
Weight: 16.3KG

Gobo Projectors IP65

PREMIUM SERIES



GPP600B

600W BEAM GOBO PROJECTOR 5CH / 6CH

Source: LED	Dimmer: 0-100% linear dimming
Voltage: 100-240V	Strobe: 0-20Hz
Control: DMX512, Master/Slave	Housing: die-cast mold + aluminum profile
Beam Angle: 20 ° 28 ° 36 ° ...	Size: 300*275*391
Colour Temp: 8800	Weight: 12.5KG



GPP500Z

500W ZOOM GOBO PROJECTOR -

Source: LED	Strobe: Fast strobe from 1-20Hz per sec...
Beam Angle: 3-45 ° Effect S...	LED Life: 20000 hours
Zoom: Yes	Op. Temp: -10 ~40
Colour Temp: 7700K	Size: 513X411X388mm
Dimmer: 0-100% smooth di...	Weight: 17.5KG

Lasers

05 FIXTURES

SERIES

Standard

IP RATINGS

IP20 · IP65 · IP66 · IP N/A

CODE PREFIX

LS



STANDARD SERIES

LSS70X

70W LASER



Source: 8pcs 3w 500MW/6...
Voltage: 90-240V

30CH

Control: DMX512, Master/Slave, Sound
Size: 1180*320*250mm(2in1) red laser 8...

STANDARD SERIES



LSS150B2229

150W BEAM LASER

16CH

Source: 150w UsHIO laser
Control: DMX512, Master/Sl...
Beam Angle: 0.9°
Dimmer: 0-100% linear dim...

Strobe: 0-20Hz
Cooling: Low noise and efficient FAN coo...
Size: 534*388*256mm
Weight: 17 kg

STANDARD SERIES



LSS260B

260W BEAM LASER

16CH / 20CH

Source: Discharge lamp
Voltage: 110-240V
Control: DMX512, Master/Sl...

Beam Angle: 0.8;
Dimmer: linear dimming



LSS300B1719

300W BEAM LASER

21CH

Source: 300w UsHLO laser
Control: DMX512, Master/Sl...
Beam Angle: 1.1°
Dimmer: 0-100% linear dim...
Strobe: 1-20times/s, speed...

Pan: 540degree 16bit
Tilt: 270degree 16bit
Cooling: Silence fan, speed changeable
Housing: Aluminum alloy
Weight: 29.5kg

STANDARD SERIES



LSS20X

20W (2×10W) LASER

14CH

Source: LED

Battery: 4hours

Voltage: 110-240V

Size: 300.4*231.7*279.5MM

Control: DMX512, Master/Sl...

Weight: 3.25kg

Strobe: 4x2w 2in1 led

Matrix Panels

05 FIXTURES

SERIES

Standard

IP RATINGS

IP20 · IP65 · IP N/A

CODE PREFIX

MX



STANDARD SERIES

MXS130X

130W MATRIX




Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...

Strobe: 1-30HZ
Weight: 3.65KG

4CH / 17CH / 45CH / 313CH

MXS49X

49W MATRIX



Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...

Dimmer: 16 bit 0 ~ 100% linear dimming
Strobe: 1 ~ 30 HZ
Size: 60.5*60.5*19CM Gross Weight: 14...

4CH / 19CH / 68CH / 196CH / +1

STANDARD SERIES



MXS490X

490W (49×10W) MATRIX

1CH / 5CH / 7CH

Source: LED

Voltage: 100-240V

Control: DMX512, RDM, Art-...

Dimmer: linear electronic di...

Connectors: Powercon TRUE1 in/out

Size: 500*500*104mm;

Weight: 10.7kg

STANDARD SERIES



MXS100B

100W BEAM MATRIX

8CH / 20CH / 40CH / 60CH / +1

Voltage: 110-240V
Beam Angle: 90° (wide-angl...
Dimmer: 0–100% smooth lin...

Size: 1000 × 100 × 100 mm (L × W × H)
Weight: N.W. 5.5 kg / G.W. 6.0 kg



MXS120X

120W MATRIX

-

Source: Discharge lamp

Tube Lights

02 FIXTURES

SERIES

Standard

IP RATINGS

IP65

CODE PREFIX

TB



STANDARD SERIES



TBS30X

30W TUBE

10CH / 52CH / 124CH

Source: LED
Voltage: 110-220V
Control: Master/Slave, Soun...
Dimmer: Linear dimmer

Strobe: 0-24Hz
Battery: Lithium Ion
Op. Temp: -20°C-40°C
Weight: 3.34kg



TBS40X

40W TUBE

8CH / 20CH / 68CH

Source: LED
Voltage: 110-220V
Control: DMX512, Master/Sl...
Dimmer: Linear dimmer

Strobe: 0-24Hz
Battery: Lithium Ion
Op. Temp: -20°C-40°C

Mirror Balls

02 FIXTURES

SERIES

Standard

IP RATINGS

IP20 · IP N/A

CODE PREFIX

MB



STANDARD SERIES



MBSX-2

MOTORISED MIRROR BALL 7CH

Voltage: 110-220V

Control: DMX512, Master/Sl...

Pan: 540o

Tilt: 360o infinite

Connectors: 3pin DMX in/out

Op. Temp: -10°C-40°C

STANDARD SERIES



MBSX

GLASS MIRROR BALL

-

Retro & Vintage

07 FIXTURES

SERIES

Budget · Standard · Premium

IP RATINGS

IP20 · IP N/A


CODE PREFIX

RT



Retro & Vintage **IP20**

BUDGET SERIES




RTB200X

200W RETRO

Source: LED
Voltage: 100-240V
Control: DMX512, Master/Sl...

7CH / 12CH

Dimmer: 32-bit 0~100% linear dimming
Strobe: 1~30Hz



RTB240X

240W (3×80W) RETRO

Voltage: 100-220V
Control: DMX512, Master/Sl...

6CH / 8CH / 12CH / 21CH / +4

Strobe: 1~30HZ

Retro & Vintage IP20

STANDARD SERIES



RTS60B

60W BEAM RETRO

Source: LED

-



RTS350W

350W (7×50W) WASH RETRO

4CH / 22CH / 28CH / 49CH / +1

Source: LED

Voltage: 100-220V

Control: DMX512, Master/Sl...

Dimmer: 32bit 0~100% linear dimming

Strobe: 1~30HZ



RTS60X

60W RETRO

Source: LED

-

Retro & Vintage **IP N/A**

PREMIUM SERIES



RTP420X

420W RETRO

Source: LED
Voltage: 90-240V
Control: DMX512, Sound, Au...
Strobe: 1-25 times/second

Connectors: 3Pin XLR
Cooling: Metal thermal conductivity Maxi...
Size: 150*18*15cm
Weight: 15kg



RTP480X

480W RETRO

Source: LED
Voltage: 90-240V
Control: DMX512, Sound, Au...
Strobe: 1-25 times/second

8CH / 32CH

Connectors: 3Pin XLR
Cooling: metal heat conduction
Op. Temp: 45°C

Fog & Haze Machines

06 FIXTURES

SERIES

Budget · Standard · Premium

IP RATINGS

IP20 · IP N/A

CODE PREFIX

FM



Fog & Haze Machines **IP20**

BUDGET SERIES



FMB1500X-2

1500W (6×3W) FOG MACHINE -

Source: LED

Fog & Haze Machines **IP N/A**

BUDGET SERIES

FMB1500X

1500W FOG MACHINE

-



Voltage: 230V
Control: Wireless
Size: 51 * 26 * 21.5cm

Weight: 7.8kg N.W: 6.8kg
Carton: 52 * 32.5 * 26cm

Fog & Haze Machines **IP20**

STANDARD SERIES



FMS3000X

3000W FOG MACHINE

-

Fog & Haze Machines **IP N/A**

STANDARD SERIES



FMS600X

600W FOG MACHINE

Voltage: 220-240V
Size: LW H 46*32*30CM

Weight: 17.80kg
Carton: LW H 52*40*45CM(with flight ca...)

Fog & Haze Machines **IP N/A**

PREMIUM SERIES



FMP800B

800W BEAM FOG MACHINE -

Voltage: 110-220V

Weight: 6.41Kg

Battery: 230W Beam Movin...

Carton: 380x330x200mm

Size: 337.5x268x126mm



FMP1500X

1500W FOG MACHINE 2CH

Source: LED

Size: 59*31*43cm

Voltage: 220-240V

Weight: 12kg

Control: DMX512, Wireless

Controllers

08 FIXTURES

SERIES

Budget · Standard · Premium

IP RATINGS

IP N/A

CODE PREFIX

CT



BUDGET SERIES




CTBX
TOUCH WING

-



CTBX-2
COMMAND WING

-



CTBX-3
FADER WING

-

STANDARD SERIES



CTSX
TOUCH DMX CONSOLE -



CTSX-2
TOUCH DMX CONSOLE II -



CTSX-3
COMPACT DMX CONSOLE -

PREMIUM SERIES



CTP150X

150W FULL-SIZE DMX CONSOLE -

Battery: Yes



CTPX

DUAL-SCREEN DMX CONSOLE -

Accessories

12 FIXTURES

SERIES

Budget · Standard · Premium

IP RATINGS

OUTDOOR · IP N/A

CODE PREFIX

AC



BUDGET SERIES



ACBX
SAFETY ROPE

-



ACBX-2
3-PIN DMX TERMINATOR

-



ACBX-3
LIGHTING HOOK CLAMP

-

Source: Discharge lamp
Housing: Aluminum alloy

Weight: 0.16kg



ACBX-4
TRUSS CLAMP

-



ACBX-5
TRUSS CLAMP

-

STANDARD SERIES



ACSX

5-PIN DMX TERMINATOR -



ACSX-2

30MM SINGLE-RING CLAMP -

Source: Discharge lamp
Housing: Aluminum alloy

Weight: 0.44kg



ACSX-3

30MM SINGLE-RING CLAMP -



ACSX-4

QUICK-LOCK CLAMP -

Accessories

OUTDOOR

PREMIUM SERIES



ACPX-3

FOLD CLAMP

Weight: 0.62KG Waterproof...

-

PREMIUM SERIES



ACPX

FOLD CLAMP

Source: Discharge lamp
Housing: Aluminum alloy

-
Weight: 0.59kg/piece



ACPX-2

FOLD CLAMP

Source: Discharge lamp
Housing: Aluminum alloy

-
Weight: kg