


Nama: Gerald Eberhard

NIM:105223002

Tugas THT_week11

Test GET All Menu




The screenshot shows the Postman interface for a GET request to `http://localhost:8000/api/menus`. The request is part of a collection named "My Collection" and is labeled "Test GET All Menu". The response is a 200 OK status with a response time of 2.88 s and a body size of 246 B. The response body is a JSON array of menu items.

Key	Value	Description
Key	Value	Description

```
{
  "success": true,
  "data": [
    {
      "restaurant_id": 1,
      "name": "Ayam Bakar Madu",
      "harga": 25000,
      "jumlah": 50
    }
  ]
}
```

Test POST - Tambah Menu Baru



The screenshot shows the Postman interface for a POST request to `http://localhost:8000/api/menus`. The request is part of a collection named "My Collection" and is labeled "Post data". The request body is a JSON object representing a new menu item. The response is a 201 Created status with a response time of 664 ms and a body size of 684 B. The response body is a JSON object containing a success message and the created menu item.

```
{
  "restaurant_id": 1,
  "name": "Ayam Bakar Madu",
  "harga": 25000,
  "jumlah": 50
}
```

```
{
  "success": true,
  "message": "Menu berhasil ditambahkan",
  "data": {
    "restaurant_id": 1,
    "name": "Ayam Bakar Madu",
    "harga": 25000,
    "jumlah": 50
  }
}
```

Test GET Single Menu

The screenshot shows the Postman interface with a workspace named "Gerald Eberhard's Workspace". The left sidebar displays a collection of API tests, including "Test GET Single Menu", which is currently selected. The main panel shows the details of a GET request to the URL "http://localhost:8000/api/menus". The request is successful, returning a 200 OK status with a response time of 195 ms and a body of 643 B. The response body is displayed in JSON format, showing a successful status and a list of menu items.

Query Params

Key	Value	Description
Key	Value	Description

Body Cookies (2) Headers (7) Test Results

200 OK · 195 ms · 643 B · Save Response

```
{
  "success": true,
  "data": [1]
}
```

Test PUT - Update Menu

The screenshot shows the Postman interface with a workspace named "Gerald Eberhard's Workspace". The left sidebar displays a collection of API tests, including "Test PUT - Update Menu", which is currently selected. The main panel shows the details of a PUT request to the URL "http://localhost:8000/api/menus/1". The request is failed, returning a 404 Not Found status with a response time of 76 ms and a body of 277 B. The response body is displayed in JSON format, showing a failed status and a message indicating that the menu was not found.

Body Cookies (2) Headers (9) Test Results

404 Not Found · 76 ms · 277 B · Save Response

```
{
  "success": false,
  "message": "Menu tidak ditemukan"
}
```

Test DELETE - Hapus Menu

The screenshot displays the Postman interface for a DELETE request. The left sidebar shows a collection named 'My Collection' with several test cases, including 'Test DELETE - Hapus Menu' which is currently selected. The main panel shows the request details for the endpoint `http://localhost:8000/api/menus/`. The request method is set to 'DELETE'. The 'Body' tab is active, showing a raw JSON response. The response status is '200 OK' with a response time of 94 ms and a size of 270 B. The response body is a JSON object indicating success and a message.

Request Details:

- Method: DELETE
- URL: `http://localhost:8000/api/menus/`
- Body Type: raw

Response Body (JSON):

```
1 {
2   "success": true,
3   "message": "Menu berhasil dihapus"
4 }
```

Response Summary:

- Status: 200 OK
- Time: 94 ms
- Size: 270 B

Response Data:

key	value
success	true
message	Menu berhasil dihapus