Feature Engineering in Forecasting

Pipeline

Open source libraries

for feature engineering in forecasting

Traditional feature engineering methods



- fit() → learns and stores parameters
- transform() → transforms data

For engineering steps that are also used in tabular data

Feature engineering for forecasting



- fit() → learns and stores parameters
- transform() → transforms data

For engineering steps that are also used in tabular data



fit() and transform()

Lag and window features

Feature engineering for forecasting



- fit() → learns and stores parameters
- transform() → transforms data

For engineering steps that are also used in tabular data



fit() and transform()

Lag and window features



Wrappers for compatibility with pipeline

Lag and window features

Can I still use pipelines?

```
# set up pipeline
our_pipe = Pipeline([
         ("step1", Imputation()),
         ("step2", CategoricalEncoding()),
         ("step3", WindowFeatures()),
         ("step4", LagFeatures()),
         ("model", Lasso()),
])
# train pipeline
our_pipe.fit(X_train, y_train)
# predict
our_pipe.predict(X_train)
our_pipe.predict(X_test)
```

Feature engineering pipelines

```
# set up pipeline
our_pipe = Pipeline([
         ("step1", Imputation()),
         ("step2", CategoricalEncoding()),
         ("step3", WindowFeatures()),
         ("step4", LagFeatures()),
         ("model", Lasso()),
])
# train pipeline
our_pipe.fit(X_train, y_train)
                                               †3
                                                     †4
                                        †2
                                                            †5
# predict
our_pipe.predict(X_train)
our_pipe.predict(X_test)
```

Feature engineering pipelines

```
# set up pipeline
our_pipe = Pipeline([
         ("step1", Imputation()),
         ("step2", CategoricalEncoding()),
         ("step3", WindowFeatures()),
         ("step4", LagFeatures()),
         ("model", Lasso()),
])
# train pipeline
our_pipe.fit(X_train, y_train)
                                                †3
                                                      †4
                                                             †5
                                         †2
# predict
                                         †2
                                                t3
                                                       †4
                                                             †5
our_pipe.predict(X_train)
                                                                         1 †7
                                                                                 †8
                                                                                       †9
                                                             †5
                                                                   †6
our_pipe.predict(X_test)
```

Which data can I use as features?

All data that is available at time of prediction.

We need to be **very careful** not to accidentally use data that is not available at time of prediction.

Summary

Some features can't be created after we split the data.

We can use all data available at time of prediction.

No unified approach to create features from past data.