

Multi-step forecasting

Recursive approach


Multi-step forecasting

Time	Sales (UK)	
2020-02-12	35	
2020-02-13	30	
2020-02-14	23	
2020-02-15	21	
2020-02-16	40	$t - 2$
2020-02-17	31	$t - 1$
<hr/>		
2020-02-18	?	t
2022-02-19	?	$t + 1$
2022-02-20	?	$t + 2$

We want to predict / forecast
multiple steps ahead.

Recursive forecasting


Time	Sales (UK)
2020-02-12	35
2020-02-13	30
2020-02-14	23
2020-02-15	21
2020-02-16	40
2020-02-17	31
2020-02-18	22
2022-02-19	?
2022-02-20	?



- Use forecasted output as new input.
- Recursively apply a 1-step ahead forecast model.

Recursive forecasting


Time	Sales (UK)
2020-02-12	35
2020-02-13	30
2020-02-14	23
2020-02-15	21
2020-02-16	40
2020-02-17	31
2020-02-18	22
2022-02-19	?
2022-02-20	?



- Use forecasted output as new input.
- Recursively apply a 1-step ahead forecast model.

Recursive forecasting


Time	Sales (UK)
2020-02-12	35
2020-02-13	30
2020-02-14	23
2020-02-15	21
2020-02-16	40
2020-02-17	31
2020-02-18	22
2022-02-19	30
2022-02-20	?



- Use forecasted output as new input.
- Recursively apply a 1-step ahead forecast model.

Recursive forecasting


Time	Sales (UK)
2020-02-12	35
2020-02-13	30
2020-02-14	23
2020-02-15	21
2020-02-16	40
2020-02-17	31
2020-02-18	22
2022-02-19	30
2022-02-20	?



- Use forecasted output as new input.
- Recursively apply a 1-step ahead forecast model.

Recursive forecasting

Time	Sales (UK)
2020-02-12	35
2020-02-13	30
2020-02-14	23
2020-02-15	21
2020-02-16	40
2020-02-17	31
2020-02-18	22
2022-02-19	30
2022-02-20	38



- Use forecasted output as new input.
- Recursively apply a 1-step ahead forecast model.

Multi-step forecasting: recursive strategy

- Only 1 time series model.
- Each forecasting point is estimated using previous forecasts.
- **More code to take the forecasts as inputs, and re-create the features.**

