Day 002 of #100DaysOfSQL: Deep Dive into ERDs – My PulsePoint Hospital Database Blueprint Explained! 🏥📊



Today is Day 2 of my 100-day SQL challenge, and we're learning **Entity-Relationship Diagrams (ERDs)**.

I designed a complete ERD for the **PulsePoint** clinical/hospital management system (based on the 7 tables from the PulsePoint_Master_Data.xlsx worksheet we generated).

I'm breaking **everything** down from first principles — super simply, with relatable healthcare analogies and a story — so even if you're brand new to databases, you'll understand it crystal clear.

Let's go! 🚀

1. What is an ERD? (First Principles)

Think of a hospital database like a **giant patient chart system**. Each "chart" (table) holds records about one type of thing — patients, doctors, visits, etc.

But in real life these things are **connected**. An **ERD (Entity-Relationship Diagram)** is the **architect's blueprint** that shows:

- What "entities" (tables) exist
- What information each one holds
- How they are connected

It's drawn **before** writing any SQL so the database stays clean, consistent, and scalable.

2. Why do we need ERDs?

They prevent duplicate data, guarantee accuracy, make queries fast, and let everyone on the team understand the system instantly.

3. My PulsePoint ERD – The 7 Tables

The PulsePoint database has **exactly 7 tables**. Here's the ERD image attached (ERD.png).

4. Primary Keys (PK) & Foreign Keys (FK)

- **Primary Key (PK)** = The unique ID card of each record. Analogy: A patient's unique Hospital Medical Record Number (MRN). Every patient has exactly one, it never repeats.

- **Foreign Key (FK)** = A pointer that says "this record belongs to that record over there". **Healthcare analogy**: Think of the **patient ID printed at the top of every lab report, prescription, or vital signs sheet**. That ID always points back to the correct patient in the Patients table — creating an unbreakable link.

5. Crow's Foot Notation & Cardinality

In the ERD, you will find lines connecting one table to the other, and at the end of the lines are symbols. These symbols are called **crow's foot notation**. They tell us the **cardinality** — that is, **how many** records from one table can relate to records in another table (one-to-one, one-to-many, etc.).

Here's what the symbols mean:

- = Exactly **one** (mandatory)
- o = **Zero or one** (optional)
- >< (crow's foot) = **Many**

Common combinations:

- |-----< = **One-to-Many** (the "one" side is mandatory)
- o-----< = **One-to-Many** (the "one" side is optional)

Don't worry, the full explanation of their application is below.

6. Detailed Breakdown of Every Relationship

CLINICAL_DEPARTMENTS

- PK: dept_id
- Columns: dept_name, parent_dept_id (FK), budget

If you observe in the ERD diagram, there's a line pointing back to itself on the CLINICAL_DEPARTMENTS table. This is called a **self-referencing relationship**.

What is parent_dept_id?

parent_dept_id is a foreign key that points back to the dept_id column in the **same table**.

Here's the reason: In a hospital system, a big department like **Internal Medicine** can have several subunits under it — such as **Cardiology**, **Nephrology**, and others. So, **Internal Medicine** is the **parent department**, and **Cardiology** is the **child/sub-unit**.

In our data:

- Internal Medicine has dept_id = 1 and no parent.
- Cardiology has dept_id = 3 and parent_dept_id = 1 (pointing to Internal Medicine).

This self-referencing relationship helps us build a clean hierarchy so we can easily group subunits under their parent department for reporting, budgeting, or statistics.

PROVIDERS (Doctors & Nurses)

- PK: provider_id
- FK: dept_id → CLINICAL_DEPARTMENTS
- Relationship: **"employs"** (|-----<) — **One Department employs Many Providers**
  Real-life example: The **Pediatrics** department can have many doctors and nurses (e.g., Dr. Marie Jensen and Dr. Michael Campbell). But a doctor like **Dr. Ani** can only be assigned to **one** department at a time. Dr. Ani cannot be in both Surgery and Pediatrics — the foreign key enforces this rule.

PATIENTS

- PK: patient_id
- Relationship label: **"hosts"** (logical flow via encounters) Real-life example: Mr. John can have appointments across different departments over time.

ENCOUNTERS (Patient Visits) – The heart of the system

- PK: encounter_id
- FKs: patient_id, provider_id, dept_id

Key relationships:

- **"conducts"** (PROVIDERS → ENCOUNTERS): One provider conducts many encounters. Example: Dr. James Morales can conduct an ER visit in the morning, an outpatient follow-up in the afternoon, and a telehealth session later.

- **"has"** (PATIENTS → ENCOUNTERS): One patient has many encounters. Example: Mr. John can have multiple visits — an ER visit today, a follow-up next week, etc.

- **"captures"** (ENCOUNTERS → CLINICAL_VITALS): One encounter captures many vitals. Example: During one ER visit, the nurse records blood pressure, heart rate, temperature, and oxygen level.

- **"generated_at"** (ENCOUNTERS → PRESCRIPTIONS): Encounters generate prescriptions. Example: The doctor writes a prescription right after the diagnosis in that encounter.

CLINICAL_VITALS, **MEDICATIONS**, and **PRESCRIPTIONS** follow similar linking patterns.

7. Real-Life Story: Mr. John's Visit at PulsePoint Hospital

Let's follow **Mr. John** (patient_id 1001) through a typical day at the hospital using the exact tables in our ERD:

Mr. John feels chest pain and rushes to the Emergency Room.

1. His details are already in the **PATIENTS** table.
2. The system creates a new record in the **ENCOUNTERS** table: encounter_id 9001, linked to his patient_id, Dr. James Morales (provider_id 501), and the Cardiology department (dept_id 3). The visit_type is "ER".
3. During this encounter, the nurse records his **CLINICAL_VITALS** — blood pressure 140/90, heart rate 98, temperature 37.2°C — all linked back to the same encounter_id.

4. Dr. Morales examines him and decides to prescribe medication. A new row is created in the **PRESCRIPTIONS** table, linked to Mr. John's patient_id, the medication from the **MEDICATIONS** table, and the current encounter_id.
5. Later, when reporting, the hospital sees that Cardiology falls under **Internal Medicine** thanks to the self-referencing parent_dept_id in the **CLINICAL_DEPARTMENTS** table. This helps them roll up budgets and statistics for the entire division.

Everything stays perfectly connected. Mr. John can return next month for a follow-up in Orthopedics, and the system will still know it's the same patient with his full history.

Final Thoughts

This ERD is now the solid foundation for the entire PulsePoint project. Tomorrow (Day 3) I'll convert this diagram into real SQL CREATE TABLE statements with all constraints.