Sprint 08 - Vactory - Monolith

Stage PFE – Entreprise **VOID**

Stagiaire : Hibat Allah Rguiti

31 mars 2026

1. Introduction

Ce projet s'inscrit dans un contexte de prise en main d'un environnement Drupal basé sur un profil d'installation contrib (Vactory). L'objectif est d'identifier, analyser et corriger plusieurs problèmes techniques réels liés à la configuration, aux performances et à l'intégration de modules.

2. Problème d'extension Memcache



FIGURE 1 – Erreur Memcache

Drupal possède déjà un système de cache interne stocké dans la base de données. Memcache ne crée pas un nouveau système de cache, mais remplace ce stockage par la mémoire RAM.

Cela permet :

— Un accès plus rapide aux données

— Une amélioration des performances



FIGURE 2 – Installation

3. Issue 1 : Configuration Dependency

3.1. Problème

Une erreur se produit lors de l'importation de configuration.



3.2. Analyse



Fichier concerné :

— user.role.webmaster

Module associé :

— vactory_starter_kit

Configuration manquante :

— workflows.workflow.editorial

Le problème est dû au fait que Drupal tente de créer un rôle avant que le workflow nécessaire ne soit installé.

3.3. Solution

Ajouter la dépendance dans le fichier YAML :

```yaml
dependencies:
  config:
    - filter.format.basic_html
    - filter.format.full_html
    - workflows.workflow.editorial
  module:
    - content_moderation
    - workflows
    - vactory_page
id: webmaster
```

3.4. Post-fix Configuration et Persistance

Après avoir corrigé le problème, il est nécessaire de finaliser la configuration initiale de Drupal.

Le profil utilisé étant un **profil contrib**, toute réinstallation entraîne la perte des modifications effectuées.

Cela signifie que :

— Les corrections apportées ne sont pas conservées

— Le problème réapparaît après réinstallation

3.4.1 Solution : Création d'un patch

Pour rendre la correction persistante, il est nécessaire de :

1. Créer un patch contenant les modifications
2. Le sauvegarder sur une plateforme externe (ex : `gist.github.com`)
3. L'intégrer ensuite dans le projet via Composer

```
  "Fix webmaster role dependencies": "https://gist.github.com/Hibat-Allah-RGUITI/afe742bbd518b90fda6f8402ce5c77ee"
}
```

gistfile1.txt

```
--- a/config/install/user.role.webmaster.yml
+++ b/config/install/user.role.webmaster.yml
@@ -5,4 +5,8 @@
 dependencies:
   config:
     - filter.format.basic_html
     - filter.format.full_html
+    - workflows.workflow.editorial
+  module:
+    - content_moderation
+    - workflows
+    - vactory_page
```

Cette approche respecte les bonnes pratiques Drupal, qui recommandent de ne pas modifier directement les modules contrib mais d'utiliser des patches pour maintenir les correctifs.

4. Issue 2 : Memory Limit

4.1. Problème

```
void@voids-MacBook-Pro vactory8 % php -r 'echo ini_get("memory_limit") . PHP_EOL;'
128M
void@voids-MacBook-Pro vactory8 %
```

```
PHP Fatal error:  Allowed memory size of 134217728 bytes exhausted (tried to allocate 950272 bytes) in /User
s/void/dev/vactory8/core/lib/Drupal/Core/Cache/DatabaseBackend.php on line 255

Fatal error: Allowed memory size of 134217728 bytes exhausted (tried to allocate 950272 bytes) in /Users/voi
d/dev/vactory8/core/lib/Drupal/Core/Cache/DatabaseBackend.php on line 255
 [warning] Drush command terminated abnormally.
```

La désinstallation du module nécessite plus de mémoire que la limite définie (128MB). Ce problème met en évidence l'impact des limites mémoire sur les opérations lourdes de Drupal.

4.2. Solution

Utiliser le flag PHP :

```
void@voids-MacBook-Pro vactory8 % php -d memory_limit=512M vendor/bin/drush pmu vactory_decoupled
The following extensions will be uninstalled: vactory_decoupled, vactory_decoupled_theme_switcher, vactory_p
rivate_files_decoupled, vactory_decoupled_webform, vactory_decoupled_espace_prive, vactory_decoupled_router

 Do you want to continue? (yes/no) [yes]:
 > yes

[INFO] [system] [2026-03-30T00:03:46] vactory_decoupled_router module uninstalled. | uid: 0 | request-uri: h
ttp://default/ | refer:  | ip:  127.0.0.1 | link:
[INFO] [system] [2026-03-30T00:03:46] vactory_decoupled_espace_prive module uninstalled. | uid: 0 | request-
uri: http://default/ | refer:  | ip:  127.0.0.1 | link:
[INFO] [system] [2026-03-30T00:03:47] vactory_decoupled_webform module uninstalled. | uid: 0 | request-uri:
http://default/ | refer:  | ip:  127.0.0.1 | link:
[INFO] [system] [2026-03-30T00:03:47] vactory_private_files_decoupled module uninstalled. | uid: 0 | request
-uri: http://default/ | refer:  | ip:  127.0.0.1 | link:
[INFO] [system] [2026-03-30T00:03:48] vactory_decoupled module uninstalled. | uid: 0 | request-uri: http://d
efault/ | refer:  | ip:  127.0.0.1 | link:
[INFO] [system] [2026-03-30T00:03:48] vactory_decoupled_theme_switcher module uninstalled. | uid: 0 | reques
t-uri: http://default/ | refer:  | ip:  127.0.0.1 | link:
 [success] Successfully uninstalled: vactory_decoupled, vactory_decoupled_theme_switcher, vactory_private_fi
les_decoupled, vactory_decoupled_webform, vactory_decoupled_espace_prive, vactory_decoupled_router
void@voids-MacBook-Pro vactory8 %
```

Le flag `-d` permet de modifier temporairement la configuration PHP sans modifier le fichier php.ini.

5. Issue 3 : Page Creation Broken

5.1. Problème

Erreur 403 Forbidden lors du chargement des fichiers JS.



Le dossier `/vendor` est protégé par défaut pour des raisons de sécurité, comme il contient tout le code source PHP d'un projet, l'exposer publiquement serait une énorme faille de sécurité

5.2. Solution

Créer un fichier `.htaccess` à l'intérieur de ce dossier pour "ouvrir" l'accès aux fichiers web :



6. Issue 4 : Views and Migration

```
void@voids-MacBook-Pro vactory8 %  php -d memory_limit=512M ./vendor/bin/drush en vacto
ry_news vactory_news_migrate -y
The following module(s) will be enabled: vactory_news

 // Do you want to continue?: yes.


[INFO] [system] [2026-03-30T09:46:46] vactory_news module installed. | uid: 0 | request
-uri: http://default/ | refer:  | ip:  127.0.0.1 | link:
>  [notice] Batch process has consumed in excess of 60% of available memory. Starting n
ew thread
>  [notice] The configuration was successfully updated. 390 configuration objects updat
ed.
>  [notice] Message: The configuration was successfully updated. There are /390/ config
uration
> objects updated.
>
 [success] Successfully enabled: vactory_news
```

6.1. Views



Le problème 404 est dû au module `views_ui` non activé.

```
---- -------------- ---------------- ---------- ------------------------------------
 12   30/Mar 09:57   locale           Notice     The configuration was successfully
                                                updated. 359 configuration objects
                                                updated.
 11   30/Mar 09:56   system           Info       views_ui module installed.
```



6.2. Migration

6.2.1 Problème

```
void@voids-MacBook-Pro vactory8 %  php -d memory_limit=512M ./vendor/bin/drush en vacto
ry_news_migrate -y

In PreExistingConfigException.php line 65:

  Configuration objects (migrate_plus.migration.news_ar, migrate_plus.migration.news
  _fr) provided by vactory_news_migrate already exist in active configuration
```

Erreur de configuration existante.

6.2.2 Solution

```
void@voids-MacBook-Pro vactory8 % ./vendor/bin/drush config-delete migrate_plus.migrati
on.news_ar -y
void@voids-MacBook-Pro vactory8 % ./vendor/bin/drush config-delete migrate_plus.migrati
on.news_fr -y
void@voids-MacBook-Pro vactory8 %  php -d memory_limit=512M ./vendor/bin/drush en vacto
ry_news_migrate -y
[INFO] [system] [2026-03-30T10:10:04] vactory_news_migrate module installed. | uid: 0 |
 request-uri: http://default/ | refer:  | ip:  127.0.0.1 | link:
>  [notice] Batch process has consumed in excess of 60% of available memory. Starting n
ew thread
>  [notice] The configuration was successfully updated. 359 configuration objects updat
ed.
>  [notice] Message: The configuration was successfully updated. There are /359/ config
uration
> objects updated.
>
 [success] Successfully enabled: vactory_news_migrate
```

Une fois le module activé, les articles ne sont pas encore là. Il faut donc lancer le moteur de migration.

```
void@voids-MacBook-Pro vactory8 % ./vendor/bin/drush ms
 ------------------- -------------------------------------- -------- ------- ----------
------------- --------------- ---------------
  Group               Migration ID                          Status   Total   Imported
 Unprocessed   Message Count   Last Imported
 ------------------- -------------------------------------- -------- ------- ----------
------------- --------------- ---------------
  vactory (vactory)   news_ar                                Idle     7       0
 7             0
  vactory (vactory)   news_fr                                Idle     7       0
 7             0
  vactory (vactory)   news_theme                             Idle     4       0
 4             0
  vactory (vactory)   news_theme_ar                          Idle     4       0
 4             0


  Default (default)   node_vactory_news_migration_default   Idle     12      0
 12            0
 ------------------- -------------------------------------- -------- ------- ----------
```

6.2.3 Erreur serveur distant

```
void@voids-MacBook-Pro vactory8 % ./vendor/bin/drush mim --all
 [notice] Processed 7 items (0 created, 0 updated, 0 failed, 7 ignored) - done with 'ne
ws_ar'
 [notice] Processed 7 items (0 created, 0 updated, 0 failed, 0 ignored) - done with 'ne
ws_fr'

In MigrateToolsCommands.php line 1094:

  news_fr Migration - 7 failed.
```

```
void@voids-MacBook-Pro vactory8 % ./vendor/bin/drush migrate-messages news_fr
 -------------- ------------------- ------- ----------------------------------------
  Source ID(s)   Destination ID(s)   Level   Message
 -------------- ------------------- ------- ----------------------------------------
  12                                 Error   news_fr:field_vactory_media:media_import
                                             : Server error: `GET
                                             https://backend.vactory.lecontenaire.com
                                             /sites/default/files/2023-03/pexels-nina
                                             -hill-9123067.jpg` resulted in a `503
                                             Service Unavailable` response
                                             (https://backend.vactory.lecontenaire.co
                                             m/sites/default/files/2023-03/pexels-nin
                                             a-hill-9123067.jpg)
  13                                 Error   news_fr:field_vactory_media:media_import
                                             : Server error: `GET
                                             https://backend.vactory.lecontenaire.com
```

Erreur 503 lors du téléchargement des images.
Drupal essaie de télécharger les images depuis le serveur distant https ://backend.vactory.lecontenaire.com, mais ce serveur ne répond pas

6.2.4 Solution

Le serveur de médias distant étant indisponible (HTTP 503), j'ai temporairement modifié le mapping de la migration pour ignorer le champ field_vactory_media afin de valider l'importation de la structure et du contenu textuel des News.

```
# field_vactory_media:
#   -
#     plugin: media_import
#     destination: constants/dest_path
#     media_bundle: image
#     media_field_name: field_media_image
#     source: image
```

```
void@voids-MacBook-Pro vactory8 %  php -d memory_limit=512M ./vendor/bin/drush pmu vactory_news_migrate -y
[INFO] [system] [2026-03-30T10:59:05] vactory_news_migrate module uninstalled. | uid: 0 | request-uri: http://default/ | refer:  | ip:  127.0.0.1 | link:
 [success] Successfully uninstalled: vactory_news_migrate
void@voids-MacBook-Pro vactory8 %  php -d memory_limit=512M ./vendor/bin/drush en vactory_news_migrate -y

In PreExistingConfigException.php line 65:

  Configuration objects (migrate_plus.migration.news_ar) provided by vactory_news_mi
  grate already exist in active configuration

void@voids-MacBook-Pro vactory8 % ./vendor/bin/drush config-delete migrate_plus.migration.news_ar -y
void@voids-MacBook-Pro vactory8 %  php -d memory_limit=512M ./vendor/bin/drush en vactory_news_migrate -y
[INFO] [system] [2026-03-30T11:00:03] vactory_news_migrate module installed. | uid: 0 | request-uri: http://default/ | refer:  | ip:  127.0.0.1 | link:
>  [notice] Batch process has consumed in excess of 60% of available memory. Starting new thread
>  [notice] The configuration was successfully updated. 359 configuration objects updated.
>  [notice] Message: The configuration was successfully updated. There are /359/ configuration
> objects updated.
>
 [success] Successfully enabled: vactory_news_migrate
void@voids-MacBook-Pro vactory8 % ./vendor/bin/drush mim --all
 [notice] Processed 0 items (0 created, 0 updated, 0 failed, 0 ignored) - done with 'news_ar'
 [notice] Processed 0 items (0 created, 0 updated, 0 failed, 0 ignored) - done with 'news_fr'
 [notice] Processed 4 items (4 created, 0 updated, 0 failed, 0 ignored) - done with 'news_theme'
 [notice] Processed 4 items (4 created, 0 updated, 0 failed, 0 ignored) - done with 'news_theme_ar'
 [notice] Processed 12 items (12 created, 0 updated, 0 failed, 0 ignored) - done with 'node_vactory_news_migration_default'
void@voids-MacBook-Pro vactory8 %
```

7. Issue 5 : Broken Views

7.1. Problème



Erreur Twig :

```
@twigComponents is not defined
```

7.2. Analyse

- Le module **vactory_news** utilise le namespace `@twigComponents`
- Ce namespace n'est pas enregistré
- Drupal ne peut pas localiser le template

Le module **components** ne déclare pas correctement le namespace Twig.

7.3. Solution

Ajout du patch :

```
https://git.drupalcode.org/project/components/-/merge_requests/44.patch
```

Dans :

```
composer.patches.json
```