TABLE S12d

DEEPSEEK V4.1 FLASH 1017 CROSS-MODEL AGREEMENT CALIBRATION

Clustering	Score	Brier	Log loss	ECE
Leiden	Raw agreement	0.2487	4.2329	0.2864
Leiden	Logistic recalibration	0.1746	0.5212	0.0805
Leiden	Development constant	0.2422	0.6777	0.0489
FlowSOM	Raw agreement	0.2616	4.6661	0.3529
FlowSOM	Logistic recalibration	0.1414	0.4324	0.1335
FlowSOM	Development constant	0.1779	0.5413	0.1404
SpatialSort	Raw agreement	0.2862	4.5765	0.3666
SpatialSort	Logistic recalibration	0.1232	0.3888	0.0398
SpatialSort	Development constant	0.1494	0.4758	0.0213
PIXIE	Raw agreement	0.2466	4.0019	0.2991
PIXIE	Logistic recalibration	0.1314	0.4155	0.0484
PIXIE	Development constant	0.1689	0.5237	0.1019

Lower scores are better. These are equal-test-region metrics on hash-held-out evaluation clusters, not the full benchmark population. Development uses disjoint clusters and regions. Agreement support has denominator four. This is retrospective within-donor reference-agreement calibration, not repeatability, native model confidence or biological certainty.