TABLE S12b

CLAUDE OPUS 5.5 CROSS-MODEL AGREEMENT CALIBRATION

Clustering	Score	Brier	Log loss	ECE
Leiden	Raw agreement	0.2797	4.3007	0.2420
Leiden	Logistic recalibration	0.2223	0.6364	0.0912
Leiden	Development constant	0.2523	0.6978	0.0486
FlowSOM	Raw agreement	0.2992	4.7481	0.3038
FlowSOM	Logistic recalibration	0.2258	0.6436	0.1710
FlowSOM	Development constant	0.2284	0.6492	0.0866
SpatialSort	Raw agreement	0.3934	4.8111	0.3665
SpatialSort	Logistic recalibration	0.2356	0.6648	0.0724
SpatialSort	Development constant	0.2356	0.6647	0.0518
PIXIE	Raw agreement	0.3471	4.2212	0.3536
PIXIE	Logistic recalibration	0.2394	0.6719	0.1677
PIXIE	Development constant	0.2426	0.6783	0.1222

Lower scores are better. These are equal-test-region metrics on hash-held-out evaluation clusters, not the full benchmark population. Development uses disjoint clusters and regions. Agreement support has denominator four. This is retrospective within-donor reference-agreement calibration, not repeatability, native model confidence or biological certainty.