

# CyberTrace — Master Glossary of Terms & Shortcuts

Comprehensive Guide to All Abbreviations, Legal Statutes, Crypto Forensics Acronyms & Banking Rails Shortcuts

**Executive Overview:** This reference compendium provides official definitions, statutory expansions, and contextual meanings for all technical short forms and abbreviations used throughout the **CyberTrace Enterprise Forensics Platform**. It is formatted as an operational quick-reference manual for Law Enforcement Officers (LEAs), I4C investigators, cyber analysts, and technical evaluators.

## 1. Law Enforcement, Legal Statutes & Governance Terms

Statutory provisions, law enforcement agencies, and legal frameworks governing evidence collection and account freezing.

| Shortcut / Term | Full Form / Statutory Expansion                    | Meaning & Operational Context in CyberTrace                                                                               |
|-----------------|----------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| SIH             | Smart India Hackathon                              | The nationwide innovation initiative by Ministry of Education / AICTE under which this solution is developed.             |
| PS / PS-26183   | Problem Statement #26183                           | The official MHA / I4C problem statement: 'Real-Time Identification of Fraud-Linked Crypto Exchanges & Banking Rails'.    |
| I4C             | Indian Cyber Crime Coordination Centre             | The apex coordinating agency under Ministry of Home Affairs (MHA) for national cybercrime operations.                     |
| MHA             | Ministry of Home Affairs                           | The nodal Government of India ministry governing internal security, central police forces, and cyber coordination.        |
| CIS             | Cyber & Information Security Division              | The dedicated cyber division inside MHA overseeing national cyber incident response and I4C infrastructure.               |
| LEA             | Law Enforcement Agency                             | Police cyber cells, CID, CBI, ED, and special investigation teams utilizing CyberTrace for digital evidence tracing.      |
| FIR             | First Information Report                           | The formal legal document prepared by Indian police upon receiving information of a cognizable cyber offence.             |
| NCRP            | National Cyber Crime Reporting Portal              | The central portal (cybercrime.gov.in) where citizens file complaints regarding online financial fraud and cyber threats. |
| 1930 Helpline   | Citizen Financial Cyber Fraud Helpline             | National toll-free emergency helpline for reporting instant banking and UPI fraud for quick freeze intervention.          |
| CrPC            | Code of Criminal Procedure, 1973                   | The primary Indian procedural statute governing criminal investigation, asset seizure, and evidence collection.           |
| Section 91 CrPC | Summons to Produce Document or Thing               | Statutory police order commanding banks, telecom operators, or crypto exchanges to preserve logs and freeze funds.        |
| BNSS / Sec 94   | Bharatiya Nagarik Suraksha Sanhita, 2023           | India's updated criminal procedural law replacing CrPC; Section 94 corresponds to summons and asset freeze orders.        |
| IEA Sec 65B     | Section 65B, Indian Evidence Act, 1872             | Mandatory legal certificate required for electronic digital evidence (server logs, hashes) to be admissible in court.     |
| BSA             | Bharatiya Sakshya Adhinyam, 2023                   | India's modernized law of evidence replacing the Indian Evidence Act, with upgraded digital evidence rules.               |
| FIU-IND         | Financial Intelligence Unit – India                | National agency receiving and analyzing Suspicious Transaction Reports (STRs) and Cash Transaction Reports (CTRs).        |
| OFAC            | Office of Foreign Assets Control (US Treasury)     | Administers and enforces global economic sanctions, blacklisting illicit crypto mixer addresses and state hackers.        |
| SDN List        | Specially Designated Nationals and Blocked Persons | Global sanctions database of sanctioned terror financiers, state-sponsored cybercartels, and illicit crypto wallets.      |

| Shortcut / Term  | Full Form / Statutory Expansion                                  | Meaning & Operational Context in CyberTrace                                                                                 |
|------------------|------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| <b>MLAT</b>      | <b>Mutual Legal Assistance Treaty</b>                            | Bilateral treaties between governments allowing cross-border evidence gathering and international exchange freeze requests. |
| <b>CLOUD Act</b> | <b>Clarifying Lawful Overseas Use of Data Act (US)</b>           | Allows foreign law enforcement to request expedited data preservation from US-headquartered crypto VASPs.                   |
| <b>KYC</b>       | <b>Know Your Customer</b>                                        | Mandatory customer identification verification (Aadhaar, PAN, Passport) required for all bank and registered VASP accounts. |
| <b>AML / CFT</b> | <b>Anti-Money Laundering / Countering Financing of Terrorism</b> | Statutory regulatory compliance framework designed to detect, freeze, and prevent illicit movement of capital.              |
| <b>VASP</b>      | <b>Virtual Asset Service Provider</b>                            | Any entity conducting cryptocurrency exchange, transfer, custody, or conversion services (Binance, CoinDCX, etc.).          |
| <b>IFSO</b>      | <b>Intelligence Fusion &amp; Strategic Operations</b>            | The specialized cyber investigation unit of the Delhi Police Special Cell investigating organized syndicates.               |
| <b>CID</b>       | <b>Criminal Investigation Department</b>                         | Specialized crime investigation wing of state police forces.                                                                |

## ■ 2. Blockchain, Cryptocurrency & Forensics Analytics Terms

Technical blockchain protocols, token standards, obfuscation mechanisms, and forensic pattern recognition acronyms.

| Shortcut / Term         | Full Form / Statutory Expansion                   | Meaning & Operational Context in CyberTrace                                                                              |
|-------------------------|---------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| <b>RPC / JSON-RPC</b>   | <b>Remote Procedure Call Protocol</b>             | Communication protocol used by app.js to communicate directly with live blockchain nodes (ETH, BSC, Polygon, Solana).    |
| <b>EVM</b>              | <b>Ethereum Virtual Machine</b>                   | The decentralized smart contract runtime engine shared across Ethereum, Polygon, BNB Chain, and Arbitrum.                |
| <b>ETH / BTC / USDT</b> | <b>Ethereum / Bitcoin / Tether USD</b>            | Core cryptocurrency tokens analyzed in forensic fund flows (Ether, Bitcoin, and USD-pegged stablecoins).                 |
| <b>TRX / SOL / BNB</b>  | <b>TRON / Solana / Binance Coin</b>               | Native high-throughput blockchain tokens commonly used in fast scam dispersion and cross-chain hops.                     |
| <b>POL / MATIC</b>      | <b>Polygon Ecosystem Token</b>                    | Layer-2 scaling token used for low-cost token laundering and permit2 batch draining.                                     |
| <b>CEX</b>              | <b>Centralized Exchange</b>                       | Custodial platforms (Binance, WazirX, OKX, KuCoin) where criminals attempt to convert illicit crypto into fiat currency. |
| <b>DEX</b>              | <b>Decentralized Exchange</b>                     | Peer-to-peer automated liquidity smart contracts (Uniswap, PancakeSwap) without KYC or central management.               |
| <b>DeFi</b>             | <b>Decentralized Finance</b>                      | Blockchain-based financial ecosystem offering lending, staking, and liquidity pools without intermediaries.              |
| <b>DApp</b>             | <b>Decentralized Application</b>                  | Web3 application running on decentralized smart contract infrastructure, often spoofed by phishing syndicates.           |
| <b>UTXO</b>             | <b>Unspent Transaction Output</b>                 | Bitcoin's accounting model where unspent outputs are combined and split across multi-input transactions.                 |
| <b>TX / TXID</b>        | <b>Transaction / Transaction Identifier</b>       | The unique 64-character hexadecimal cryptographic hash proving an immutable transfer of funds on-chain.                  |
| <b>OTC</b>              | <b>Over-The-Counter Trading Desk</b>              | Private peer-to-peer brokered trades executed outside public order books to liquidate large scam tranches into cash.     |
| <b>P2P</b>              | <b>Peer-to-Peer</b>                               | Direct user-to-user transfers on crypto exchange marketplaces, frequently abused by mule networks.                       |
| <b>ERC-20 / TRC-20</b>  | <b>Token Standards (Ethereum / TRON)</b>          | Technical specifications for smart contract tokens (e.g. USDT on Ethereum vs USDT on TRON network).                      |
| <b>BEP-20</b>           | <b>BNB Smart Chain Token Standard</b>             | Technical smart contract token standard running on the Binance Smart Chain ecosystem.                                    |
| <b>Permit2</b>          | <b>Permit2 Signature Protocol</b>                 | Token approval standard exploited by 'Phantom-Drainer' phishing attacks for gasless multi-token wallet drainage.         |
| <b>Multi-Sig</b>        | <b>Multi-Signature Crypto Vault</b>               | Smart contract wallet requiring M-of-N private key cryptographic signatures to approve any outbound fund transfer.       |
| <b>APT / APT-38</b>     | <b>Advanced Persistent Threat (Lazarus Group)</b> | State-sponsored cyber espionage and financial theft syndicate operating on behalf of DPRK (North Korea).                 |
| <b>DPRK</b>             | <b>Democratic People's Republic of Korea</b>      | North Korea; designated state sponsor of cyber operations targeting decentralized protocols and exchanges.               |
| <b>Relayer</b>          | <b>Gas Relayer Dispatcher</b>                     | Third-party proxy service that broadcasts transactions and pays gas fees for users, demasking Tornado.Cash users.        |
| <b>CoinJoin</b>         | <b>CoinJoin Transaction Obfuscator</b>            | Bitcoin privacy technique combining payments from multiple parties into a single multi-input/output transaction.         |
| <b>Fraud DNA™</b>       | <b>Behavioral Sequence Fingerprinting</b>         | CyberTrace proprietary 8-dimensional algorithm matching zero-day wallets to known crime syndicate campaign signatures.   |



### ■ 3. UPI & Core Banking Rails Forensics Terms (Mode 2)

Indian payment rails, banking infrastructure, clearing systems, and mule account tracking terminology.

| Shortcut / Term     | Full Form / Statutory Expansion                    | Meaning & Operational Context in CyberTrace                                                                                 |
|---------------------|----------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| <b>UPI</b>          | <b>Unified Payments Interface</b>                  | Instant real-time payment system developed by NPCI facilitating inter-bank peer-to-peer and merchant transactions.          |
| <b>NPCI</b>         | <b>National Payments Corporation of India</b>      | The umbrella organization managing retail payment and settlement systems (UPI, IMPS, RuPay, AePS) in India.                 |
| <b>VPA</b>          | <b>Virtual Payment Address</b>                     | Unique financial identifier (e.g. daily.payout@oksbi, CBI.fund@okaxis) linked directly to underlying bank accounts.         |
| <b>UTR</b>          | <b>Unique Transaction Reference Number</b>         | A 12-to-22-character unique alphanumeric reference generated for tracking every banking transaction across India.           |
| <b>IFSC</b>         | <b>Indian Financial System Code</b>                | An 11-character alphanumeric code (e.g. SBIN0001245) identifying specific bank branches across the country.                 |
| <b>IMPS</b>         | <b>Immediate Payment Service</b>                   | Instant 24/7 electronic funds transfer rail operated by NPCI for inter-bank domestic remittances.                           |
| <b>NEFT</b>         | <b>National Electronic Funds Transfer</b>          | Batch-settled nationwide electronic fund transfer system maintained by the Reserve Bank of India (RBI).                     |
| <b>RTGS</b>         | <b>Real Time Gross Settlement</b>                  | Continuous, gross real-time settlement system for high-value domestic financial transactions above ₹2 Lakh.                 |
| <b>CBS</b>          | <b>Core Banking Solution / Core Banking System</b> | Centralized bank software backend (e.g. Finacle, BaNCS) maintaining master customer ledgers and branch transactions.        |
| <b>AA Framework</b> | <b>Account Aggregator Framework</b>                | RBI-regulated consent-based financial data-sharing network enabling real-time digitally certified bank statement retrieval. |
| <b>CKYC</b>         | <b>Central Know Your Customer Registry</b>         | Centralized Indian repository storing verified customer KYC records across banks, mutual funds, and insurers.               |
| <b>RBI</b>          | <b>Reserve Bank of India</b>                       | The central bank of India exercising regulatory supervision over banks, payment operators, and NBFCs.                       |
| <b>POS</b>          | <b>Point of Sale Terminal</b>                      | Electronic card swipe / merchant device where scammers execute rapid fraudulent merchandise purchases for cash-out.         |
| <b>ATM</b>          | <b>Automated Teller Machine</b>                    | Cash dispensing terminal where Layer-2/Layer-3 mule account holders execute physical cash withdrawals.                      |
| <b>APK</b>          | <b>Android Package Kit</b>                         | Android app installer file; weaponized by scammers in remote-access phishing and fake customer support scams.               |
| <b>QR Code</b>      | <b>Quick Response Matrix Barcode</b>               | Two-dimensional barcode scanned by mobile banking apps for instantaneous merchant and P2P payments.                         |

### ■ 4. Software Architecture & Enterprise Web Security Terms

Web engineering, cryptographic algorithms, cybersecurity defenses, and application interface definitions.

| Shortcut / Term | Full Form / Statutory Expansion   | Meaning & Operational Context in CyberTrace                                                                              |
|-----------------|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| <b>SPA</b>      | <b>Single Page Application</b>    | Web architecture where UI updates dynamically without full page reloads, providing fast forensic graph response.         |
| <b>SVG</b>      | <b>Scalable Vector Graphics</b>   | XML-based vector image standard utilized in CyberTrace for rendering interactive fund flow graphs and world flight maps. |
| <b>XSS</b>      | <b>Cross-Site Scripting</b>       | Web vulnerability where malicious scripts are executed; prevented via OWASP sanitization in security.js.                 |
| <b>CSRF</b>     | <b>Cross-Site Request Forgery</b> | Attack forcing unauthorized actions on a trusted web application; guarded against via origin checks and nonces.          |

| Shortcut / Term | Full Form / Statutory Expansion              | Meaning & Operational Context in CyberTrace                                                                          |
|-----------------|----------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>CSP</b>      | <b>Content Security Policy</b>               | HTTP security header restricting sources of scripts, styles, fonts, and network connections in index.html.           |
| <b>OWASP</b>    | <b>Open Web Application Security Project</b> | International standard body defining web application security benchmarks and defensive coding practices.             |
| <b>SHA-256</b>  | <b>Secure Hash Algorithm 256-Bit</b>         | Cryptographic one-way hash algorithm generating 64-character digital fingerprints for evidence dossiers.             |
| <b>DOM</b>      | <b>Document Object Model</b>                 | Tree structure of HTML elements manipulated by app.js during live blockchain and banking rail analysis.              |
| <b>API</b>      | <b>Application Programming Interface</b>     | Set of protocols and endpoints enabling software systems to exchange data (e.g. CoinGecko, TronGrid).                |
| <b>HUD</b>      | <b>Heads-Up Display</b>                      | Visual dashboard layout displaying real-time telemetry, risk gauges, and price tickers in high-contrast panels.      |
| <b>USP</b>      | <b>Unique Selling Proposition</b>            | The defining advantages of CyberTrace: Dual Mode (Crypto+UPI), automated Section 91 notices, and zero cost for LEAs. |

## ■ ■ 5. Built-In Crime Syndicate Campaign Identifiers (Fraud DNA™)

Standardized crime campaign codes and modus operandi signatures recognized by the Fraud DNA™ engine.

| Shortcut / Term       | Full Form / Statutory Expansion       | Meaning & Operational Context in CyberTrace                                                                            |
|-----------------------|---------------------------------------|------------------------------------------------------------------------------------------------------------------------|
| <b>CYB-2048</b>       | <b>'Hydra-Peel' Syndicate</b>         | Telegram task-based part-time job scam featuring 3-hop automated 80/20 peeling chains into WazirX / Binance off-ramps. |
| <b>CYB-3912</b>       | <b>'Phantom-Drainer' Syndicate</b>    | Permit2 phishing DApp drainer network using sub-15s multi-token drains and Cross-Chain Bridges into Tornado Cash.      |
| <b>CYB-1084</b>       | <b>'Golden-Boar' Syndicate</b>        | Pig butchering fake high-yield liquidity arbitrage scam using staged deposit warming and OKX/KuCoin memo routing.      |
| <b>Lazarus APT-38</b> | <b>State-Sponsored Hack Preset</b>    | State-backed multi-sig contract drain involving Tornado.Cash 100 ETH mixer pools and Dubai OTC broker cash-out.        |
| <b>Digital Arrest</b> | <b>Police Impersonation Syndicate</b> | Coercive extortion scheme impersonating CBI/Customs officials, routing victim funds into Axis/SBI mule accounts.       |