

■ CyberTrace — Master Glossary of Terms & Shortcuts

Comprehensive Guide to All Abbreviations, Legal Statutes, Crypto Forensics Acronyms & Banking Rails Shortcuts

Executive Overview: This reference compendium provides official definitions, statutory expansions, and contextual meanings for all technical short forms and abbreviations used throughout the **CyberTrace Enterprise Forensics Platform**. It is formatted as an operational quick-reference manual for Law Enforcement Officers (LEAs), I4C investigators, cyber analysts, and technical evaluators.

■ 1. Law Enforcement, Legal Statutes & Governance Terms

Statutory provisions, law enforcement agencies, and legal frameworks governing evidence collection and account freezing.

Shortcut / Term	Full Form / Statutory Expansion	Meaning & Operational Context in CyberTrace
SIH	Smart India Hackathon	The nationwide innovation initiative by Ministry of Education / AICTE under which this solution is developed.
PS / PS-26183	Problem Statement #26183	The official MHA / I4C problem statement: 'Real-Time Identification of Fraud-Linked Crypto Exchanges & Banking Rails'.
I4C	Indian Cyber Crime Coordination Centre	The apex coordinating agency under Ministry of Home Affairs (MHA) for national cybercrime operations.
MHA	Ministry of Home Affairs	The nodal Government of India ministry governing internal security, central police forces, and cyber coordination.
CIS	Cyber & Information Security Division	The dedicated cyber division inside MHA overseeing national cyber incident response and I4C infrastructure.
LEA	Law Enforcement Agency	Police cyber cells, CID, CBI, ED, and special investigation teams utilizing CyberTrace for digital evidence tracing.
FIR	First Information Report	The formal legal document prepared by Indian police upon receiving information of a cognizable cyber offence.
NCRP	National Cyber Crime Reporting Portal	The central portal (cybercrime.gov.in) where citizens file complaints regarding online financial fraud and cyber threats.
1930 Helpline	Citizen Financial Cyber Fraud Helpline	National toll-free emergency helpline for reporting instant banking and UPI fraud for quick freeze intervention.
CrPC	Code of Criminal Procedure, 1973	The primary Indian procedural statute governing criminal investigation, asset seizure, and evidence collection.
Section 91 CrPC	Summons to Produce Document or Thing	Statutory police order commanding banks, telecom operators, or crypto exchanges to preserve logs and freeze funds.
BNSS / Sec 94	Bharatiya Nagarik Suraksha Sanhita, 2023	India's updated criminal procedural law replacing CrPC; Section 94 corresponds to summons and asset freeze orders.
IEA Sec 65B	Section 65B, Indian Evidence Act, 1872	Mandatory legal certificate required for electronic digital evidence (server logs, hashes) to be admissible in court.
BSA	Bharatiya Sakshya Adhinyam, 2023	India's modernized law of evidence replacing the Indian Evidence Act, with upgraded digital evidence rules.
Sec 69A IT Act	Section 69A, Information Technology Act, 2000	Statutory power empowering CERT-In / DoT to issue emergency domain blocking and DNS sinkholing orders against cyber fraud URLs.
CERT-In	Indian Computer Emergency Response Team	National nodal agency under MeitY for cyber threat response, vulnerability mitigation, and emergency takedown coordination.
DoT	Department of Telecommunications	Ministry of Communications department directing ISPs (Jio/Airtel/Vi/BSNL) to execute nationwide IP/DNS blocking orders.

Shortcut / Term	Full Form / Statutory Expansion	Meaning & Operational Context in CyberTrace
FIU-IND	Financial Intelligence Unit – India	National agency receiving and analyzing Suspicious Transaction Reports (STRs) and Cash Transaction Reports (CTRs).
OFAC	Office of Foreign Assets Control (US Treasury)	Administers and enforces global economic sanctions, blacklisting illicit crypto mixer addresses and state hackers.
SDN List	Specially Designated Nationals and Blocked Persons	Global sanctions database of sanctioned terror financiers, state-sponsored cybercartels, and illicit crypto wallets.
MLAT	Mutual Legal Assistance Treaty	Bilateral treaties between governments allowing cross-border evidence gathering and international exchange freeze requests.
CLOUD Act	Clarifying Lawful Overseas Use of Data Act (US)	Allows foreign law enforcement to request expedited data preservation from US-headquartered crypto VASPs.
KYC	Know Your Customer	Mandatory customer identification verification (Aadhaar, PAN, Passport) required for all bank and registered VASP accounts.
AML / CFT	Anti-Money Laundering / Countering Financing of Terrorism	Statutory regulatory compliance framework designed to detect, freeze, and prevent illicit movement of capital.
VASP	Virtual Asset Service Provider	Any entity conducting cryptocurrency exchange, transfer, custody, or conversion services (Binance, CoinDCX, etc.).
IFSO	Intelligence Fusion & Strategic Operations	The specialized cyber investigation unit of the Delhi Police Special Cell investigating organized syndicates.
CID	Criminal Investigation Department	Specialized crime investigation wing of state police forces.

■ 2. Blockchain, Cryptocurrency & Forensics Analytics Terms

Technical blockchain protocols, token standards, obfuscation mechanisms, and forensic pattern recognition acronyms.

Shortcut / Term	Full Form / Statutory Expansion	Meaning & Operational Context in CyberTrace
RPC / JSON-RPC	Remote Procedure Call Protocol	Communication protocol used by app.js to communicate directly with live blockchain nodes (ETH, BSC, Polygon, Solana).
EVM	Ethereum Virtual Machine	The decentralized smart contract runtime engine shared across Ethereum, Polygon, BNB Chain, and Arbitrum.
ETH / BTC / USDT	Ethereum / Bitcoin / Tether USD	Core cryptocurrency tokens analyzed in forensic fund flows (Ether, Bitcoin, and USD-pegged stablecoins).
TRX / SOL / BNB	TRON / Solana / Binance Coin	Native high-throughput blockchain tokens commonly used in fast scam dispersion and cross-chain hops.
POL / MATIC	Polygon Ecosystem Token	Layer-2 scaling token used for low-cost token laundering and permit2 batch draining.
Burner Wallet	Single-Use Disposable Scam Wallet	Temporary address generated for a single victim heist, swept to ■0.00 within seconds and abandoned on-chain.
Gas Ancestry	Backward Genesis Gas Lineage Tracing	Forensic technique tracing backward to the initial gas fee transaction that funded the burner wallet, identifying parent KYC exchange accounts.
Sweep Tx	Automated Outflow Liquidation Transfer	Rapid automated transaction draining 100% of victim funds into intermediary mules or terminal exchange deposit clusters.
Peeling Chain	Peeling Chain Laundering Topology	Multi-hop layering technique splitting funds into small tranches across intermediate hops (e.g. 60/40 ratio) to avoid fixed threshold alerts.
CEX	Centralized Exchange	Custodial platforms (Binance, WazirX, OKX, KuCoin) where criminals attempt to convert illicit crypto into fiat currency.
DEX	Decentralized Exchange	Peer-to-peer automated liquidity smart contracts (Uniswap, PancakeSwap) without KYC or central management.
DeFi	Decentralized Finance	Blockchain-based financial ecosystem offering lending, staking, and liquidity pools without intermediaries.
DApp	Decentralized Application	Web3 application running on decentralized smart contract infrastructure, often spoofed by phishing syndicates.
UTXO	Unspent Transaction Output	Bitcoin's accounting model where unspent outputs are combined and split across multi-input transactions.
TX / TXID	Transaction / Transaction Identifier	The unique 64-character hexadecimal cryptographic hash proving an immutable transfer of funds on-chain.
OTC	Over-The-Counter Trading Desk	Private peer-to-peer brokered trades executed outside public order books to liquidate large scam tranches into cash.
P2P	Peer-to-Peer	Direct user-to-user transfers on crypto exchange marketplaces, frequently abused by mule networks.
ERC-20 / TRC-20	Token Standards (Ethereum / TRON)	Technical specifications for smart contract tokens (e.g. USDT on Ethereum vs USDT on TRON network).
BEP-20	BNB Smart Chain Token Standard	Technical smart contract token standard running on the Binance Smart Chain ecosystem.
Permit2	Permit2 Signature Protocol	Token approval standard exploited by 'Phantom-Drainer' phishing attacks for gasless multi-token wallet drainage.
Multi-Sig	Multi-Signature Crypto Vault	Smart contract wallet requiring M-of-N private key cryptographic signatures to approve any outbound fund transfer.
APT / APT-38	Advanced Persistent Threat (Lazarus Group)	State-sponsored cyber espionage and financial theft syndicate operating on behalf of DPRK (North Korea).

Shortcut / Term	Full Form / Statutory Expansion	Meaning & Operational Context in CyberTrace
DPRK	Democratic People's Republic of Korea	North Korea; designated state sponsor of cyber operations targeting decentralized protocols and exchanges.
Relayer	Gas Relayer Dispatcher	Third-party proxy service that broadcasts transactions and pays gas fees for users, demasking Tornado.Cash users.
CoinJoin	CoinJoin Transaction Obfuscator	Bitcoin privacy technique combining payments from multiple parties into a single multi-input/output transaction.
Fraud DNA™	Behavioral Sequence Fingerprinting	CyberTrace proprietary 8-dimensional algorithm matching zero-day wallets to known crime syndicate campaign signatures.

■ 3. UPI & Core Banking Rails Forensics Terms (Mode 2)

Indian payment rails, banking infrastructure, clearing systems, and mule account tracking terminology.

Shortcut / Term	Full Form / Statutory Expansion	Meaning & Operational Context in CyberTrace
UPI	Unified Payments Interface	Instant real-time payment system developed by NPCI facilitating inter-bank peer-to-peer and merchant transactions.
NPCI	National Payments Corporation of India	The umbrella organization managing retail payment and settlement systems (UPI, IMPS, RuPay, AePS) in India.
VPA	Virtual Payment Address	Unique financial identifier (e.g. daily.payout@oksbi, CBI.fund@okaxis) linked directly to underlying bank accounts.
UTR	Unique Transaction Reference Number	A 12-to-22-character unique alphanumeric reference generated for tracking every banking transaction across India.
IFSC	Indian Financial System Code	An 11-character alphanumeric code (e.g. SBIN0001245) identifying specific bank branches across the country.
IMPS	Immediate Payment Service	Instant 24/7 electronic funds transfer rail operated by NPCI for inter-bank domestic remittances.
NEFT	National Electronic Funds Transfer	Batch-settled nationwide electronic fund transfer system maintained by the Reserve Bank of India (RBI).
RTGS	Real Time Gross Settlement	Continuous, gross real-time settlement system for high-value domestic financial transactions above ₹2 Lakh.
CBS	Core Banking Solution / Core Banking System	Centralized bank software backend (e.g. Finacle, BaNCS) maintaining master customer ledgers and branch transactions.
AA Framework	Account Aggregator Framework	RBI-regulated consent-based financial data-sharing network enabling real-time digitally certified bank statement retrieval.
CKYC	Central Know Your Customer Registry	Centralized Indian repository storing verified customer KYC records across banks, mutual funds, and insurers.
RBI	Reserve Bank of India	The central bank of India exercising regulatory supervision over banks, payment operators, and NBFCs.
POS	Point of Sale Terminal	Electronic card swipe / merchant device where scammers execute rapid fraudulent merchandise purchases for cash-out.
ATM	Automated Teller Machine	Cash dispensing terminal where Layer-2/Layer-3 mule account holders execute physical cash withdrawals.
APK	Android Package Kit	Android app installer file; weaponized by scammers in remote-access phishing and fake customer support scams.
QR Code	Quick Response Matrix Barcode	Two-dimensional barcode scanned by mobile banking apps for instantaneous merchant and P2P payments.

■ 4. Software Architecture & Enterprise Web Security Terms

Web engineering, cryptographic algorithms, cybersecurity defenses, and application interface definitions.

Shortcut / Term	Full Form / Statutory Expansion	Meaning & Operational Context in CyberTrace
SPA	Single Page Application	Web architecture where UI updates dynamically without full page reloads, providing fast forensic graph response.
SVG	Scalable Vector Graphics	XML-based vector image standard utilized in CyberTrace for rendering interactive fund flow graphs and world flight maps.
XSS	Cross-Site Scripting	Web vulnerability where malicious scripts are executed; prevented via OWASP sanitization in security.js.
CSRF	Cross-Site Request Forgery	Attack forcing unauthorized actions on a trusted web application; guarded against via origin checks and dynamic nonces in security.js.

Shortcut / Term	Full Form / Statutory Expansion	Meaning & Operational Context in CyberTrace
CSP	Content Security Policy	HTTP security header restricting sources of scripts, styles, fonts, and network connections in index.html.
OWASP	Open Web Application Security Project	International standard body defining web application security benchmarks and defensive coding practices.
BIP-39	Bitcoin Improvement Proposal 39	Standard mnemonic phrase format using 12/24 word dictionaries to generate master crypto wallet private keys.
Anti-Seed Shield	Anti-Seed-Phrase Harvester Subsystem	Real-time clipboard and input listener in security.js intercepting accidental mnemonic exposure and protecting citizen wallets.
Frame-Busting	Anti-Clickjacking Runtime Defense	JavaScript enforcement ensuring CyberTrace cannot be embedded inside malicious third-party iframes (top === self).
Self-XSS	Console Social Engineering Attack	Deceptive attack where scammers ask victims to paste malicious scripts in F12 console; intercepted and blocked by security.js.
SHA-256	Secure Hash Algorithm 256-Bit	Cryptographic one-way hash algorithm generating 64-character digital fingerprints for evidence dossiers.
DOM	Document Object Model	Tree structure of HTML elements manipulated by app.js during live blockchain and banking rail analysis.
API	Application Programming Interface	Set of protocols and endpoints enabling software systems to exchange data (e.g. CoinGecko, TronGrid).
HUD	Heads-Up Display	Visual dashboard layout displaying real-time telemetry, risk gauges, and price tickers in high-contrast panels.
USP	Unique Selling Proposition	The defining advantages of CyberTrace: Dual Mode (Crypto+UPI), automated Section 91 notices, and zero cost for LEAs.

■ ■ 5. Built-In Crime Syndicate Campaign Identifiers (Fraud DNA™)

Standardized crime campaign codes and modus operandi signatures recognized by the Fraud DNA™ engine.

Shortcut / Term	Full Form / Statutory Expansion	Meaning & Operational Context in CyberTrace
CYB-2048	'Hydra-Peel' Syndicate	Telegram task-based part-time job scam featuring 3-hop automated 80/20 peeling chains into WazirX / Binance off-ramps.
CYB-3912	'Phantom-Drainer' Syndicate	Permit2 phishing DApp drainer network using sub-15s multi-token drains and Cross-Chain Bridges into Tornado Cash.
CYB-1084	'Golden-Boar' Syndicate	Pig butchering fake high-yield liquidity arbitrage scam using staged deposit warming and OKX/KuCoin memo routing.
Lazarus APT-38	State-Sponsored Hack Preset	State-backed multi-sig contract drain involving Tornado.Cash 100 ETH mixer pools and Dubai OTC broker cash-out.
Digital Arrest	Police Impersonation Syndicate	Coercive extortion scheme impersonating CBI/Customs officials, routing victim funds into Axis/SBI mule accounts.