Homework 6

David Trinh

October 28, 2024

• Question 1

• Question 2

- 1. [1, 2, 3, 55, 42, 15, 9]
- 2. [9, 2, 3, 55, 42, 15] 1
- 3. [2, 9, 3, 55, 42, 15] 1
- 4. [15, 9, 3, 55, 42] 1, 2
- $5.\ [3,\,9,\,15,\,55,\,42]\ 1,\,2$
- 6. [42, 9, 15, 55] 1, 2, 3
- 7. [9, 42, 15, 55] 1, 2, 3
- 8. [55, 42, 15] 1, 2, 3, 9
- 9. [15, 42, 55] 1, 2, 3, 9
- 10. [55, 42] 1, 2, 3, 9, 15
- 11. [42, 55] 1, 2, 3, 9, 15
- 12. [55] 1, 2, 3, 9, 15, 42
- 13. 1, 2, 3, 9, 15, 42, 55

• Question 3

Backward

$$T(n) = 2T(\frac{n}{2}) + 5, T(1) = 0$$

$$T(n/2) = 2T(\frac{n}{4}) + 5$$

$$T(n/4) = 2T(\frac{n}{8}) + 5$$

$$T(n/8) = 2T(\frac{n}{16}) + 5$$

$$T(n/16) = 2T(\frac{n}{32}) + 5$$

...

Substitute

$$T(n) = 2T(\frac{n}{2}) + 5$$

$$= 2(2T(\frac{n}{4}) + 5) + 5 = 4T(\frac{n}{4}) + 15$$

$$=4(2T(\frac{n}{8})+5)+15=8T(\frac{n}{8})+35$$

$$= 8(2T(\frac{n}{16}) + 5) + 35 = 16T(\frac{n}{16}) + 75$$

$$= 16(2T(\frac{n}{32}) + 5) + 75 = 32T(\frac{n}{32}) + 155$$

...

Pattern

$$2^{i}T(\frac{n}{2^{i}}) + (2^{i} - 1)5$$

$$T(1) = T(\frac{n}{2^i}) \to 1 = n/2^i, n = 2^i, i = \log_2 n$$

Plug in and solve

$$2^{\log_2 n} T(\frac{n}{2^{\log_2 n}}) + (2^{\log_2 n} - 1)5$$

$$nT(\frac{n}{n}) + (n-1)5$$

$$0 + (n-1)5$$

$$5n - 5$$

$$\Theta(n)$$

Forward

$$T(1) = 0$$

$$T(2) = 2T(1) + 5 = 5$$

$$T(4) = 2T(2) + 5 = 15$$

$$T(8) = 2T(4) + 5 = 35$$

$$T(16) = 2T(8) + 5 = 75$$

$$T(32) = 2T(16) + 5 = 155$$

Pattern

$$T(n) = 5n - 5$$

 $\Theta(n)$

In both the Backward and Forward steps

Master Theorem

$$T(n) = 2T(\frac{n}{2}) + 5$$

$$a = 2, b = 2, d = 0$$

$$2 > 2^{0}$$

$$\Theta(n^{\log_2 2})$$

 $\Theta(n)$

Therefore all the steps above are correct.

• Question 4

1.
$$9T(\frac{n}{3}) + 27n^3$$

$$a = 9, b = 3, d = 3$$

$$9 < 3^{3}$$

$$\Theta(n^3)$$

2.
$$0.5T(\frac{n}{0.9}) + n^n$$

$$a = 0.5, b = 0.9, d = n$$

$$a<1,b<1$$

MT

3.
$$-2T(\frac{n}{2}) + \log_4 n$$

$$a = -2, b = 2$$

$$a < 1, f(n)$$
 not in $\Theta(n^d)$

MT

4. $4T(\frac{n}{2}) + n^2$ a = 4, b = 2, d = 2 $4 = 2^2$ $\Theta(n^2 log n)$

• Question 5

- 1. Index: 0, i, 2, 3, 4, 5, 6, 7, 8, j Value: 31, 37, 12, 3, 44, 50, 22, 39, 10, 25
- 2. Index: 0, i, 2, 3, 4, 5, 6, 7, 8, j Value: 31, 25, 12, 3, 44, 50, 22, 39, 10, 37
- 3. Index: 0, 1, 2, 3, i, 5, 6, 7, j, 9 Value: 31, 25, 12, 3, 10, 50, 22, 39, 44, 37
- 4. Index: 0, 1, 2, 3, 4, i, j, 7, 8, 9 Value: 31, 25, 12, 3, 10, 22, 55, 39, 44, 37
- 6. Index: 0, 1, 2, 3, 4, j, i, 7, 8, 9 Value: 31, 25, 12, 3, 10, 22, 55, 39, 44, 37
- 7. Index: j, 1, 2, 3, 4, left, i, 7, 8, 9 Value: 22, 25, 12, 3, 10, 31, 55, 39, 44, 37

• Question 6

- 1. Low = 0, Mid = 4, High = 9, i = 0, j = 0, k = 0 Index: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9 Value: 3, 18, 25, 44, 51, 10, 12, 21, 36, 39
- $\begin{aligned} 2. & \ i=0, \ j=0, \ k=0 \\ & \ \text{Index:} & \ 0, \ 1, \ 2, \ 3, \ 4, \ 5, \ 6, \ 7, \ 8, \ 9 \\ & \ \text{Value:} & \ 3, \ 18, \ 25, \ 44, \ 51, \ 10, \ 12, \ 21, \ 36, \ 39 \end{aligned}$
- 4. i = 1, j = 1, k = 2 Index: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9 Value: 3, 10, 25, 44, 51, 10, 12, 21, 36, 39
- 5. i = 1, j = 2, k = 3 Index: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9 Value: 3, 10, 12, 44, 51, 10, 12, 21, 36, 39
- 6. i = 2, j = 2, k = 4 Index: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9 Value: 3, 10, 12, 18, 51, 10, 12, 21, 36, 39
- $7. \ i=2, \ j=3, \ k=5$ $Index: \ 0, \ 1, \ 2, \ 3, \ 4, \ 5, \ 6, \ 7, \ 8, \ 9$ $Value: \ 3, \ 10, \ 12, \ 18, \ 21, \ 10, \ 12, \ 21, \ 36, \ 39$
- 8. i = 3, j = 3, k = 6 Index: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9 Value: 3, 10, 12, 18, 21, 25, 12, 21, 36, 39

- $\begin{aligned} 10. \ i &= 4, \, j = 4, \, k = 8 \\ \text{Index: } \ 0, \ 1, \ 2, \ 3, \ 4, \ 5, \ 6, \ 7, \ 8, \ 9 \\ \text{Value: } \ 3, \ 10, \ 12, \ 18, \ 21, \ 25, \ 36, \ 44, \ 36, \ 39 \end{aligned}$