ECE 131A Quiz 1

Lawrence Liu

October 8, 2022

Problem 1

(a)

Since $P(A^c \cap B^c) = \frac{2}{3}$, we have

$$P((A \cap B^c) \cup (A^c \cap B) \cup (A \cap B)) = 1 - P(A^c \cap B^c) = \boxed{\frac{1}{3}}$$

.

(b)

We have

$$P(C \cap D) = P(C, D)$$

$$P(C|D) = \frac{P(C, D)}{P(D)}$$

$$P(C^c|D) = 1 - \frac{P(C, D)}{P(D)}$$

$$P(C^{c} \cap D) = P(C^{c}, D) = P(D)P(C^{c}|D) = P(D)(1 - \frac{P(C, D)}{P(D)})$$
$$P(C^{c} \cap D) = P(D) - P(C, D) = 0.45 - 0.1 = \boxed{0.35}$$

(c)

We have

$$P(A \cup B) = 1 - P((A \cup B)^c) = 0.58$$

Furthermore we have

$$P(A \cup B) = P(A) + P(B) - P(A \cap B) = 0.12$$

This is equal to P(A)P(B) = 0.12, therefore A and B are independent

Problem 2

Let the bernoulli random variable T represent if a page from a textbook have a theorem on it. Likewise let M be a random variable that represents the type of textbook a student is reading given it is a math textbook, therefore we have

$$P(M = \text{probability}) = \frac{10}{100 - 72}$$

$$P(M = \text{algebra}) = \frac{13}{100 - 72}$$

$$P(M = \text{real analysis}) = \frac{5}{100 - 72}$$

And thus we have

$$P(M = \text{probability}|T = 1) = \frac{P(M = \text{probability})P(T = 1|M = \text{probability})}{P(T = 1)}$$

Since

$$\begin{split} P(T=1) = & P(M = \text{probability}) P(T=1|M = \text{probability}) \\ & + P(M = \text{algebra}) P(T=1|M = \text{algebra}) \\ & + P(M = \text{real analysis}) P(T=1|M = \text{real analysis}) \\ = & \frac{10}{100-72} \frac{20}{100} + \frac{13}{100-72} \frac{29}{100} + \frac{5}{100-72} \frac{37}{100} \\ = & 0.272142857143 \end{split}$$

Therefore we have

$$\begin{split} P(M = \text{probability}|T = 1) &= \frac{P(M = \text{probability})P(T = 1|M = \text{probability})}{P(T = 1)} \\ &= \frac{\frac{10}{100 - 72} \frac{20}{100}}{0.272142857143} \\ &= \boxed{0.262467191601} \end{split}$$

Problem 3