

Variable information: LASAB151 / LASAC151 / LASAD151 / LASAE151 / LAS2B151 / LASAF151 / LASAG151 / LASAH151 / LAS3B151 / LASMB151 / LASAI151 / LASAJ151 / LASAK151

NB. 1 A retest was done in LASA-2B, LASA-G, LASA-H, LASA-3B, LASA-I, LASA-J and LASA-K, same data file (LASA151)

NB. 2 Measures used:

Systolic blood pressure	[mmHg]
Diastolic blood pressure	[mmHg]
Pulse rate	[beats/min]

LASAB151

name	label	values
bmfinps1	Pulse rate (1)	no measurement(-1)
bmfinps2	Pulse rate (2)	
bmfinps3	Pulse rate (3)	

LASAC151

name	label	values
cmfinss1	Bloodpressure (finger) mmHg: systolic	na, see CRM151(-2), no valid measurement(-1)
cmfinds1	Bloodpressure (finger) mmHg: diastolic	
cmfinps1	Pulse rate (finger)	
cmfinpos1	Blood pressure (finger): position	na, see CRM151(-2), no valid measurement(-1), standing(1), sitting(2), lying down(3)
cmarmss1	Bloodpr sitting (arm) mmHg: systolic	na, see CRM151(-2), no valid measurement(-1)
cmarmds1	Bloodpr sitting (arm) mmHg: diastolic	
cmarmps1	Pulse rate sitting (arm)	
cmarmlss1	Bloodpr lying (arm) mmHg: systolic	
cmarmlds1	Bloodpr lying (arm) mmHg: diastolic	
cmarmlps1	Pulse rate lying (arm)	
cmarmsss1	Bloodpr standing (arm) mmHg: systolic	
cmarmsds1	Bloodpr standing (arm) mmHg: diastolic	
cmarmmps1	Pulse rate standing (arm)	
cmarmpar	Particularities bloodpressure	na, see CRM151(-2), no(1), yes(2)
cmarmpa1	Partic. bloodpressure: cannot stand	na, see CMARMPAR(-2), not mentioned(0), mentioned(1)
cmarmpa2	Partic. bloodpressure: cannot sit	
cmarmpa3	Partic. bloodpressure: cannot lie down	
cmarmpa4	Partic. bloodpressure: other	na, see CMARMPAR(-2), not mentioned(0), mentioned --> CMARMPA4O(1)

Variable information: LASAB151 / LASAC151 / LASAD151 / LASAE151 / LAS2B151 / LASAF151 / LASAG151 / LASAH151 / LAS3B151 / LASMB151 / LASAI151 / LASAJ151 / LASAK151

cmarmpa4o	Partic other: specification	na, see CMARMPA4(-2), measurement error(1), refused(2), problem with finger(3), measurement on right arm(4), miscellaneous(5), no normal score(6), no specification(7)
crm151	Reason missing: LASAC151	valid data(-2), interview terminated(2)

LASAD151

name	label	values
dmfinss1	Bloodpressure (finger) mmHg: systolic	no valid measurement(-1)
dmfinds1	Bloodpressure (finger) mmHg: diastolic	
dmfinps1	Pulse rate (finger)	
dmfinpo1	Blood pressure (finger): position	
dmarmss1	Bloodpr sitting (arm) mmHg: systolic	
dmarmds1	Bloodpr sitting (arm) mmHg: diastolic	
dmarmps1	Pulse rate sitting (arm)	
dmarmlss1	Bloodpr lying (arm) mmHg: systolic	
dmarmlds1	Bloodpr lying (arm) mmHg: diastolic	
dmarmlps1	Pulse rate lying (arm)	
dmarmsss1	Bloodpr standing (arm) mmHg: systolic	
dmarmsds1	Bloodpr standing (arm) mmHg: diastolic	
dmarmsp1	Pulse rate standing (arm)	
dmarmpar	Particularities bloodpressure	na, asked(-1), no(1), yes(2)
dmarmpa1	Partic. bloodpressure: cannot stand	na, see DMARMPAR(-2), not mentioned(0), mentioned(1)
dmarmpa2	Partic. bloodpressure: cannot sit	
dmarmpa3	Partic. bloodpressure: cannot lie down	
dmarmpa4	Partic. bloodpressure: other	

Variable information: LASAB151 / LASAC151 / LASAD151 / LASAE151 / LAS2B151 / LASAF151 / LASAG151 / LASAH151 / LAS3B151 / LASMB151 / LASAI151 / LASAJ151 / LASAK151

LASAE151

name	label	values
emarmss1	Bloodpr 1 sitting (arm) mmHg: systolic	no valid measurement(-1)
emarmds1	Bloodpr 1 sitting (arm) mmHg: diastolic	
emarmps1	Pulse rate 1 sitting (arm)	
emarmss2	Bloodpr 2 sitting (arm) mmHg: systolic	
emarmds2	Bloodpr 2 sitting (arm) mmHg: diastolic	
emarmps2	Pulse rate 2 sitting (arm)	
emarmss3	Bloodpr 3 sitting (arm) mmHg: systolic	
emarmds3	Bloodpr 3 sitting (arm) mmHg: diastolic	
emarmps3	Pulse rate 3 sitting (arm)	
emarmpar	Particularities bloodpressure	test not done(-3), normal test(-1), partially no valid measurement(-1), R cannot sit(1), measurement error(2), painful arm, no measurement(3), measurement on right arm(4), (part of) test refused(5), part of test wrongfully not done(6)

LAS2B151

name	label	values
bmarmss1	Bloodpr 1 sitting (arm) mmHg: systolic	na, see BMARMPA1(-2), no valid measurement(-1)
bmarmds1	Bloodpr 1 sitting (arm) mmHg: diastolic	no valid measurement(-1)
bmarmps1	Pulse rate sitting (arm) 1	
bmarmss2	Bloodpr 2 sitting (arm) mmHg: systolic	
bmarmds2	Bloodpr 2 sitting (arm) mmHg: diastolic	
bmarmps2	Pulse rate sitting (arm) 2	no valid measurement(-1), normal measurement(0), cannot sit(1), other to be coded(2)
bmarmpa1	Particularities bloodpressure	
bmarmss3	Retest Bloodpr 3 sitting (arm) mmHg: systolic	na, see BMARMPA2(-2), no valid measurement(-1)
bmarmds3	Retest Bloodpr 3 sitting (arm) mmHg: diastolic	no valid measurement(-1)
bmarmps3	Retest Pulse rate 3 sitting (arm)	
bmarmss4	Retest Bloodpr 4 sitting (arm) mmHg: systolic	
bmarmds4	Retest Bloodpr 4 sitting (arm) mmHg: diastolic	
bmarmps4	Retest Pulse rate 4 sitting (arm)	no valid measurement(-1), normal measurement(0), cannot sit(1), other to be coded(2)
bmarmpa2	Retest Particularities bloodpressure	

Variable information: LASAB151 / LASAC151 / LASAD151 / LASAE151 / LAS2B151 / LASAF151 / LASAG151 / LASAH151 / LAS3B151 / LASMB151 / LASAI151 / LASAJ151 / LASAK151

LASAF151

name	label	values
fmarmss1	Bloodpr 1 sitting (arm) mmHg: systolic	no valid measurement(-1)
fmarmds1	Bloodpr 1 sitting (arm) mmHg: diastolic	
fmarmps1	Pulse rate 1 sitting (arm)	
fmarmss2	Bloodpr 2 sitting (arm) mmHg: systolic	
fmarmds2	Bloodpr 2 sitting (arm) mmHg: diastolic	
fmarmps2	Pulse rate 2 sitting (arm)	
fmarmss3	Bloodpr 3 sitting (arm) mmHg: systolic	
fmarmds3	Bloodpr 3 sitting (arm) mmHg: diastolic	
fmarmps3	Pulse rate 3 sitting (arm)	
fmarmpar	Particularities bloodpressure	section not done(-3), normal test(-2), partially no valid measurement(-1), R cannot sit(1), measurement error(2), painful arm, no measurement(3), measurement on right arm(4), (part of) test refused(5), part of test wrongfully not done(6), - to be coded -(8)

LASAG151

name	label	values
gmarmss0	Pretest: bloodpr 0 sit (arm) mmHg: systolic	no valid measurement(-1)
gmarmds0	Pretest: bloodpr 0 sit (arm) mmHg: diastolic	
gmarmps0	Pretest: pulse rate 0 sit (arm)	
gmarmpa0	Particularities bloodpressure Pretest	section not done(-3), normal test(-2), partially no valid measurement(-1), R cannot sit(1), measurement error(2), painful arm, no measurement(3), measurement on right arm(4), (part of) test refused(5), part of test wrongfully not done(6), - to be coded -(8)
gmarmss1	Bloodpr 1 sitting (arm) mmHg: systolic	no valid measurement(-1)
gmarmds1	Bloodpr 1 sitting (arm) mmHg: diastolic	
gmarmps1	Pulse rate 1 sitting (arm)	
gmarmss2	Bloodpr 2 sitting (arm) mmHg: systolic	
gmarmds2	Bloodpr 2 sitting (arm) mmHg: diastolic	

Variable information: LASAB151 / LASAC151 / LASAD151 / LASAE151 / LAS2B151 / LASAF151 / LASAG151 / LASAH151 / LAS3B151 / LASMB151 / LASAI151 / LASAJ151 / LASAK151

gmarmps2	Pulse rate 2 sitting (arm)	no valid measurement(-1)
gmarmss3	Bloodpr 3 sitting (arm) mmHg: systolic	
gmarmds3	Bloodpr 3 sitting (arm) mmHg: diastolic	
gmarmps3	Pulse rate 3 sitting (arm)	
gmarmpar	Particularities bloodpressure	section not done(-3), normal test(-2), partially no valid measurement(-1), R cannot sit(1), measurement error(2), painful arm, no measurement (3), measurement on right arm(4), (part of) test refused(5), part of test wrongfully not done(6), - to be coded -(8)

LASAH151

name	label	values
hmarmss0	Pretest: bloodpressure (0) sitting (arm) mmHg: systolic	no valid measurement(-1)
hmarmds0	Pretest: bloodpressure (0) sitting (arm) mmHg: diastolic	
hmarmps0	Pretest: pulse rate (0) sitting (arm)	
hmarmss1	Bloodpressure (1) sitting (arm) mmHg: systolic	
hmarmds1	Bloodpressure (1) sitting (arm) mmHg: diastolic	
hmarmps1	Pulse rate (1) sitting (arm)	
hmarmpa0	Particularities bloodpressure Pretest	section not done(-3), normal test(-2), partially no valid measurement(-1), R cannot sit(1), measurement error(2), painful arm, no measurement(3), measurement on right arm(4), (part of) test refused(5), part of test wrongfully not done(6), - to be coded -(8)
hmarmpar	Particularities bloodpressure	

LAS3B151

name	label	values
bmarmss01	Pretest 1: bloodpr sit (arm) mmHg: systolic	no valid measurement(-1)
bmarmds01	Pretest 1: bloodpr sit (arm) mmHg: diastolic	
bmarmps01	Pretest 1: pulse rate sit (arm)	
bmarmss02	Pretest 2: bloodpr sit (arm) mmHg: systolic	
bmarmds02	Pretest 2: bloodpr sit (arm) mmHg: diastolic	

Variable information: LASAB151 / LASAC151 / LASAD151 / LASAE151 / LAS2B151 / LASAF151 / LASAG151 / LASAH151 / LAS3B151 / LASMB151 / LASAI151 / LASAJ151 / LASAK151

bmarmps02	Pretest 2: pulse rate sit (arm)	no valid measurement(-1)
bmarmss1	Bloodpr 1 sitting (arm) mmHg: systolic	
bmarmds1	Bloodpr 1 sitting (arm) mmHg: diastolic	
bmarmps1	Pulse rate 1 sitting (arm)	
bmarmss2	Bloodpr 2 sitting (arm) mmHg: systolic	
bmarmds2	Bloodpr 2 sitting (arm) mmHg: diastolic	
bmarmps2	Pulse rate 2 sitting (arm)	
bmarmpa0	Particularities bloodpressure Pretest	section not done(-3), normal test(-2), partially no valid measurement(-1), R cannot sit(1), measurement error(2), painful arm, no measurement(3), measurement on right arm(4), (part of) test refused(5), part of test wrongfully not done(6), - to be coded - (8)
bmarmpar	Particularities bloodpressure	

LASMB151

name	label	values
bmarmss1	Bloodpr 1 sitting (arm) mmHg: systolic	no valid measurement(-1)
bmarmds1	Bloodpr 1 sitting (arm) mmHg: diastolic	
bmarmps1	Pulse rate 1 sitting (arm)	
bmarmss2	Bloodpr 2 sitting (arm) mmHg: systolic	
bmarmds2	Bloodpr 2 sitting (arm) mmHg: diastolic	
bmarmps2	Pulse rate 2 sitting (arm)	
bmarmpar	Particularities bloodpressure	section not done(-3), normal test(-2), partially no valid measurement(-1), R cannot sit(1), measurement error(2), painful arm, no measurement(3), measurement on right arm(4), (part of) test refused(5), part of test wrongfully not done(6), - to be coded - (8)

LASAI151 / LASAJ151 / LASAK151

name	label	values
i/j/kmarmss0	Pretest: bloodpressure (0) sitting (arm) mmHg: systolic	no valid measurement(-1)
i/j/kmarmds0	Pretest: bloodpressure (0) sitting (arm) mmHg: diastolic	

Variable information: LASAB151 / LASAC151 / LASAD151 / LASAE151 / LAS2B151 / LASAF151 / LASAG151 / LASAH151 / LAS3B151 / LASMB151 / LASAI151 / LASAJ151 / LASAK151

i/j/kmarmps0	Pretest: pulse rate (0) sitting (arm)	no valid measurement(-1)
i/j/kmarms1	Bloodpressure (1) sitting (arm) mmHg: systolic	
i/j/kmarnds1	Bloodpressure (1) sitting (arm) mmHg: diastolic	
i/j/kmarmps1	Pulse rate (1) sitting (arm)	
i/j/kmarmpa0	Particularities bloodpressure pretest	section not done(-3), normal test(-2), partially no valid measurement(-1), R cannot sit(1), measurement error(2), painful arm, no measurement(3), measurement on right arm(4), (part of) test refused(5), part of test wrongfully not done(6), - to be coded -(8)
i/j/kmarmpar	Particularities bloodpressure	