


TAREA SEMANA 1. HIGINIO URBANO OCHOA


2. Fundamentos de Git I.

1.-



```
MINGW64:/c/Users/lilli
Lilli@DESKTOP-U07TOGO MINGW64 ~
$ git --version
git version 2.33.0.windows.2
Lilli@DESKTOP-U07TOGO MINGW64 ~
$ |
```


2.-



```
MINGW64:/
Lilli@DESKTOP-U07TOGO MINGW64 /
$ git config --global user.name "Higinio Urbano Ochoa"
Lilli@DESKTOP-U07TOGO MINGW64 /
$ git config --global user.email urbano20894@iesmarenostrum.com
Lilli@DESKTOP-U07TOGO MINGW64 /
$ git config --global core.editor "'C:/Program Files (x86)/Notepad++/notepad++.exe' -multiInst -notabbar -nosession -noPlugin"
Lilli@DESKTOP-U07TOGO MINGW64 /
$ git config --global credential.helper wincred
Lilli@DESKTOP-U07TOGO MINGW64 /
$ |
```

3.-


G)

A terminal window titled "MINGW64:/I/2º Programación/Cliente/S1R1" with standard window controls. The terminal shows the output of the command "git status".


```
Llilli@DESKTOP-U07TOGO MINGW64 /I/2º Programación/Cliente/S1R1 (master)
$ git status
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        películas.txt

nothing added to commit but untracked files present (use "git add" to track)
Llilli@DESKTOP-U07TOGO MINGW64 /I/2º Programación/Cliente/S1R1 (master)
$ |
```

L)




N)



```
MINGW64:/I/2º Programación/Cliente/S1R1
Llilli@DESKTOP-U07T0GO MINGW64 /I/2º Programación/Cliente/S1R1 (master)
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        deleted:    comidas.txt
        modified:   peliculas.txt

Llilli@DESKTOP-U07T0GO MINGW64 /I/2º Programación/Cliente/S1R1 (master)
$
```

Q)



```
MINGW64:/I/2º Programación/Cliente/S1R1
Llilli@DESKTOP-U07T0GO MINGW64 /I/2º Programación/Cliente/S1R1 (master)
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   datos.bak
        new file:   output/salida.txt

Llilli@DESKTOP-U07T0GO MINGW64 /I/2º Programación/Cliente/S1R1 (master)
$ |
```

S)

```
MINGW64:/I/2º Programación/Cliente/S1R1

Llilli@DESKTOP-U07T0GO MINGW64 /I/2º Programación/Cliente/S1R1 (master)
$ git status
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitignore

nothing added to commit but untracked files present (use "git add" to track)

Llilli@DESKTOP-U07T0GO MINGW64 /I/2º Programación/Cliente/S1R1 (master)
$
```

U)

```
MINGW64:/I/2º Programación/Cliente/S1R1

Llilli@DESKTOP-U07T0GO MINGW64 /I/2º Programación/Cliente/S1R1 (master)
$ git log --graph
* commit 6eba5d9233711cef56e96a9e7bc71bd4e5cad9ec (HEAD -> master)
  Author: Higinio Urbano Ochoa <urbano20894@iesmarenostrum.com>
  Date: Tue Sep 21 11:36:19 2021 +0200

    Ultimo Commit

* commit edde96ef0def78313f837c1d4fee8437c88d1610
  Author: Higinio Urbano Ochoa <urbano20894@iesmarenostrum.com>
  Date: Tue Sep 21 11:05:03 2021 +0200

    Cuarto Commit

* commit cf9a9b0ebb2cc28c0bd1c3dea9d2e20f246f977d
  Author: Higinio Urbano Ochoa <urbano20894@iesmarenostrum.com>
  Date: Tue Sep 21 10:54:55 2021 +0200

    Tercer commit

* commit b2a603a36ec94effe6e550c21b57213dc909d9d5
  Author: Higinio Urbano Ochoa <urbano20894@iesmarenostrum.com>
  Date: Tue Sep 21 10:46:44 2021 +0200

    Segundo Commit
...skipping...
* commit 6eba5d9233711cef56e96a9e7bc71bd4e5cad9ec (HEAD -> master)
  Author: Higinio Urbano Ochoa <urbano20894@iesmarenostrum.com>
  Date: Tue Sep 21 11:36:19 2021 +0200

    Ultimo Commit

* commit edde96ef0def78313f837c1d4fee8437c88d1610
  Author: Higinio Urbano Ochoa <urbano20894@iesmarenostrum.com>
  Date: Tue Sep 21 11:05:03 2021 +0200

    Cuarto Commit

* commit cf9a9b0ebb2cc28c0bd1c3dea9d2e20f246f977d
  Author: Higinio Urbano Ochoa <urbano20894@iesmarenostrum.com>
  Date: Tue Sep 21 10:54:55 2021 +0200

    Tercer commit

* commit b2a603a36ec94effe6e550c21b57213dc909d9d5
  Author: Higinio Urbano Ochoa <urbano20894@iesmarenostrum.com>
  Date: Tue Sep 21 10:46:44 2021 +0200

    Segundo Commit

* commit 5a7585825e6cbde8150047e570b9e79992d7b9bc
  Author: Higinio Urbano Ochoa <urbano20894@iesmarenostrum.com>
  Date: Tue Sep 21 10:45:26 2021 +0200

    Primer commit
```

3. Fundamentos de Git II.

1.-

G)

```
MINGW64:/I/2º Programación/Cliente/S2R1

Llilli@DESKTOP-U07TOGO MINGW64 /I/2º Programación/Cliente/S2R1 (test)
$ git log --graph --all
* commit 18796e5b3851fb7799713a505a3897b01a24a1a6 (HEAD -> test)
  Author: Higinio Urbano Ochoa <urbano20894@iesmarenosttrum.com>
  Date: Tue Sep 21 11:51:33 2021 +0200

  Segundo commit

* commit 44d9134202fbda96a3dd420c542d110d9303d984 (master)
  Author: Higinio Urbano Ochoa <urbano20894@iesmarenosttrum.com>
  Date: Tue Sep 21 11:47:29 2021 +0200

  Primer Commit

Llilli@DESKTOP-U07TOGO MINGW64 /I/2º Programación/Cliente/S2R1 (test)
$ |
```

N)

```
MINGW64:/I/2º Programación/Cliente/S2R1

Llilli@DESKTOP-U07TOGO MINGW64 /I/2º Programación/Cliente/S2R1 (master|MERGING)
$ git log --graph --all
* commit 52e52f75bf6d5334352dbab0996c4246f79de1fc (test2)
  Author: Higinio Urbano Ochoa <urbano20894@iesmarenosttrum.com>
  Date: Tue Sep 21 12:04:56 2021 +0200

  2 Tercer Commit

* commit e288fe9d851f84f5d44d0649569fd1aa47516969 (HEAD -> master)
  Author: Higinio Urbano Ochoa <urbano20894@iesmarenosttrum.com>
  Date: Tue Sep 21 12:02:46 2021 +0200

  Tercer Commit

* commit 18796e5b3851fb7799713a505a3897b01a24a1a6 (test)
  Author: Higinio Urbano Ochoa <urbano20894@iesmarenosttrum.com>
  Date: Tue Sep 21 11:51:33 2021 +0200

  Segundo commit

* commit 44d9134202fbda96a3dd420c542d110d9303d984
  Author: Higinio Urbano Ochoa <urbano20894@iesmarenosttrum.com>
  Date: Tue Sep 21 11:47:29 2021 +0200

  Primer Commit
```

O)

```
Llilli@DESKTOP-U07T0GO MINGW64 /1/2º Programación/Cliente/S2R1 (master|MERGING)
$ git status
On branch master
You have unmerged paths.
  (fix conflicts and run "git commit")
  (use "git merge --abort" to abort the merge)

Unmerged paths:
  (use "git add <file>..." to mark resolution)
    both modified:   actrices.txt

no changes added to commit (use "git add" and/or "git commit -a")

Llilli@DESKTOP-U07T0GO MINGW64 /1/2º Programación/Cliente/S2R1 (master|MERGING)
$ |
```

Q)

```
Llilli@DESKTOP-U07T0GO MINGW64 /1/2º Programación/Cliente/S2R1 (master)
$ git log --graph --all
*   commit 512d00c9ae65f585d26e9bc511685b84f6896a5b (HEAD -> master)
|  \ Merge: e288fe9 52e52f7
|   Author: Higinio Urbano Ochoa <urbano20894@iesmarenosttrum.com>
|   Date:   Tue Sep 21 12:15:54 2021 +0200
|
|       Merge branch 'test2'
|
| *   commit 52e52f75bf6d5334352dbab0996c4246f79de1fc (test2)
|  \ Author: Higinio Urbano Ochoa <urbano20894@iesmarenosttrum.com>
|   Date:   Tue Sep 21 12:04:56 2021 +0200
|
|       2 Tercer Commit
|
| *   commit e288fe9d851f84f5d44d0649569fd1aa47516969
|  \ Author: Higinio Urbano Ochoa <urbano20894@iesmarenosttrum.com>
|   Date:   Tue Sep 21 12:02:46 2021 +0200
|
|       Tercer Commit
```

3.-

```
Llilli@DESKTOP-U07TOGO MINGW64 /1/Segundo-Programacion/Cliente/Git
$ git clone S2R2-remoto/ S2R2
Cloning into 'S2R2'...
warning: You appear to have cloned an empty repository.
done.
```

C)

```
Llilli@DESKTOP-U07TOGO MINGW64 /1/Segundo-Programacion/Cliente/Git/S2R2 (master)
$ git push
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 282 bytes | 282.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To L:/Segundo-Programacion/Cliente/Git/S2R2-remoto/
 * [new branch]      master -> master
```

G)

```
Llilli@DESKTOP-U07TOGO MINGW64 /1/Segundo-Programacion/Cliente/Git/S2R2 (version
1)
$ git push origin master
Everything up-to-date
```

4.-

F)

```
Llilli@DESKTOP-U07TOGO MINGW64 /1/Segundo-Programacion/Cliente/Git/S2R3 (master)
$ git merge version1
Updating 494aaa3..3c6b19f
Fast-forward
 directorios.txt | 4 +++-
 1 file changed, 3 insertions(+), 1 deletion(-)
```

5.-

A) Este paso lo realicé previamente antes de leer la pregunta y no supe volver al camino de antes para poder hacerlo. Es decir, previamente había fusionado mediante un merge la versión S2R2 junto a su rama version1. Por lo tanto, ya lo tenía realizado de manera local, disculpas.

B)

```
$ git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'
```

4. GITHUB

4.-

E)

```
Llilli@DESKTOP-U07T0G0 MINGW64 /1/Segundo-Programacion/Cliente/Git/sesion3-practica (master)
$ git commit -m "Libros. Close #1"
[master 8b63a56] Libros. Close #1
1 file changed, 3 insertions(+)

Llilli@DESKTOP-U07T0G0 MINGW64 /1/Segundo-Programacion/Cliente/Git/sesion3-practica (master)
$ git add discos.txt

Llilli@DESKTOP-U07T0G0 MINGW64 /1/Segundo-Programacion/Cliente/Git/sesion3-practica (master)
$ git commit -m "Discos. Close #2"
[master 7b2e614] Discos. Close #2
1 file changed, 3 insertions(+)

Llilli@DESKTOP-U07T0G0 MINGW64 /1/Segundo-Programacion/Cliente/Git/sesion3-practica (master)
$ git add peliculas.txt

Llilli@DESKTOP-U07T0G0 MINGW64 /1/Segundo-Programacion/Cliente/Git/sesion3-practica (master)
$ git commit -m "Peliculas. Close #3"
[master 8a348fd] Peliculas. Close #3
1 file changed, 3 insertions(+)


```

```
Llilli@DESKTOP-U07T0G0 MINGW64 /1/Segundo-Programacion/Cliente/Git/sesion3-practica (master)
$ git push

Enumerating objects: 17, done.
Counting objects: 100% (17/17), done.
Delta compression using up to 8 threads
Compressing objects: 100% (12/12), done.
Writing objects: 100% (12/12), 1.35 KiB | 690.00 KiB/s, done.
Total 12 (delta 4), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (4/4), completed with 1 local object.
To https://github.com/HiginioUrbano/sesion3-practica.git
 a692f8f..8a348fd master -> master
```