

An on-chain transaction firewall for Solana AI agents.

Cardon sits between an autonomous agent and the network. Every transaction is simulated, checked against a policy stored in an Anchor program, and either auto-approved, queued for human review, or rejected. Because the policy lives on-chain, no operator can quietly raise a spend cap.

Live demo

cardon-protocol.vercel.app

Program ID (devnet)

5Zy73PLH2hpNvsCvyeqpn2tKjHBXNihjX7UbeAZ41tQc

The Problem

No firewall between intent and the network

Autonomous agents sign and broadcast transactions on their own. A single bad prompt, jailbreak, or model regression can drain an entire hot wallet — instantly and irreversibly.

Centralized policy is silently mutable

Existing products run policy as centralized middleware. Anyone with code access can quietly raise a spend cap or remove a kill switch with no audit trail visible to token holders.

No programmable human-in-the-loop

There is no standard on-chain primitive to pause high-value transactions and route them to a human approver before they hit the network.

"One bad prompt can drain a hot wallet — and there is currently no firewall between an agent's intent and the network."

The Solution

1 Simulate

Every transaction is run through RPC simulation before anything is signed.

2 Check Policy

Checked on-chain: per-tx cap, program allowlist, daily volume ceiling, kill switch.

3 Decide

Under threshold → auto-approve. Over threshold → queue for human. Cap hit → reject.

Key Benefits

■ Immutable authority

Policy authority can be a Squads multisig or DAO — rotating rules is an on-chain transaction, not a config push.

■ Human-in-the-loop built in

High-value transactions are automatically queued for human review before broadcasting.

■ Full audit trail

Every approval, rejection, and policy change is emitted as a log event, indexed off-chain via Helius.

■ Zero-trust kill switch

set_enabled can freeze an agent instantly — no operator coordination or code deploy required.

All 9 Tests Passing on Devnet

```
zsh — cardon — anchor test --provider.cluster devnet

$ anchor test --provider.cluster devnet --skip-local-validator
cardon
  ✓ registers an agent and seeds an initial policy (4218ms)
  ✓ auto-approves a small tx to an allowed program (3594ms)
  ✓ rejects an auto submission over the HITL threshold (939ms)
  ✓ rejects an auto submission to a non-allowlisted program (848ms)
  ✓ queues a high-value tx for human review and approves it (7564ms)
  ✓ rejects a pending tx (3499ms)
  ✓ blocks submissions when the agent is disabled (4142ms)
  ✓ rejects registration when hitl_threshold > max_per_tx (768ms)
  ✓ rejects a submission that would breach daily volume cap (3740ms)

9 passing (33s)

Program ID (devnet): 5Zy73PLH2hpNvsCvyeqpn2tKjHBXNihjX7UbeAZ41tQc
```

NETWORK

Solana Devnet

STATUS

9 / 9 passing ✓

PROGRAM ID

5Zy73PLH2hpN
vsCvyeqpn2tKjHBXNihjX7UbeAZ41tQ
c

LIVE SITE

[cardon-protocol
.vercel.app](https://cardon-protocol.vercel.app)