PROJECT AZ – 900: TASK 6, AZURE SQL (STRUCTURED QUERY LANGUAGE)

- What is SQL?

- A collection of integrated records and It could be in a form of structured or unstructured data

- Example: If you know how your data is arranged, then you can retrieve it

- I created an **Azure SQL**
- Tested the database

NOTE: In other to test the environment via **Querry Editor**, I used **Microsoft Entra ID Authenticator** to login instead of **SQL Server Authentication**.

PROOF ON SCREENSHOTS


Home - Microsoft Azure
portal.azure.com/#home
New Chrome available
Microsoft Azure
sql data
Copilot
hilarynwaja@outlook.com
DEFAULT DIRECTORY (HILARYN...
All
Services (61)
Marketplace (6)
More (4)
Services
See more
Azure SQL Database
Azure SQL
Azure SQL Database Hyperscale
Reservations
Azure SQL
Marketplace
SQL Database
SQL Database Reserved vCores
EPLAN SQL Databases
EDISPHERE Private Instance using MS-SQL Database
Documentation
Migrating Access Data into SQL Server and Azure SQL (AccessToSQL) - SQL Serv...
Compare SQL Data Migration Tools - SQL Server
Migrate Access Databases to SQL Server and Azure SQL Database - SQL Server
Continue searching in Microsoft Entra ID
Searching all subscriptions. Change
Give feedback
Welcome back, Hilary
Start with a template
Deploy in minutes using pre-made templates.
Import code from GitHub
Connect your GitHub account and deploy existing repositories.
Alerts and service issues
Last updated: 26 minutes ago
No alerts set up
Detect and respond to issues early, like errors or performance issues
Set up alerts
View service issues
https://portal.azure.com/#view/HubsExtension/ServiceMenuBlade/extension/SqlAzureExtension/menuId/AzureSqlHub/itemId/SingleDatabase


Azure SQL - Microsoft Azure
portal.azure.com/#servicemenu/SqlAzureExtension/AzureSqlHub/SingleDatabase
New Chrome available
Microsoft Azure
Search resources, services, and docs (G+/)
Copilot
hilarynwaja@outlook.com
DEFAULT DIRECTORY (HILARYN...
Home > Azure SQL
Azure SQL | SQL databases
Default Directory
Identify SQL databases modified in the last 30 days using ARG.
List SQL databases that are non-compliant using ARG.
Filter SQL databases by resource group and location.
Search
Overview
All resources
Azure SQL Database
SQL databases
Hyperscale databases
Elastic pools
SQL logical servers
Azure SQL Managed Instance
SQL Server
Related services
Help
Create
Manage view
Refresh
Export to CSV
Open query
Assign tags
Delete
Add to service group
Group by none
SQL database
SQL database (Free offer)
Subscription equals all
Resource Group equals all
Type equals all
Location equals all
Add filter
No SQL databases to display
Utilize a fully managed relational database service, perfect for accelerating application development and simplifying management tasks.
Create
Learn more
Showing 1 - 0 of 0. Display count: auto
Give feedback
https://portal.azure.com/#blade/SqlAzureExtension/CreateDatabaseBladeV3/forceWorkloadEnvironmentDevelopment/true

Create SQL Database - Microso

portal.azure.com/#view/SqlAzureExtension/CreateDatabaseBladeV3/_provisioningContext~/%7B"initialValues"%3A%7B"subscriptionIds"%3A%5B"30...

Microsoft Azure | Search resources, services, and docs (G+/) | Copilot | hilarynwaja@outlook.com DEFAULT DIRECTORY (HILARYN...

Home > Azure SQL | SQL databases

Create SQL Database

Microsoft

Basics | Networking | Security | Additional settings | Tags | Review + create

Create a SQL database with your preferred configurations. Complete the Basics tab then go to Review + Create to provision with smart defaults, or visit each tab to customize. Learn more

Create a serverless Azure SQL Database with 100,000 vCore seconds, 32GB of data, and 32GB of backup storage free per month for the lifetime of your subscription. Limit is 10 free databases per subscription. Learn more

Apply offer

SQL Database Hyperscale: Low price, high scalability, and best feature set. Learn more

Project details

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription * : Azure subscription 1

Resource group * : Select a resource group

Review + create | Next : Networking >

Create SQL Database Server - N

portal.azure.com/#view/SqlAzureExtension/SharedCreateServer/isNewServer~/true/subscriptionId/3036627a-4253-4bcf-a70b-bad9a3890d54/r...

Microsoft Azure | Search resources, services, and docs (G+/) | Copilot | hilarynwaja@outlook.com DEFAULT DIRECTORY (HILARYN...

Home > Azure SQL | SQL databases > Create SQL Database

Create SQL Database Server

Microsoft

Server details

Enter required settings for this server, including providing a name and location. This server will be created in the same subscription and resource group as your database.

Server name * : bb026sqlserver .database.windows.net

Location * : (US) East US

Authentication

Azure Active Directory (Azure AD) is now Microsoft Entra ID. Learn more

Select your preferred authentication methods for accessing this server. We recommend using only Microsoft Entra authentication Learn more using an existing Microsoft Entra user, group, or application as Microsoft Entra admin Learn more

Authentication method
- (•) Use Microsoft Entra-only authentication
- ( ) Use both SQL and Microsoft Entra authentication
- ( ) Use SQL authentication

Set Microsoft Entra admin : hilarynwaja@outlook.com

OK | Feedback

Create SQL Database Server - h

portal.azure.com/#view/SqlAzureExtension/SharedCreateServer/isNewServer~/true/subscriptionId/3036627a-4253-4bcf-a70b-bad9a3890d54/r...

New Chrome available

Microsoft Azure | Search resources, services, and docs (G+/) | Copilot | hilarynwaja@outlook.com DEFAULT DIRECTORY (HILARYN...

Home > Azure SQL | SQL databases > Create SQL Database

Create SQL Database Server

Microsoft

Server name * bb026sqlserver .database.windows.net

Location * (US) East US

Authentication

Azure Active Directory (Azure AD) is now Microsoft Entra ID. Learn more

Select your preferred authentication methods for accessing this server. We recommend using only Microsoft Entra authentication Learn more using an existing Microsoft Entra user, group, or application as Microsoft Entra admin Learn more

Authentication method
- (●) Use Microsoft Entra-only authentication
- ( ) Use both SQL and Microsoft Entra authentication
- ( ) Use SQL authentication

Set Microsoft Entra admin
hilarynwaja@outlook.com
Admin Object/App ID: 58566985-96e8-4cea-89e6-82cc3f5ab559
Set admin

OK

Feedback

Create SQL Database - Microso

portal.azure.com/#view/SqlAzureExtension/CreateDatabaseBladeV3/_provisioningContext~/%7B"initialValues"%3A%7B"subscriptionIds"%3A%5...

New Chrome available

Microsoft Azure | Search resources, services, and docs (G+/) | Copilot | hilarynwaja@outlook.com DEFAULT DIRECTORY (HILARYN...

Home > Azure SQL | SQL databases

Create SQL Database

Microsoft

Basics | Networking | Security | Additional settings | Tags | Review + create

Create a SQL database with your preferred configurations. Complete the Basics tab then go to Review + Create to provision with smart defaults, or visit each tab to customize. Learn more

Free offer applied! You get 100,000 vCore seconds, 32GB of data, and 32GB of backup storage free per month for the lifetime of your subscription. Learn more

Remove offer

SQL Database Hyperscale: Low price, high scalability, and best feature set. Learn more

Project details

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription * Azure subscription 1

Resource group * (New) BreachBreeze-sqldatabase

Create new

Cost summary

General Purpose (GP_S_Gen5_2)
Cost per **GB** (in USD) 0.00
Max storage selected (in GB) x 41.6
First 32 GB storage free
First 100,000 vCore seconds free
Overage billing [1] Disabled

ESTIMATED STORAGE COST / MONTH 0.00 USD
COMPUTE COST / VCORE SECOND [2] 0.000000 USD

[1] There will be no charges for usage within the free limits. The database will be paused automatically when the free limits are reached.
[2] Serverless databases are billed in vCore seconds based on a combination of CPU and memory utilization. Learn

Review + create | Next : Networking >

Create SQL Database - Microso

portal.azure.com/#view/SqlAzureExtension/CreateDatabaseBladeV3/_provisioningContext~/%7B"initialValues"%3A%7B"subscriptionIds"%3A%5...

New Chrome available

Microsoft Azure | Search resources, services, and docs (G+/) | Copilot | hilarynwaja@outlook.com DEFAULT DIRECTORY (HILARYN...

Home > Azure SQL | SQL databases

Create SQL Database

Microsoft

Database details

Enter required settings for this database, including picking a logical server and configuring the compute and storage resources

Database name * BBdatabase

Server * (new) bb026sqlserver (UK West)

Create new

Compute + storage * **General Purpose - Serverless**
Standard-series (Gen5), 2 vCores, 32 GB storage
Configure database

Behavior when free offer limit reached

Behavior when free offer limit reached

- Auto-pause the database until next month
  When free offer limit is reached, the database will not be accessible until the beginning of next calendar month when free amount is renewed. There will be no additional charges.
- Continue using database for additional charges
  Database continues to be accessible after free offer limit is reached. Additional usage beyond the free offer amount for that month will be charged at general purpose serverless tier rates. The free amount will be renewed at the beginning of the next calendar month.

Review + create | Next : Networking >

Create SQL Database - Microso

portal.azure.com/#view/SqlAzureExtension/CreateDatabaseBladeV3/_provisioningContext~/%7B"initialValues"%3A%7B"subscriptionIds"%3A%5...

New Chrome available

Microsoft Azure | Search resources, services, and docs (G+/) | Copilot | hilarynwaja@outlook.com DEFAULT DIRECTORY (HILARYN...

Home > Azure SQL | SQL databases

Create SQL Database

Microsoft

Changing Basic options may reset selections you have made. Review all options prior to creating the resource.

Want to use SQL elastic pool? Yes No

Workload environment
- Development
- Production

Default settings provided for Development workloads. Configurations can be modified as needed.

Compute + storage * **General Purpose - Serverless**
Standard-series (Gen5), 1 vCore, 32 GB storage
Configure database

Backup storage redundancy

Choose how your PITR and LTR backups are replicated. Geo restore or ability to recover from regional outage is only available when geo-redundant storage is selected.

Backup storage redundancy
- Locally-redundant backup storage
- Geo-redundant backup storage

Review + create | Next : Networking >

Create SQL Database - Microso

portal.azure.com/#view/SqlAzureExtension/CreateDatabaseBladeV3/_provisioningContext~/%7B"initialValues"%3A%7B"subscriptionIds"%3A%5...

Microsoft Azure | Search resources, services, and docs (G+/) | Copilot | hilarynwaja@outlook.com DEFAULT DIRECTORY (HILARYN...

Home > Azure SQL | SQL databases

Create SQL Database

Microsoft

Basics | Networking | Security | Additional settings | Tags | Review + create

Configure network access and connectivity for your server. The configuration selected below will apply to the selected server 'bb026sqlserver' and all databases it manages. Learn more

Network connectivity

Choose an option for configuring connectivity to your server via public endpoint or private endpoint. Choosing no access creates with defaults and you can configure connection method after server creation. Learn more

Connectivity method *
- No access
- Public endpoint
- Private endpoint

Firewall rules

Setting 'Allow Azure services and resources to access this server' to Yes allows communications from all resources inside the Azure boundary, that may or may not be part of your subscription. Learn more
Setting 'Add current client IP address' to Yes will add an entry for your client IP address to the server firewall.

Allow Azure services and resources to access this server * [No | Yes]

Add current client IP address * [No | Yes]

Cost summary

General Purpose (GP_S_Gen5_2)
Cost per GB (in USD) 0.00
Max storage selected (in GB) x 41.6
First 32 GB storage free
First 100,000 vCore seconds free
Overage billing [1] Disabled
ESTIMATED STORAGE COST / MONTH 0.00 USD
COMPUTE COST / VCORE SECOND [2] 0.000000 USD

[1] There will be no charges for usage within the free limits. The database will be paused automatically when the free limits are reached.
[2] Serverless databases are billed in vCore seconds based on a combination of CPU and memory utilization. Learn

Review + create | < Previous | Next : Security >

Create SQL Database - Microso

portal.azure.com/#view/SqlAzureExtension/CreateDatabaseBladeV3/_provisioningContext~/%7B"initialValues"%3A%7B"subscriptionIds"%3A%5...

Microsoft Azure | Search resources, services, and docs (G+/) | Copilot | hilarynwaja@outlook.com DEFAULT DIRECTORY (HILARYN...

Home > Azure SQL | SQL databases

Create SQL Database

Microsoft

Allow Azure services and resources to access this server * [No | Yes]

Add current client IP address * [No | Yes]

COMPUTE COST / VCORE SECOND [2] 0.000000 USD

[1] There will be no charges for usage within the free limits. The database will be paused automatically when the free limits are reached.
[2] Serverless databases are billed in vCore seconds based on a combination of CPU and memory utilization. Learn more about serverless billing

Connection policy

Configure how clients communicate with your SQL database server. Learn more

Connection policy
- Default - Uses Redirect policy for all client connections originating inside of Azure (except Private Endpoint connections) and Proxy for all client connections originating outside Azure
- Proxy - All connections are proxied via the Azure SQL Database gateways
- Redirect - Clients establish connections directly to the node hosting the database

Encrypted connections

This server supports encrypted connections using Transport Layer Security (TLS). For information on TLS version and certificates, refer to connecting with TLS/SSL. Learn more

Minimum TLS version: TLS 1.2

Review + create | < Previous | Next : Security >

Create SQL Database - Microso

portal.azure.com/#view/SqlAzureExtension/CreateDatabaseBladeV3/_provisioningContext~/%7B"initialValues"%3A%7B"subscriptionIds"%3A%5...

Microsoft Azure | Search resources, services, and docs (G+/) | Copilot | hilarynwaja@outlook.com DEFAULT DIRECTORY (HILARYN...

Home > Azure SQL | SQL databases

Create SQL Database

Microsoft

Microsoft Defender for SQL

Protect your data using Microsoft Defender for SQL, a unified security package including vulnerability assessment and advanced threat protection for your server. Learn more

Get started with a 30 day free trial period, and then 15 USD/server/month.

Enable Microsoft Defender for SQL * ⓘ — Start free trial / Not now

Ledger

Ledger cryptographically verifies the integrity of your data and detects any tampering that might have occurred. Learn more

Ledger — **Not configured** — Configure ledger

Server identity

Use system assigned and user assigned managed identities to enable central access management between this database and other Azure resources. Learn more

Server identity — **Not enabled** — Configure Identities

Cost summary

General Purpose (GP_S_Gen5_2)

Cost per **GB** (in USD) 0.00

Max storage selected (in GB) x 41.6

First 32 GB storage free

First 100,000 vCore seconds free

Overage billing ¹ Disabled

ESTIMATED STORAGE COST / MONTH 0.00 USD

COMPUTE COST / VCORE SECOND ² 0.000000 USD

¹ There will be no charges for usage within the free limits. The database will be paused automatically when the free limits are reached.

² Serverless databases are billed in vCore seconds based on a combination of CPU and memory utilization. Learn more about serverless billing

Review + create | < Previous | Next : Additional settings >

https://portal.azure.com/#

Create SQL Database - Microso

portal.azure.com/#view/SqlAzureExtension/CreateDatabaseBladeV3/_provisioningContext~/%7B"initialValues"%3A%7B"subscriptionIds"%3A%5...

Microsoft Azure | Search resources, services, and docs (G+/) | Copilot | hilarynwaja@outlook.com DEFAULT DIRECTORY (HILARYN...

Home > Azure SQL | SQL databases

Create SQL Database

Microsoft

Basics | Networking | Security | **Additional settings** | Tags | Review + create

Customize additional configuration parameters including collation & sample data.

Data source

Start with a blank database, restore from a backup or select sample data to populate your new database.

Use existing data * — None | Backup | Sample

AdventureWorksLT will be created as the sample database.

AdventureWorksLT

Selecting this sample will modify the "Compute + Storage" settings configured in Basics, for backup compatibility. Visit "Basics" or "Review + Create" tabs to review the changes.

Do you want to continue?

OK | Cancel

Cost summary

General Purpose (GP_S_Gen5_2)

Cost per **GB** (in USD) 0.00

Max storage selected (in GB) x 41.6

First 32 GB storage free

First 100,000 vCore seconds free

Overage billing ¹ Disabled

ESTIMATED STORAGE COST / MONTH 0.00 USD

COMPUTE COST / VCORE SECOND ² 0.000000 USD

¹ There will be no charges for usage within the free limits. The database will be paused automatically when the free limits are reached.

² Serverless databases are billed in vCore seconds based on a combination of CPU and memory utilization. Learn

Review + create | < Previous | Next : Tags >

Create SQL Database - Microso

portal.azure.com/#view/SqlAzureExtension/CreateDatabaseBladeV3/_provisioningContext~/%7B"initialValues"%3A%7B"subscriptionIds"%3A%5...

Microsoft Azure

Home > Azure SQL | SQL databases

Create SQL Database

Microsoft

Basics | Networking | Security | Additional settings | Tags | Review + create

Tags are name/value pairs that enable you to categorize and view consolidated billing by applying the same tag to multiple resources and resource groups. Learn more

Note that if you create tags and then change resource settings on other tabs, your tags will be automatically updated.

Name	Value	Resource
Creator	HilaryN	All resources
Assistant Dev	ProgressC	SQL database
		3 selected

Cost summary

General Purpose (GP_S_Gen5_2)

Cost per GB (in USD) 0.00

Max storage selected (in GB) x 41.6

First 32 GB storage free

First 100,000 vCore seconds free

Overage billing[1] Disabled

ESTIMATED STORAGE COST / MONTH 0.00 USD

COMPUTE COST / VCORE SECOND[2] 0.000000 USD

[1] There will be no charges for usage within the free limits. The database will be paused automatically when the free limits are reached.

[2] Serverless databases are billed in vCore seconds based on a combination of CPU and memory utilization. Learn

Review + create | < Previous | Next : Review + create >

Microsoft.SQLDatabase.newDa

portal.azure.com/#view/HubsExtension/DeploymentDetailsBlade/~/overview/id/%2Fsubscriptions%2F3036627a-4253-4bcf-a70b-bad9a3890d5...

Microsoft Azure

Home

Microsoft.SQLDatabase.newDatabaseNewServer_8954ca4d9cb843fe89c1b | Overview

Deployment

Search

Overview

Inputs

Outputs

Template

Delete | Cancel | Redeploy | Download | Refresh

Your deployment is complete

Deployment name : Microsoft.SQLDatabase.newDatabaseNewServer_895...

Subscription : Azure subscription 1

Resource group : BreachBreeze-sqldatabase

Start time : 4/27/2026, 12:02:56 AM

Correlation ID : 0a268361-692c-4e1c-b3ee-534745f385b0

Deployment details

Next steps

Go to resource

Deployment succeeded

Deployment 'Microsoft.SQLDatabase.newDatabaseNewServer_8954... to resource group 'BreachBreeze-sqldatabase' was successful.

Go to resource | Go to resource group

Cost management

Get notified to stay within your budget and prevent unexpected charges on your bill.

Set up cost alerts >

Microsoft Defender for Cloud

Secure your apps and infrastructure

Go to Microsoft Defender for Cloud >

Free Microsoft tutorials

Start learning today >

Work with an expert

Azure experts are service provider partners who can help manage your assets on Azure and be your first line of support.

Find an Azure expert >

Add or remove favorites by pressing Ctrl+Shift+F


Microsoft.SQLDatabase.newDa
portal.azure.com/#view/HubsExtension/DeploymentDetailsBlade/~/overview/id/%2Fsubscriptions%2F3036627a-4253-4bcf-a70b-bad9a3890d5...
New Chrome available
Microsoft Azure
Search resources, services, and docs (G+/)
Copilot
hilarynwaja@outlook.com
DEFAULT DIRECTORY (HILARYN...
Home
Microsoft.SQLDatabase.newDatabaseNewServer_8954ca4d9cb843fe89c1b | Overview
Deployment
Search
Overview
Inputs
Outputs
Template
Delete
Cancel
Redeploy
Download
Refresh
Your deployment is complete
Deployment name : Microsoft.SQLDatabase.newDatabaseNewServer_895...
Subscription : Azure subscription 1
Resource group : BreachBreeze-sqldatabase
Start time : 4/27/2026, 12:02:56 AM
Correlation ID : 0a268361-692c-4e1c-b3ee-534745f385b0
Deployment details
Next steps
Go to resource
Cost management
Get notified to stay within your budget and prevent unexpected charges on your bill.
Set up cost alerts >
Microsoft Defender for Cloud
Secure your apps and infrastructure
Go to Microsoft Defender for Cloud >
Free Microsoft tutorials
Start learning today >
Work with an expert
Azure experts are service provider partners who can help manage your assets on Azure and be your first line of support.
Find an Azure expert >
Add or remove favorites by pressing Ctrl+Shift+F

e


bbsqldatabase (bb026sqlserver
portal.azure.com/#@hilarynwajaoutlook.onmicrosoft.com/resource/subscriptions/3036627a-4253-4bcf-a70b-bad9a3890d54/resourceGroups/BreachBreez...
New Chrome available
Microsoft Azure
Search resources, services, and docs (G+/)
Copilot
hilarynwaja@outlook.com
DEFAULT DIRECTORY (HILARYN...
Home
bbsqldatabase (bb026sqlserver/bbsqldatabase)
SQL database
Show me performance metrics for this SQL database.
Summarize the properties for this SQL database.
+1
Search
Copy
Restore
Export
Set server firewall
Delete
Open in
Feedback
Overview
Activity log
Tags
Diagnose and solve problems
Query editor (preview)
Mirror database in Fabric (preview)
Resource visualizer
Settings
Data management
Integrations
Power Platform
Security
Intelligent performance
Monitoring
Automation
Help
Essentials
JSON View
Resource group (move) : BreachBreeze-sqldatabase
Status : Paused
Location : UK West
Subscription (move) : Azure subscription 1
Subscription ID : 3036627a-4253-4bcf-a70b-bad9a3890d54
Server name : bb026sqlserver.database.windows.net
Connection strings : Show database connection strings
Pricing tier : Free - General Purpose - Serverless: Gen5, 2 vCores
Overage billing : Disabled
Free monthly vCore amo... : 99,423 vCore seconds remaining
Earliest restore point : 2026-04-26 23:13 UTC
Tags (edit) : Creator : HilaryN
Assistant Dev : ProgressC
Getting started
Monitoring
Properties
Features
Notifications (1)
Integrations
Tutorials
Start working with your database
Connect to your database and start working with data with a few simple steps. Learn more
Configure access
Configure network access to your SQL server. Learn more
Connect to application
Use connection strings to connect to your SQL database from your applications and favorite tools.
Start developing
Work in your database by using tools to add, modify and query data. Compare tools
Mirror database in Fabric
Replicate existing databases in Fabric, and help your team achieve streamlined ETL and operational analytics goals. Learn more
Add or remove favorites by pressing Ctrl+Shift+F


bbsqldatabase (bb026sqlserver
portal.azure.com/#@hilarynwajaoutlook.onmicrosoft.com/resource/subscriptions/3036627a-4253-4bcf-a70b-bad9a3890d54/resourceGroups/BreachBreez...
New Chrome available
Microsoft Azure
Search resources, services, and docs (G+/)
Copilot
hilarynwaja@outlook.com
DEFAULT DIRECTORY (HILARYN...
Home
bbsqldatabase (bb026sqlserver/bbsqldatabase)
SQL database
Show me performance metrics for this SQL database.
Summarize the properties for this SQL database.
+1
Search
Copy
Restore
Export
Set server firewall
Delete
Open in
Feedback
Overview
Activity log
Tags
Diagnose and solve problems
Query editor (preview)
Mirror database in Fabric (preview)
Resource visualizer
Settings
Data management
Integrations
Power Platform
Security
Intelligent performance
Monitoring
Automation
Help
Add or remove favorites by pressing Ctrl+Shift+F
Tags (edit)
Creator : HilaryN
Assistant Dev : ProgressC
Getting started
Monitoring
Properties
Features
Notifications (1)
Integrations
Tutorials
Database data storage
Review the below metrics and monitor your applications and infrastructure.
0.08% Used
Used space
27 MB
Remaining space
31.97 GB
Allocated space
32 MB
Max storage
32 GB
Key metrics
Review the below metrics and monitor your applications and infrastructure or See all metrics
Show data for last
1 hour
24 hours
7 days
Aggregation type
Max


bbsqldatabase (bb026sqlserver
portal.azure.com/#@hilarynwajaoutlook.onmicrosoft.com/resource/subscriptions/3036627a-4253-4bcf-a70b-bad9a3890d54/resourceGroups/BreachBreez...
New Chrome available
Microsoft Azure
Search resources, services, and docs (G+/)
Copilot
hilarynwaja@outlook.com
DEFAULT DIRECTORY (HILARYN...
Home
Resource Manager | Resource groups
BreachBreeze-sqldatabase
bbsqldatabase (bb026sqlserver/bbsqldatabase)
SQL database
List the access control settings for this SQL database.
Summarize the properties for this SQL database.
+1
Search
Copy
Restore
Export
Set server firewall
Delete
Open in
Feedback
Overview
Activity log
Tags
Diagnose and solve problems
Query editor (preview)
Mirror database in Fabric (preview)
Resource visualizer
Settings
Data management
Integrations
Power Platform
Security
Intelligent performance
Monitoring
Automation
Help
Add or remove favorites by pressing Ctrl+Shift+F
Compute utilization
8%
7%
6%
5%
4%
3%
2%
1%
0%
11:45
Mon 27
12:15
12:30
UTC+01:00
CPU percentage (Max), bbsqldatabase 0%
SQL instance CPU percent (Max), bbsqldatabase 7.5000%
Data IO percentage (Max), bbsqldatabase 0%
Log IO percentage (Max), bbsqldatabase 0%
Workers percentage (Max), bbsqldatabase 1%
Additional monitoring
Get alerted to issues
Create alerts to monitor resource health, usage, cost and more.
Start
Monitor at scale
Get full insights of your database and optimize for better usage.
Start
Scale compute or storage
Scale up if you see high CPU or memory utilization.
Start
Get started with Log Analytics
Edit and run log queries from data collected by Azure Monitor.
Start


bbsqldatabase (bb026sqlserver
portal.azure.com/#@hilarynwajaoutlook.onmicrosoft.com/resource/subscriptions/3036627a-4253-4bcf-a70b-bad9a3890d54/resourceGroups/BreachBreez...
New Chrome available
Microsoft Azure
Search resources, services, and docs (G+/)
Copilot
hilarynwaja@outlook.com
DEFAULT DIRECTORY (HILARYN...
Home > bbsqldatabase (bb026sqlserver/bbsqldatabase)
bbsqldatabase (bb026sqlserver/bbsqldatabase) | Query editor (preview)
SQL database
Search
Overview
Activity log
Tags
Diagnose and solve problems
Query editor (preview)
Mirror database in Fabric (preview)
Resource visualizer
Settings
Data management
Integrations
Power Platform
Security
Intelligent performance
Monitoring
Automation
Help
Add or remove favorites by pressing Ctrl+Shift+F
Feedback
Classic experience
SQL
Query Editor
Run queries on your database directly in the browser Learn more
Connecting to bbsqldatabase on bb026sqlserver
Microsoft Entra authentication
SQL authentication
Sign in with your Microsoft Entra account for a seamless experience.
Connect as hilarynwaja


bbsqldatabase (bb026sqlserver
portal.azure.com/#@hilarynwajaoutlook.onmicrosoft.com/resource/subscriptions/3036627a-4253-4bcf-a70b-bad9a3890d54/resourceGroups/BreachBreez...
New Chrome available
Microsoft Azure
Search resources, services, and docs (G+/)
Copilot
hilarynwaja@outlook.com
DEFAULT DIRECTORY (HILARYN...
Home > bbsqldatabase (bb026sqlserver/bbsqldatabase)
bbsqldatabase (bb026sqlserver/bbsqldatabase) | Query editor (preview)
SQL database
Search
Overview
Activity log
Tags
Diagnose and solve problems
Query editor (preview)
Mirror database in Fabric (preview)
Resource visualizer
Settings
Data management
Integrations
Power Platform
Security
Intelligent performance
Monitoring
Automation
Help
Add or remove favorites by pressing Ctrl+Shift+F
New query
Templates
Open in
Feedback
Sign out
Classic experience
Explorer
Search
bbsqldatabase
dbo
SalesLT
Queries
Start exploring your data
Write and run SQL queries, create database objects with a template, or open a table or view to preview your data.
New query

bbsqldatabase (bb026sqlserver/bbsqldatabase) | Query editor (preview)

SQL query 1

```
select *
FROM SalesLT.CustomerAddress
```

	CustomerID	AddressID	AddressType	rowguid	ModifiedDate
1	29485	1086	Main Office	16765338-dbe4-4421-b5e9-...	2007-09-01T00:00:00.0000000
2	29486	621	Main Office	22b3e910-14af-4ed5-8b4d-...	2005-09-01T00:00:00.0000000
3	29489	1069	Main Office	a095c88b-d7e6-4178-a078-...	2005-07-01T00:00:00.0000000
4	29490	887	Main Office	f12e1702-d897-4035-b614-0...	2006-09-01T00:00:00.0000000
5	29492	618	Main Office	5b3b3eb2-3f43-47ed-a20c-2...	2006-12-01T00:00:00.0000000
6	29494	537	Main Office	492d92b6-31af-47ea-8e00-7...	2005-09-01T00:00:00.0000000

Succeeded (1 sec 31 ms) Columns: 5 Rows: 417

bbsqldatabase (bb026sqlserver/bbsqldatabase) | Query editor (preview)

SQL query 1

```
select FirstName, LastName, Phone, EmailAddress
FROM SalesLT.Customer
WHERE Lastname ='Smith'
```

	FirstName	LastName	Phone	EmailAddress
1	Margaret	Smith	959-555-0151	margaret0@adventure-works.com
2	Margaret	Smith	959-555-0151	margaret0@adventure-works.com

Succeeded (0 sec 333 ms) Columns: 4 Rows: 2