

Padrão de Código — Godot + C#

Arquivo recomendado: **.editorconfig**. Coloque-o na raiz do repositório, junto do **project.godot**. Como ele fica no Git, os dois desenvolvedores compartilham as mesmas regras.

Exemplo de estilo

```
public void CalculateWeight()
{
    float weight = 10.0f;

    if (weight > 5.0f)
    {
        GD.Print("Nave pesada!");
    }
}
```

Conteúdo completo do .editorconfig

```
# =====
# PADRÃO DE CÓDIGO - PROJETO GODOT + C#
# =====

root = true

[*]
charset = utf-8
end_of_line = lf
insert_final_newline = true
trim_trailing_whitespace = true
indent_style = space
indent_size = 4

[*.cs]

# Indentação
indent_style = space
indent_size = 4
tab_width = 4

# Chaves: nova linha
csharp_new_line_before_open_brace = all

# Espaços
csharp_space_after_keywords_in_control_flow_statements = true
csharp_space_after_cast = true
csharp_space_before_parentheses = true

# Usings
dotnet_sort_system_directives_first = true
dotnet_separate_import_directive_groups = false

# Convenções de nomes
dotnet_naming_rule.classes_should_be_pascal_case.severity = suggestion
dotnet_naming_rule.classes_should_be_pascal_case.symbols = classes
dotnet_naming_rule.classes_should_be_pascal_case.style = pascal_case

dotnet_naming_symbols.classes.applicable_kinds = class
dotnet_naming_symbols.classes.applicable_accessibilities = *

dotnet_naming_style.pascal_case.capitalization = pascal_case

dotnet_naming_rule.locals_should_be_camel_case.severity = suggestion
dotnet_naming_rule.locals_should_be_camel_case.symbols = locals
dotnet_naming_rule.locals_should_be_camel_case.style = camel_case

dotnet_naming_symbols.locals.applicable_kinds = local, parameter
dotnet_naming_symbols.locals.applicable_accessibilities = *

dotnet_naming_style.camel_case.capitalization = camel_case

dotnet_naming_rule.private_fields_should_be_underscore_camel_case.severity = suggestion
dotnet_naming_rule.private_fields_should_be_underscore_camel_case.symbols = private_fields
dotnet_naming_rule.private_fields_should_be_underscore_camel_case.style = underscore_camel_case

dotnet_naming_symbols.private_fields.applicable_kinds = field
```

```
dotnet_naming_symbols.private_fields.applicable_accessibilities = private

dotnet_naming_style.underscore_camel_case.required_prefix = _
dotnet_naming_style.underscore_camel_case.capitalization = camel_case

# Qualidade
csharp_style_var_when_type_is_apparent = true:suggestion
csharp_style_var_elsewhere = false:suggestion
csharp_style_expression_bodied_methods = false:suggestion
csharp_style_expression_bodied_properties = true:suggestion

# =====
# COMENTÁRIOS
# =====
# Normal:
# // Calcula o peso total da nave.
#
# Importante/pessoal:
# // [Hilckias] O peso deve ser atualizado ao remover uma peça.
#
# TODO:
# // TODO: Melhorar cálculo de estabilidade.
#
# FIXME:
# // FIXME: Corrigir comportamento sem peças.
```