# Magnetars!

K.E.Gardner

UTU - Department of Physics and Astronomy

# What is a Magnetar?



Figure: Artistic depiction of a magnetar

# What is a Magnetar?

## Definition:

neutron star



Figure: Artistic depiction of a magnetar

# What is a Magnetar?

- neutron star
- massive magnetic field (≥ 10<sup>13</sup> G)



Figure: Artistic depiction of a magnetar

Figure: Artistic depiction of a magnetar

## Definition:

proposed in 1992 by Duncan Thompson [1]



Figure: Artistic depiction of a magnetar

- proposed in 1992 by Duncan Thompson [1]
- SWIFT J195509+261406 found in 2008 via ESO's VLT



Figure: Artistic depiction of a magnetar

- proposed in 1992 by Duncan Thompson [1]
- SWIFT J195509+261406 found in 2008 via ESO's VLT
- short X-Ray bursts



Figure: Artistic depiction of a magnetar

- proposed in 1992 by Duncan Thompson [1]
- SWIFT J195509+261406 found in 2008 via ESO's VLT
- short X-Ray bursts
- selection bias



Figure: Artistic depiction of a magnetar



## **Description:**

young neutron star



Figure: Artistic depiction of a magnetar

## **Description:**

- young neutron star
- spinning down, rate 1 kyr



Figure: Artistic depiction of a magnetar

## **Description:**

- young neutron star
- spinning down, rate 1 kyr
- high-B field (≥ 10<sup>13</sup> G)



Figure: Artistic depiction of a magnetar

## **Description:**

- young neutron star
- spinning down, rate 1 kyr
- high-B field (≥ 10<sup>13</sup> G)
- period range of 2-12s



Figure: Artistic depiction of a magnetar

## **Description:**

- young neutron star
- spinning down, rate 1 kyr
- high-B field (≥ 10<sup>13</sup> G)
- period range of 2-12s

## Cases:

 bi-modal population of transients and persistents



Figure: Artistic depiction of a magnetar

## **Description:**

- young neutron star
- spinning down, rate 1 kyr
- high-B field (≥ 10<sup>13</sup> G)
- period range of 2-12s

- bi-modal population of transients and persistents
- cross-species magnetar/pulsar



Figure: Artistic depiction of a magnetar

# Description:




Figure: Top down view of the Milky Way with known Magnetars (and distance uncertainties) in red.

## **Description:**

 generally within the galactic plane




Figure: Top down view of the Milky Way with known Magnetars (and distance uncertainties) in red.

## **Description:**

- generally within the galactic plane
- mean speed of 200 km s<sup>-</sup>1,  $\sigma = 100$  km s<sup>-</sup>1




Figure: Top down view of the Milky Way with known Magnetars (and distance uncertainties) in red.

## **Description:**

- generally within the galactic plane
- mean speed of 200 km s<sup>-1</sup>,  $\sigma = 100$  km s<sup>-1</sup>
- selection bias




Figure: Top down view of the Milky Way with known Magnetars (and distance uncertainties) in red.

Name	P	B	Age	E	D	L	Band
	(s)	$(10^{14} \text{ G})$	(kyr)	$(10^{33} \text{ erg s}^{-1})$	(kpc)	$(10^{33} \text{ erg s}^{-1})$	
CXOU J010043.1-721134	8.02	3.9	6.8	1.4	62.4	65	
4U 0142+61	8.69	1.3	68	0.12	3.6	105	OIR/H
SGR 0418+5729	9.08	0.06	36000	0.00021	2	0.00096	
SGR 0501+4516	5.76	1.9	15	1.2	2	0.81	OIR/H
SGR 0526-66	8.05	5.6	3.4	2.9	53.6	189	
1E 1048.1-5937	6.46	3.9	4.5	3.3	9.0	49	OIR
(PSR J1119-6127)	0.41	4.1	1.6	2300	8.4	0.2	R/H
1E 1547.0-5408	2.07	3.2	0.69	210	4.5	1.3	O?/R/H
PSR J1622-4950	4.33	2.7	4.0	8.3	9	0.4	R
SGR 1627-41	2.59	2.2	2.2	43	11	3.6	
CXOU J164710.2-455216	10.6	< 0.66	>420	< 0.013	3.9	0.45	
1RXS J170849.0-400910	11.01	4.7	9.0	0.58	3.8	42	O?/H
CXOU J171405.7-381031	3.82	5.0	0.95	45	13	56	
SGR J1745-2900	3.76	2.3	4.3	10	8.3	< 0.11	R/H
SGR 1806-20	7.55	20	0.24	45	8.7	163	OIR/H
XTE J1810-197	5.54	2.1	11	1.8	3.5	0.043	OIR/R
Swift J1822.3-1606	8.44	0.14	6300	0.0014	1.6	>0.0004	
SGR 1833-0832	7.56	1.6	34	0.32			
Swift J1834.9-0846	2.48	1.4	4.9	21	4.2	< 0.0084	l
1E 1841-045	11.79	7.0	4.6	0.99	8.5	184	
(PSR J1846-0258)	0.327	0.49	0.73	8100	6.0	19	
3XMM J185246.6+003317	11.56	< 0.41	>1300	< 0.0036	7	< 0.006	l
SGR 1900+14	5.20	7.0	0.9	26	12.5	90	Н
SGR 1935+2154	3.24	2.2	3.6	17			l
1E 2259+586	6.98	0.59	230	0.056	3.2	17	OIR/H
SGR 0755-2933							"
SGR 1801-23							
SGR 1808-20							l
AX J1818.8-1559							
AX J1845.0-0258	6.97					2.9	
SGR 2013+34	0.51						
DOIL 2010   04				***			***

# Basics: Consequences:



Figure: Artist's depiction of supernova remnant and magnetar [Cite here]

## **Basics:**

8/23 magnetars



Figure: Artist's depiction of supernova remnant and magnetar [Cite here]

## Basics:

- 8/23 magnetars
- 2 other possible associations




Figure: Artist's depiction of supernova remnant and magnetar [Cite here]

## Basics:

- 8/23 magnetars
- 2 other possible associations
- provides additional evidence to youth requirement



Figure: Artist's depiction of supernova remnant and magnetar [Cite here]

## Basics:

- 8/23 magnetars
- 2 other possible associations
- provides additional evidence to youth requirement

# Consequences:

unexpected characteristics




Figure: Artist's depiction of supernova remnant and magnetar [Cite here]

## Basics:

- 8/23 magnetars
- 2 other possible associations
- provides additional evidence to youth requirement

- unexpected characteristics
- challenges dynamo model and fossil field theory



Figure: Artist's depiction of supernova remnant and magnetar [Cite here]

## Basics:

- 8/23 magnetars
- 2 other possible associations
- provides additional evidence to youth requirement

- unexpected characteristics
- challenges dynamo model and fossil field theory
- no conclusive theory of formation as of yet



Figure: Artist's depiction of supernova remnant and magnetar [Cite here]

Theories	
Common Conditions	

## **Theories**

 $\bullet$  Neutron stars with  $\approx$  1 ms period at birth [1]

**Common Conditions** 

## **Theories**

 $\bullet$  Neutron stars with  $\approx$  1 ms period at birth [1]

## **Common Conditions**

 parasitic binary star systems ending in supernova

## **Theories**

- Neutron stars with  $\approx$  1 ms period at birth [1]
- 0

## **Common Conditions**

 parasitic binary star systems ending in supernova

## **Theories**

- Neutron stars with  $\approx$  1 ms period at birth [1]
- 0

## **Common Conditions**

- parasitic binary star systems ending in supernova
- 0

## **Distinctions**



## **Distinctions**

## Magnetars

2-12s rotational period

Radio Pulsars

## **Distinctions**

## Magnetars

2-12s rotational period

## Radio Pulsars

100 ms rotational period

### **Distinctions**

### Magnetars

- 2-12s rotational period
- spin-down leads to quiescent X-ray emission and gamma-ray bursts

#### Radio Pulsars

100 ms rotational period

### **Distinctions**

### Magnetars

- 2-12s rotational period
- spin-down leads to quiescent X-ray emission and gamma-ray bursts

#### Radio Pulsars

- 100 ms rotational period
- spin-down causes radio emission, and non-thermal X/gamma-ray radiation

## Distribution in Space





Figure: Neutron star types, courtesy of JPL [cite here]



#### Bi-modal

Persistent Magnetars

**Cross-species** 

#### Bi-modal

- Persistent Magnetars
- Transient Magnetars

**Cross-species** 

#### Bi-modal

- Persistent Magnetars
- Transient Magnetars

### **Cross-species**

Magnetar Pulsar

#### Bi-modal

- Persistent Magnetars
- Transient Magnetars

### **Cross-species**

- Magnetar Pulsar
- Theoretically: neutron star switch between magnetar, pulsar, and magnetar pulsar

# Magnetic Breaking

Materials



## Magnetic Breaking

### Materials





## **EM-Bursts**



### **EM-Bursts**

0

## **Summary and Conclusions**

What we know
What we don't know

## **Summary and Conclusions**



# **Summary and Conclusions**

### What we know

0

#### What we don't know

 A definitive model for the formation of magnetars

### Resources



### References

Duncan RC, Thompson C. 1992. ApJ 392:L9-L13