GOODS.NG

Buy. Sell. Trade with Confidence.

DOCUMENT 3 OF 3

Functional Requirements Document

Testable behaviour for every module: actors, requirement IDs, business rules, state machines, non-functional targets and end-to-end acceptance scenarios.

17 sections · FR-IDs with acceptance criteria · order/payment/negotiation/Flex state machines · NFRs · integration requirements · acceptance scenarios

VERSION
1.0

DATE
8 November 2026

STATUS
Go-live planning baseline

MARKET
Nigeria · NGN

Confidential — internal product & engineering document

DOCUMENT CONTROL

About this document

This FRD translates the product scope into testable requirements. Every requirement has a stable ID, a priority and acceptance criteria so it can become an automated or manual test.

Product	Goods.ng — multi-vendor marketplace for Nigeria
Owner	Product & Engineering, Goods.ng
Audience	QA, engineering, product, operations and compliance
Source of truth	Repository `docs/`, application code, migrations and automated tests as of 8 November 2026
Verification baseline	205 backend tests, 10 frontend unit tests, Playwright E2E, ruff/eslint/tsc clean, production build passing
Companion documents	PRD (priority authority) · TAD (implementation authority) · FRD (acceptance authority)

> **Acceptance authority.** P0 requirements are launch blockers. If a requirement and the implementation disagree, this document defines the expected behaviour.

Contents

1. 1. Conventions and actors
2. 2. Authentication and accounts (FR-AUTH)
3. 3. Sellers and verification (FR-SEL)
4. 4. Catalog and listings (FR-CAT, FR-LST)
5. 5. Search and discovery (FR-SRC)
6. 6. Messaging and negotiation (FR-MSG, FR-NEG)
7. 7. Payments and protected checkout (FR-PAY, FR-CHK)
8. 8. Orders, delivery, disputes and refunds (FR-ORD, FR-DSP)
9. 9. Goods Flex (FR-FLX)
10. 10. Reviews, notifications and trust (FR-REV, FR-NOT, FR-TRS)
11. 11. Subscriptions and promotions (FR-SUB, FR-PRO)
12. 12. Ads, feeds and analytics (FR-ADS)
13. 13. Administration (FR-ADM)
14. 14. State machines
15. 15. Non-functional requirements
16. 16. Integration requirements
17. 17. Acceptance scenarios

1. Conventions and actors

Requirements use stable IDs: `FR-<AREA>-<NNN>`. Priority is **P0** (launch blocker), **P1** (launch-critical but degradable), **P2** (post-launch) or **P3** (optional). Each requirement is written so that it can become a test case. "Must" is mandatory; "should" is expected unless a documented exception exists.

Actor	Description	Capabilities
Guest	Unauthenticated visitor.	Browse, search, view listings/stores/reviews, register, sign in.
Buyer	Any authenticated user.	Chat, negotiate, checkout, order, review, favourite, apply for Flex.
Seller	A user with a seller profile.	List, manage stock, answer, accept/decline, dispatch, view analytics, buy promotions.
Premium seller	Seller with an active subscription.	Premium badge, contact buttons, banner, analytics, featured credits, priority ranking.
Guarantor	Person consenting to a Flex guarantee.	View terms, consent/decline, withdraw; no marketplace account required.
Admin	Staff with granular permissions.	Moderate, verify, resolve, refund, reconcile, configure, audit.
Super admin	Staff with all permissions.	Everything, including role changes and staff management.
System	Worker/scheduler.	Expiry, release, reminders, outbox, feeds, CAPI, purge.

Priority definitions

Priority	Meaning
P0	Cannot launch without it; security, money or core journey.
P1	Launch-critical; may launch in a limited mode with a documented workaround.
P2	Post-launch enhancement.
P3	Optional / scale.

2. Authentication and accounts (FR-AUTH)

ID	Requirement	Priority	Acceptance criteria
FR-AUTH-001	Register with email, phone, name and password.	P0	Valid input creates account; duplicate email/phone rejected; password policy enforced; response does not leak existence.
FR-AUTH-002	Verify phone with a 6-digit OTP.	P0	OTP expires in 10 min; 5 attempts; resend limits 3/10 min and 10/day; success marks phone verified.
FR-AUTH-003	Sign in with email + password.	P0	Correct credentials return access + refresh; wrong password increments lockout; 5 failures lock 15 min.
FR-AUTH-004	Captcha challenge for new devices or after failures.	P0	Required when no valid device marker within 24 h or after 3 wrong passwords; verified server-side before password check.
FR-AUTH-005	Rotating refresh tokens with reuse detection.	P0	Refresh rotates; reuse revokes the family; cookie httpOnly/SameSite=Lax/Secure in prod; CSRF header required.
FR-AUTH-006	Password reset without account enumeration.	P0	Same response for known/unknown email; token single-use and expiring; reset revokes sessions.
FR-AUTH-007	TOTP 2FA with recovery codes.	P1	Setup returns secret + QR; enable requires a valid code; recovery codes single-use; replay rejected; disable requires password/code.
FR-AUTH-008	Google sign-in.	P2	OIDC flow; no staff accounts; 2FA still required; button hidden when not configured.

ID	Requirement	Priority	Acceptance criteria
FR-AUTH-009	Session revocation.	P0	Password change, role change, account disable or logout invalidates access via token version and refresh family.
FR-AUTH-010	Admin 2FA enforcement.	P0	With `ADMIN_2FA_REQUIRED=true`, staff without 2FA cannot use admin APIs; boot fails if off in production.

3. Sellers and verification (FR-SEL)

ID	Requirement	Priority	Acceptance criteria
FR-SEL-001	Become a seller.	P0	One seller profile per user; store name, slug, state, city, contact; duplicate slug handled.
FR-SEL-002	Storefront and branding.	P1	Public store page with logo, banner, about, listings, reviews and verification badge.
FR-SEL-003	Verification tiers.	P0	Phone → identity → business; documents stored privately; admin decision; tier visible on listings.
FR-SEL-004	BVN lookup and name match.	P1	Encrypted BVN; keyed fingerprint prevents reuse; lenient name match; failure reason recorded.
FR-SEL-005	Seller analytics.	P1	Views, favourites, enquiries, orders, earnings, conversion; premium-only depth gated server-side.
FR-SEL-006	Seller suspension.	P0	Admin can suspend; listings hidden; sessions revoked; audit entry written.
FR-SEL-007	Premium contact controls.	P1	WhatsApp/phone buttons only for active premium; server-enforced; client flags ignored.

4. Catalog and listings (FR-CAT, FR-LST)

ID	Requirement	Priority	Acceptance criteria
FR-CAT-001	Category tree.	P0	17 roots, 91 categories; two levels; slug unique; active/inactive; admin reorder.
FR-CAT-002	Locations.	P0	36 states + FCT; cities per state; listing state must be valid.
FR-LST-001	Create a listing.	P0	Title, category, condition, price, stock, description, location, delivery options; validation errors are specific.
FR-LST-002	Image upload and ordering.	P0	Up to per-seller cap; re-encode to WebP; watermark; reorder; delete; first image is cover.
FR-LST-003	Auto-title suggestions.	P2	Deterministic suggestions from brand/model/condition/category; detects year, storage, colour, size; does not invent facts.
FR-LST-004	Listing lifecycle.	P0	Draft/active/paused/sold/removed; soft delete; purge after 30 days; views and favourites counted.
FR-LST-005	Stock and availability.	P0	Quantity decremented atomically at checkout; restored on expiry/refund; zero-stock blocks checkout.
FR-LST-006	Delivery options.	P0	Pickup, courier, seller delivery; fee and ETA; buyer selects at checkout; server validates the choice.
FR-LST-007	Moderation.	P0	Admin approve/reject with reason; rejected listings hidden; seller notified; audit.
FR-LST-008	Promotion badges.	P1	TOP and Premium badges reflect active promotions only; cleared automatically on expiry.

5. Search and discovery (FR-SRC)

ID	Requirement	Priority	Acceptance criteria
FR-SRC-001	Keyword search.	P0	Prefix matching (e.g. "iph" → iPhone); weighted title/brand/description; empty query returns a browse feed.
FR-SRC-002	Filters and sorting.	P0	State, category, price range, condition, brand, BNPL, delivery; sort by relevance, newest, price.
FR-SRC-003	Facets.	P1	Counts for the current result set; selecting a facet updates results without losing context.
FR-SRC-004	Ranking.	P1	Featured → premium → text rank → recency; no paid placement that fails quality gates.
FR-SRC-005	Favourites and saved items.	P1	Toggle favourite; count on listing; buyer-only list; idempotent.
FR-SRC-006	Recommendations.	P2	"For you" from interest signals; excludes inactive/blocked listings; bounded signal storage.
FR-SRC-007	Cache safety.	P1	Anonymous search cache TTL 15 s; no user-specific data in shared cache; invalidation on listing changes.

6. Messaging and negotiation (FR-MSG, FR-NEG)

ID	Requirement	Priority	Acceptance criteria
FR-MSG-001	Start a product-linked chat.	P0	Buyer and seller only; one thread per context; non-participants get 404; rate limited.
FR-MSG-002	Send and read messages.	P0	Text sanitised; pagination; read receipts; unread counts; polling every 5 s while visible.
FR-MSG-003	Report a message.	P0	Report created; admin queue; reporter confirmation; no retaliation exposure.
FR-MSG-004	Direct-contact warning.	P0	Buyer sees a warning before off-platform contact; acknowledgement recorded; premium contact still gated.
FR-NEG-001	Make an offer.	P0	Offer ≥ 10% of list price; one live negotiation per buyer/product; 48 h expiry; seller notified.
FR-NEG-002	Counter-offer.	P0	Turn-taking enforced; counter direction enforced; 10-round cap; stale offer ID returns 409.
FR-NEG-003	Accept and checkout.	P0	Accepted offer locks the price for that buyer for 24 h; checkout uses the agreed price; listing price unchanged.
FR-NEG-004	Expiry and withdrawal.	P0	Expired offers cannot be accepted; withdrawal notifies the other party; expired negotiation frees the slot.

7. Payments and protected checkout (FR-PAY, FR-CHK)

ID	Requirement	Priority	Acceptance criteria
FR-PAY-001	Provider abstraction.	P0	Mock, Paystack and Flutterwave implement initialize/verify/refund/webhook; active provider selected by env.
FR-PAY-002	Server-side verification.	P0	Success requires exact amount and currency from the provider; underpayment never funds an order.
FR-PAY-003	Webhook security.	P0	Signature verified; invalid → 403; events de-duplicated by `(provider, event_key)`; webhook only triggers verification.

ID	Requirement	Priority	Acceptance criteria
FR-PAY-004	Idempotent checkout.	P0	Same `Idempotency-Key` returns the same payment/order; duplicate clicks do not double-charge.
FR-PAY-005	Refunds.	P0	Full or amount-based refund via provider; one active refund per order; status reconciled.
FR-CHK-001	Checkout quote.	P0	Subtotal + delivery + protection fee = total; server-computed; protection capped; DB constraint enforces the sum.
FR-CHK-002	Create order and reserve stock.	P0	Atomic stock decrement; failure returns a clear out-of-stock error; unpaid order expires in 60 min.
FR-CHK-003	Escrow hold.	P0	On verified payment, partner creates a hold; funds are not released until the order state allows it.
FR-CHK-004	Late payment.	P0	After expiry, re-check provider; honour if stock remains, otherwise auto-refund.
FR-CHK-005	Reconciliation.	P0	Admin report cross-checks payments, escrow and ledger; mismatches are surfaced, not silently corrected.

8. Orders, delivery, disputes and refunds (FR-ORD, FR-DSP)

ID	Requirement	Priority	Acceptance criteria
FR-ORD-001	Seller accepts or declines.	P0	Only the seller can act; decline triggers refund; accept moves to processing.
FR-ORD-002	Dispatch and tracking.	P0	Carrier, tracking number/URL and updates recorded; buyer notified; status order enforced.
FR-ORD-003	Delivery evidence.	P0	Photos/notes attached; visible to buyer/admin; audit trail.
FR-ORD-004	Buyer confirmation and auto-release.	P0	Buyer confirms → completed; otherwise auto-release after 3 days; no release while disputed.
FR-ORD-005	Cancellation.	P0	Pre-dispatch cancellation refunds automatically; post-dispatch requires a dispute.
FR-DSP-001	Open a dispute.	P0	Buyer opens within the allowed window; reason + evidence; seller notified; order frozen.
FR-DSP-002	Dispute conversation.	P0	Buyer/seller/admin messages; evidence; timeline; no participant can delete history.
FR-DSP-003	Resolution.	P0	Admin resolves with release or refund; refund needs a second, different admin; audit entry.
FR-DSP-004	Partial refunds.	P2	Model supports amounts; UI and flow to be added post-launch.

9. Goods Flex (FR-FLX)

ID	Requirement	Priority	Acceptance criteria
FR-FLX-001	Credit profile.	P1	Verified phone, BVN, connected bank, consented guarantor, optional employment; missing any required step leaves the limit at zero.
FR-FLX-002	Affordability assessment.	P1	Six months classified; income detected; repayments deducted; risk factor applied; snapshot stored immutably with expiry.
FR-FLX-003	Guarantor consent.	P1	SMS link; borrower, relationship, amount, expiry shown; explicit consent; IP/time/BVN ref recorded; decline/withdraw supported; max 3 active.
FR-FLX-004	Apply and accept.	P1	Partner decision stored; terms shown verbatim; explicit acceptance; unpaid offer expires in 24 h.

ID	Requirement	Priority	Acceptance criteria
FR-FLX-005	One running plan.	P1	Approved/accepted/active/defaulted blocks a new plan; enforced under lock and by partial unique index.
FR-FLX-006	Down payment and disbursement.	P1	Down payment via payment layer; partner disburses; order funded through escrow; refund cancels the agreement.
FR-FLX-007	Instalments.	P1	Schedule shown; pay via payment layer; duplicate/excess payments auto-refunded; one open payment per instalment.
FR-FLX-008	Overdue handling.	P1	Worker marks overdue and reminds; defaulted plans can still be paid off; no double reminders.

10. Reviews, notifications and trust (FR-REV, FR-NOT, FR-TRS)

ID	Requirement	Priority	Acceptance criteria
FR-REV-001	Review eligibility.	P1	Only a buyer with a completed/delivered order can review; one review per order/item.
FR-REV-002	Rating and content.	P1	1–5 stars; text sanitised; seller reply; report; admin moderation.
FR-REV-003	Aggregates.	P1	Seller rating average/count updated; no review hidden without a moderation record.
FR-NOT-001	In-app inbox.	P0	Unread counts; read/unread; read-all; pagination; per-user isolation.
FR-NOT-002	Preferences.	P1	Per-channel opt-in; transactional messages still delivered; unsubscribe respected.
FR-NOT-003	Email/SMS outbox.	P0	Queued transactionally; worker retries; console provider in dev; Termii/Postmark/SMTP in production.
FR-TRS-001	Listing moderation.	P0	Reported listings queued; take down with reason; repeat offenders suspended.
FR-TRS-002	Prohibited items.	P0	Policy page; report flow; admin removal; audit.
FR-TRS-003	Account suspension.	P0	Immediate session revocation; listings hidden; appeal path recorded.

11. Subscriptions and promotions (FR-SUB, FR-PRO)

ID	Requirement	Priority	Acceptance criteria
FR-SUB-001	Plans.	P1	Monthly ₦15,000/30d/3 credits; Quarterly ₦40,000/90d/10; Annual ₦150,000/365d/50; admin can edit.
FR-SUB-002	Purchase and activation.	P1	Payment verified server-side; period set; credits granted; premium derived from active period.
FR-SUB-003	Featured credits.	P1	Spend a credit to feature a listing; balance decremented atomically; expiry respected.
FR-SUB-004	Admin grant/cancel.	P1	Grant creates an active period; cancel sets end; both audited.
FR-PRO-001	Packages.	P1	TOP 7 days ₦3,099; TOP 30 days ₦9,999; Boost Premium 28 days ₦31,999; server-priced.
FR-PRO-002	Purchase.	P1	Creates a promotion payment; activation only after verified success; idempotent.
FR-PRO-003	Eligibility.	P1	Boost Premium requires verified seller, 3+ photos and 60+ char description; TOP has no such gate.

ID	Requirement	Priority	Acceptance criteria
FR-PRO-004	Expiry.	P1	Worker clears tier/featured after the window; badges disappear; no stale premium placement.
FR-PRO-005	Extend.	P2	Seller can extend an active promotion; price and window are server-computed.

12. Ads, feeds and analytics (FR-ADS)


ID	Requirement	Priority	Acceptance criteria
FR-ADS-001	Google product feed.	P2	XML at `/feeds/google.xml`; only Premium listings with verified seller, 3+ photos and real description; property/vehicles/jobs/services excluded by default.
FR-ADS-002	Meta catalog feed.	P2	CSV at `/feeds/meta.csv`; same eligibility.
FR-ADS-003	Optional feed token.	P3	When `FEED_TOKEN` is set, requests without it are rejected.
FR-ADS-004	Meta CAPI purchases.	P2	Only consented buyers; emails/phones SHA-256 hashed; worker retries; token from env only.
FR-ADS-005	Consent gating.	P0	No marketing scripts before consent; cookie settings available in footer; NDPA copy.

13. Administration (FR-ADM)

ID	Requirement	Priority	Acceptance criteria
FR-ADM-001	Granular permissions.	P0	Every admin route requires a permission; missing permission returns 403 and is audited.
FR-ADM-002	Staff management.	P0	Invite by email; no self-signup; role assignment only by super admin; invite expires.
FR-ADM-003	Audit log.	P0	Append-only; actor/IP/device; filters; CSV export; export itself audited.
FR-ADM-004	Platform settings.	P0	Fees, caps, moderation switch, feeds, tracking IDs, promotion packages; validated and audited.
FR-ADM-005	Reconciliation.	P0	Payments vs escrow vs ledger; mismatch list; no silent mutation.
FR-ADM-006	Moderation queues.	P0	Listings, reviews, reports, verifications, disputes, refunds; SLA fields; assignment.
FR-ADM-007	Admin subdomain.	P1	`admin.goods.ng`; redirects; noindex; separate session; optional IP allow-list.
FR-ADM-008	First super admin.	P0	CLI creates the first account with a one-time invite; refuses if an active super admin exists unless forced.

14. State machines

14.1 Order / escrow



Only `modules/orders/escrow.py` changes these statuses. Release/refund are guarded by row locks, a unique ledger key and the state machine.

14.2 Payment

State	Meaning	Allowed next
initialized	Provider checkout created; not trusted.	pending, failed, expired
pending	Awaiting provider confirmation.	paid, failed, expired
paid	Server-to-server verified with exact amount/currency.	refunded
failed / expired	No funds captured; order may expire.	—
refunded	Refund confirmed by provider.	—

14.3 Negotiation

State	Meaning	Allowed next
open	Offer/counter pending; turn owner defined.	accepted, declined, expired, withdrawn, converted
accepted	Price agreed; 24 h checkout window.	converted, expired
converted	Order paid at the agreed price.	—
declined / withdrawn / expired	No live offer; slot freed.	—

14.4 Goods Flex plan

State	Meaning	Allowed next
approved	Lender approved; terms offered.	accepted, expired, withdrawn
accepted	Buyer accepted; awaiting down payment/disbursement.	active, cancelled
active	Disbursed; instalments due.	completed, defaulted, cancelled
defaulted	Missed instalments; still repayable.	completed, cancelled
completed / cancelled	Plan closed; slot freed.	—

15. Non-functional requirements

ID	Category	Requirement	Verification
NFR-PERF-001	Performance	Public read endpoints p95 < 500 ms at target concurrency; home and search cached.	k6 + smoke test.
NFR-PERF-002	Performance	Images served as WebP; thumbnails 400 px; full 1280 px; lazy loaded.	Lighthouse/visual check.
NFR-AVL-001	Availability	API and worker run ≥ 2 / ≥ 1 replicas; readiness checks gate traffic.	Deploy topology review.
NFR-AVL-002	Recovery	PITR enabled; daily logical dump; quarterly restore drill; ledger reconciliation after restore.	Runbook + drill record.
NFR-SEC-001	Security	All money transitions row-locked and idempotent; ledger balanced at commit.	Concurrency tests + DB triggers.
NFR-SEC-002	Security	Production refuses dev secrets and mock financial providers.	Boot-guard tests.
NFR-SEC-003	Security	KYC data encrypted at rest and private; access audited.	Storage/API tests + review.
NFR-PRV-001	Privacy	Consent before marketing scripts; data-subject export/delete workflow; retention schedule.	NDPA review.
NFR-CMP-001	Compliance	Escrow/lending only through licensed partners; disclosures reviewed.	Legal sign-off.
NFR-A11Y-001	Accessibility	Keyboard operable, visible focus, labelled controls, colour contrast on core journeys.	Manual audit + axe.

ID	Category	Requirement	Verification
NFR-I18N-001	Localisation	NGN formatting, Nigerian states/cities, English at launch.	Unit + E2E.
NFR-OBS-001	Observability	Request ID on every log line; health/readiness; error tracking; alerting.	Runbook + dashboards.
NFR-OPS-001	Operations	Migrations backward-compatible; release job; rollback image tag; no prod downgrade on financial tables.	Release checklist.

16. Integration requirements

Each integration requirement is a launch gate. The detailed checklist is in Appendix A.

ID	Integration	Requirement	Priority
IR-01	Escrow	Licensed partner adapter implements hold/release/refund, webhooks and reconciliation; certified in sandbox.	P0
IR-02	Lending	Licensed lender adapter implements decision, disbursement and repayment; FCCPC review complete.	P0
IR-03	Payments	Paystack or Flutterwave certified; webhook secret; settlement; refunds; reconciliation.	P0
IR-04	Open banking	Mono sandbox and production approval; Connect widget; read-only consent; connection events.	P1
IR-05	KYC	Licensed BVN/NIN provider; consent; encrypted storage; admin reveal audited.	P0
IR-06	SMS	Termii sender ID approved; OTP and transactional templates; delivery reports.	P0
IR-07	Email	Postmark/SMTP with SPF/DKIM/DMARC; templates; bounce handling.	P0
IR-08	Storage	S3 bucket + CDN; private KYC prefix; signed URLs; lifecycle.	P0
IR-09	Redis	Managed Redis in production; TLS; monitoring.	P0
IR-10	Captcha	reCAPTCHA/Turnstile production keys; server-side verification.	P0
IR-11	Observability	Sentry, log platform, uptime, alerts, on-call.	P0
IR-12	Deployment	Vercel + containers + managed Postgres/Redis + DNS/SSL.	P0
IR-13	Payouts	Partner payout API; bank account verification; scheduling; reconciliation UI.	P1
IR-14	Logistics	At least one carrier; labels; tracking webhooks.	P2
IR-15	Malware scan	Upload scanning and quarantine for KYC and listing images.	P0
IR-16	Google Ads	Merchant Center + Ads campaign; feed scheduled; domain claimed.	P2
IR-17	Meta Ads	Business Manager, catalog, pixel, CAPI token, campaign.	P2
IR-18	Push	FCM/APNs device tokens and preferences.	P3

17. Acceptance scenarios

#	Scenario	Expected result
AT-01	New user registers, verifies phone, signs in.	Account created; OTP verified; session issued; no sensitive data in response.
AT-02	Seller creates a listing with 3 photos and a 60+ char description.	Listing active; images watermarked and re-encoded; searchable; promotion eligibility true.
AT-03	Buyer makes an offer, seller counters, buyer accepts.	Turn-taking enforced; accepted price locked for 24 h; listing price unchanged.
AT-04	Buyer pays through the provider (sandbox).	Payment verified server-to-server; escrow hold created; stock decremented; seller notified.

#	Scenario	Expected result
AT-05	Duplicate webhook arrives five times.	Exactly one payment confirmation and one settlement; no double credit.
AT-06	Wrong amount is sent.	Payment rejected/underpayment not funded; order remains unpaid/cancelled.
AT-07	Seller dispatches with evidence; buyer confirms.	Order completed; ledger release posts commission and protection fee; seller payable recorded.
AT-08	Buyer disputes before release.	Order frozen; no auto-release; admin resolves; refund requires a second admin.
AT-09	Flex customer connects bank, names guarantor, guarantor consents, applies.	Limit computed; one plan; down payment; disbursement; instalments scheduled.
AT-10	Second Flex application while a plan is running.	Rejected with a clear error; partial unique index prevents a race.
AT-11	Seller buys TOP 7 and Boost Premium.	Server-priced; payment verified; badges and placement active; expiry clears them.
AT-12	Admin without permission calls an admin endpoint.	403; permission refusal audited; no state change.
AT-13	Production boot with mock escrow/BNPL or dev secrets.	Process refuses to start with a clear configuration error.
AT-14	Anonymous search is cached; a listing changes.	Cache TTL bounded; stale result is acceptable for ≤ 15 s; no user data leaks.
AT-15	Marketing consent is declined.	No pixel/GA scripts load; transactional email/SMS still works; consent can be changed.

Definition of done for a requirement

Code + tests (unit/integration/E2E where relevant) + migration if data changes + admin/ops visibility + documentation update. P0 requirements also need a staging verification against the real provider sandbox where an integration is involved.