2.Program to consume REST API services

SpringRestClientApplication.java:

Quote.java:

```
package com.ecommerce.beans;
import com.fasterxml.jackson.annotation.*;
import com.fasterxml.jackson.annotation.JsonIgnoreProperties;
@JsonIgnoreProperties(ignoreUnknown = true)
public class Quote {
   private String type;
   private Value value;
   public Quote() {
    public String getType() {
        return type;
    public void setType(String type) {
        this.type = type;
    public Value getValue() {
        return value;
    public void setValue(Value value) {
        this.value = value;
    @Override
    public String toString() {
        return "Quote{" +
                "type='" + type + '\'' +
                ", value=" + value +
                1}';
}
```

Value.java:

```
package com.ecommerce.beans;
import com.fasterxml.jackson.annotation.JsonIgnoreProperties;
@JsonIgnoreProperties(ignoreUnknown = true)
public class Value {
    private Long id;
    private String quote;
    public Value() {
    public Long getId() {
        return this.id;
    public String getQuote() {
        return this.quote;
    public void setId(Long id) {
        this.id = id;
    public void setQuote(String quote) {
        this.quote = quote;
    @Override
    public String toString() {
        return "Value{" +
                "id=" + id +
                ", quote='" + quote + '\'' +
                1)1;
    }
}
```

MainController.java:

```
import org.springframework.http.HttpStatus;
import org.springframework.http.ResponseEntity;
import org.springframework.stereotype.Controller;
import org.springframework.web.bind.annotation.PathVariable;
import org.springframework.web.bind.annotation.RequestBody;
import org.springframework.web.bind.annotation.RequestMapping;
import org.springframework.web.bind.annotation.RequestMethod;
import org.springframework.web.bind.annotation.ResponseBody;
import org.springframework.web.bind.annotation.ResponseBody;
import com.ecommerce.beans.Quote;
```