



Gender Vs Heart Disease




Count of Heart Disease for each Sex. Color shows details about Heart Disease.

Age Vs Heart Disease




Count of Heart Disease for each Sex broken down by Age Category. Color shows details about Heart Disease. The view is filtered on Sex, which keeps Female and Male.

Diabetic Vs Stroke




Count of Stroke for each Diabetic broken down by Heart Disease. Color shows details about Diabetic. The view is filtered on count of Stroke and Heart Disease. The count of Stroke filter ranges from 1 to 3,342. The Heart Disease filter keeps No and Yes.

Impact of Smoking and Drinking Alcohol on Heart Disease




Count of Heart Disease for each Alcohol Drinking broken down by Smoking. Color shows details about Stroke.

Stroke Vs Other Disease




Count of Stroke for each Skin Cancer broken down by Asthma and Kidney Disease. The view is filtered on count of Stroke, which includes everything.

Racewise Heart Disease



Race (color) and count of Heart Disease (size). The data is filtered on Heart Disease, which keeps Yes.

General Health Vs Heart Disease




Gen Health and count of Heart Disease. Color shows details about Gen Health. Size shows count of Heart Disease. The marks are labeled by Gen Health and count of Heart Disease. The data is filtered on Heart Disease, which keeps Yes.

Physical Activity Vs Heart Disease




Avg(0) and avg(0). For pane Avg(0): Color shows details about Physical Activity. Size shows count of Heart Disease. The marks are labeled by count of Heart Disease. The data is filtered on Heart Disease, which keeps Yes.

Age and BMI vs Diabetic



Age Category and Diabetic. Color shows average of BMI. Size shows average of BMI. The marks are labeled by Age Category and Diabetic. The view is filtered on Diabetic, which keeps Yes and Yes (during pregnancy).

People got Stroke Suffering From Heart Disease and Diabetics







Average of BMI for each Age Category broken down by Heart Disease and Diabetic. Color shows details about Age Category. The data is filtered on Stroke, which keeps Yes.

Heart Disease Cases

4,500

Gender
No items highlighted

Race
No items




- Heart Disease
- No
 - Yes
- Stroke
- No
 - Yes
- Race
- American Indian..
 - Asian
 - Black
 - Hispanic
 - Other
 - White
- Gen Health
- Excellent
 - Fair
 - Good
 - Poor
 - Very good

Age as Risking Factor

Previous

Next

Age Vs Heart Disease



Heart Disease

No

Yes


Avg. BMI




Age Category

No items highlighted


Age and BMI vs Diabetic




Diabetic Vs Stroke



Stroke Vs Other Disease



People got Stroke Suffering From Heart Disease and Diabetics



Age Category

- 25-29
- 30-34
- 35-39
- 40-44
- 45-49
- 50-54
- 55-59
- 60-64
- 65-69
- 70-74
- 75-79
- 80 or older

Diabetic


- No
- No, borderline di..
- Yes
- Yes (during preg..

Heart Disease

No items highlight..

Story 1

General Health Analysis for Hear..	Gender wise Heart Disease-M..	Race wise analysis of Heart..	Impact of Smoking and Dri..
---------------------------------------	----------------------------------	----------------------------------	--------------------------------




- Gen Health
- Excellent
 - Fair
 - Good
 - Poor
 - Very good

Individuals reporting **Good** and **Fair** health contribute the largest share of heart disease cases. Very few heart disease cases are observed among people reporting **Excellent** health. As general health declines from Excellent to Poor, the occurrence of heart disease tends to increase. General health is therefore an important indicator of cardiovascular risk


Story 1

- General Health
Analysis for Hear..
- Gender wise
Heart Disease-M..
- Race wise
analysis of Heart..
- Impact of
Smoking and Dri..



Story 1


- General Health
Analysis for Hear..
- Gender wise
Heart Disease-M..
- Race wise
analysis of Heart..
- Impact of
Smoking and Dri..



Approximately **75.57%** of the records belong to the White population. Black participants account for around **17.81%**. Hispanic participants contribute approximately **3.73%**, while other racial groups represent smaller proportions.

Story 1


- General Health
Analysis for Hear..
- Gender wise
Heart Disease-M..
- Race wise
analysis of Heart..
- Impact of
Smoking and Dri..



Story 2

Age wise Heart Disease

Age and BMI vs Diabetic




Story 2

Age wise Heart Disease


Age and BMI vs Diabetic

Middle-aged and older adults contribute the largest diabetic population. Individuals with diabetes generally have higher BMI values. BMI and diabetes together increase the likelihood of cardiovascular complications.




Story 3

Stroke Count for Diabetics	Stroke Count for Other disease	Overall Analysis Based on Age Cat..	Conclusion
----------------------------	--------------------------------	-------------------------------------	------------



Story 3


Stroke Count for Diabetics	Stroke Count for Other disease	Overall Analysis Based on Age Cat..	Conclusion
----------------------------	--------------------------------	-------------------------------------	------------



Story 3

Stroke Count for Diabetics	Stroke Count for Other disease	Overall Analysis Based on Age Cat..	Conclusion
----------------------------	--------------------------------	-------------------------------------	------------

Higher BMI values are commonly observed among diabetic stroke patients. Older age groups generally exhibit higher BMI



Story 3

Stroke Count for Diabetics	Stroke Count for Other disease	Overall Analysis Based on Age Cat..	Conclusion
----------------------------	--------------------------------	-------------------------------------	------------

The dashboard analysis reveals that heart disease is influenced by several interconnected factors rather than a single cause. Age is the strongest predictor, with cases increasing significantly after 60 years. Individuals reporting poor general health, smokers, diabetic patients, and those with higher BMI show a greater likelihood of heart disease and stroke. The findings emphasize the importance of maintaining a healthy lifestyle, monitoring chronic conditions, and promoting early diagnosis to reduce cardiovascular risk.